

S = Standard Equipment A = Available -- (dashes) = Not Available D = ADI Available

■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC15*43 and TK15*43. 2 - Available on Crew Cab models TC25743 and TK25743. 3 - Available on Crew Cab models TC35*43 and TK35*43.	Denali		
			Sierra 1500 5SA ¹	Sierra 2500HD 5SA ²	Sierra 3500HD 5SA ³
	AL0	Air bag , Passenger Sensing System	S	--	--
	AY0	Air bags , dual-stage frontal and side-impact, driver and front passenger and head-curtain side-impact, front and rear outboard seating positions 1 - Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.	S ¹	--	--
	AY0	Air bags , single-stage frontal and thorax side-impact, driver and front passenger, and head curtain side-impact, front and rear outboard seating positions 1 - Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.	--	S ¹	S ¹
		Assist handle , front passenger and driver on A-pillars	S	S	S
		Bluetooth for phone , personal cell phone connectivity to vehicle audio system	S	S	S
	K34	Cruise control , steering wheel-mounted	S	S	S
		Instrumentation , 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure	S	S	S
	AU3	Door locks , power	S	S	S
	TDM	Teen Driver mode, a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to encourage safe driving behavior. It can limit certain vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report gives you information on your teen's driving habits and helps you to continue to coach your new driver	S	S	S
	UJM	Tire Pressure Monitoring System (does not apply to spare tire) 1 - On 3500HD, included and only available with (C7A) 10,000 lb. GVWR.	S	S	A ¹
	VXH	LPO, Assist steps , chromed tubular, 6" rectangular (dealer-installed) 1 - May be substituted with (VXJ) assist steps, LPO. (VXH) is deleted when (VXJ) assist steps, LPO is specified.	--	S ¹	S ¹
	BWN	CornerStep , rear bumper	S	S	S

Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC15*43 and TK15*43. 2 - Available on Crew Cab models TC25743 and TK25743. 3 - Available on Crew Cab models TC35*43 and TK35*43.	Denali		
			Sierra 1500 5SA ¹	Sierra 2500HD 5SA ²	Sierra 3500HD 5SA ³
	CGN	Bed Liner, Spray-on , Pickup box bed liner consisting of high pressure, chemically bonded, sprayed-on polyurea & polyurethane liner formulation. Liner is permanently bonded to the truck bed providing a water tight seal. Includes embossed Denali logo on front bed wall. The textured, non-skid surface is black in color and robotically applied. Spray-on liner covers entire bed interior surface below side rails, including tailgate, front box top rail, gage hole plugs and lower tie down loops. 1 - Not available with (VZX) bed liner, LPO.	S ¹	S ¹	S ¹
		Capless Fuel Fill 1 - Requires gas engine and (E63) pickup box.	S	S ¹	S ¹
		Daytime Running Lamps , with automatic exterior lamp control	S	S	S
	CTD	Cargo tie downs (4) , movable upper	S	S	S
	TL1	Grille , Denali Chrome	S	--	--
	T4L	Headlamps , high-performance LED headlamps with GMC signature LED lighting	S	--	--
		Headlamps , High-Intensity Discharge (HID) projector-beam with GMC signature LED lighting	--	S	S
		Taillamps , LED with signature	S	--	--
		Lamps , cargo area, cab mounted with switch on center switch bank	S	S	S
	UF2	LED Lighting , cargo box with switch on center switch bank	S	S	S
	E63	Pickup box	S	S	S
		Tailgate and bed rail protection caps , top	S	S	S
	SAF	Tire carrier lock , keyed cylinder lock that utilizes same key as ignition and door	S	S	S
	QSS	Tires , P275/55R20 all-season, blackwall	S	--	--
	QFC	Tires , LT265/60R20E all-terrain, blackwall	--	S	--
	RUF	Wheel , full-size spare, 17" (43.2 cm) steel	S	--	--
	K47	Air cleaner , high-capacity	S	S	S
		Battery , heavy-duty 720 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power	S	S	S
	J95	Brakes , 4-wheel antilock, 4-wheel disc with DuraLife brake rotors 1 - Requires single rear wheels.	--	S	S ¹
	J96	Brakes , 4-wheel antilock, 4-wheel disc with dual rear wheel and DuraLife brake rotors	--	--	S
	JD9	Brakes , 4-wheel disc with DURALIFE rotors, 4-wheel antilock	S	--	--
	SRW	Chassis , single rear wheel	--	--	S
	KC4	Cooling , external engine oil cooler	S	S	S

Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC15*43 and TK15*43. 2 - Available on Crew Cab models TC25743 and TK25743. 3 - Available on Crew Cab models TC35*43 and TK35*43.	Denali		
			Sierra 1500 5SA ¹	Sierra 2500HD 5SA ²	Sierra 3500HD 5SA ³
	KNP	Cooling , auxiliary external transmission oil cooler	S	S	S
	G80	Differential , heavy-duty locking rear	S	S	S
		Exhaust , aluminized stainless-steel muffler and tailpipe	S	S	S
	L96	Engine , Vortec 6.0L Variable Valve Timing V8 SFI E85-compatible, FlexFuel, capable of running on unleaded or up to 85% ethanol (360 hp [268.4 kW] @ 5400 rpm, 380 lb-ft of torque [515.0 N-m] @ 4200 rpm)	--	S	S
		Frame , fully-boxed, hydroformed front section	S	S	S
	JHD	Hill Descent Control 1 - Included and only available with (Z71) Off-Road Suspension Package.	S	A ¹	A ¹
	GEH	GVWR , 9500 lbs. (4309 kg) 1 - Requires (L96) Vortec 6.0L V8 SFI engine.	--	S ¹	--
	GT5	Rear axle , 4.10 ratio 1 - Requires (L96) Vortec 6.0L V8 SFI engine.	--	S ¹	S ¹
	NZZ	Underbody Shield , frame-mounted shields, includes front underbody shield starting behind front bumper and running to first cross-member, protecting front underbody, oil pan, differential case and transfer case 1 - Standard on 4WD models only.	S ¹	S	S
		StabiliTrak , stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist	S	S	S
		Steering , Electric Power Steering (EPS) assist, rack-and-pinion	S	--	--
		Steering , Recirculating Ball with smart flow power steering system	--	S	S
	NV8	Steering , Digital Steering Assist	--	S	S
	Z95	Suspension , MagneRide Magnetic Ride Control, with MagneRide brand shock absorbers	S	--	--
	Z85	Suspension Package , Standard, includes 51mm twin tube shock absorbers and 33mm front stabilizer bar	--	S	S
	JL1	Trailer brake controller , integrated 1 - Included with (PEC) Denali Ultimate Package.	A ¹	S	S
	M5U	Transmission , 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking	S	--	--
	MYD	Transmission , 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking 1 - Requires (L96) Vortec 6.0L V8 SFI engine.	--	S ¹	S ¹

S = Standard Equipment A = Available -- (dashes) = Not Available D = ADI Available

■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

No deletions allowed to Equipment Groups. Additional options may be added; check ordering information section for compatibility.

*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC15*43 and TK15*43. 2 - Available on Crew Cab models TC25743 and TK25743. 3 - Available on Crew Cab models TC35*43 and TK35*43.	Denali		
			Sierra 1500 5SA ¹	Sierra 2500HD 5SA ²	Sierra 3500HD 5SA ³
	Y65	Driver Alert Package , includes (UFL) Lane Departure Warning, (UEU) Forward Collision Alert, and Safety Alert Seat	--	■	■
	Y86	Enhanced Driver Alert Package , includes (UHY) Low Speed Forward Automatic Braking, (UHX) Lane Keep Assist, (TQ5) IntelliBeam headlamps and (UEU) Forward Collision Alert, Safety Alert Seat	■	--	--
	UHY	Low Speed Forward Automatic Braking	■	--	--
	UEU	Forward Collision Alert	■	■	■
	UFL	Lane Departure Warning	--	■	■
	UHX	Lane Keep Assist	■	--	--
		Safety Alert Seat	■	■	■
	CJ2	Air conditioning , dual-zone automatic climate control	■	■	■
	IO6	Audio system , 8" diagonal Color Touch Screen Navigation with GMC Infotainment System, AM/FM/SiriusXM, HD Radio with USB ports, auxiliary jack, Bluetooth streaming audio for music and most phones, Pandora Internet radio and voice-activated technology for radio and phone	■	■	■
	TG5	Single-slot CD/MP3 player 1 - Replaced by (U42) rear seat DVD/Blu-Ray Entertainment Package when (U42) is ordered.	■ ¹	■ ¹	■ ¹
	U2K	SiriusXM Satellite Radio is standard on nearly all 2018 GM models. Enjoy a 3-month All Access trial subscription with over 150 channels including commercial-free music, plus sports, news and entertainment. Plus listening on the app and online is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. 1 - If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-866-635-2349. See our Customer Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change.	■ ¹	■ ¹	■ ¹
	UQA	Bose Sound with 6 speaker system, (7 speaker system including subwoofer when ordered with bucket seats).	■	■	■
	D07	Console , floor mounted, with cup holders, cell phone storage, power cord management, hanging file holder capability and (K4C) wireless charging	■	■	■
	C49	Defogger , rear-window electric	■	■	■

Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC15*43 and TK15*43. 2 - Available on Crew Cab models TC25743 and TK25743. 3 - Available on Crew Cab models TC35*43 and TK35*43.	Denali		
			Sierra 1500 5SA ¹	Sierra 2500HD 5SA ²	Sierra 3500HD 5SA ³
	UHS	Display , customizable driver display, 8" multi-color configurable	■	■	■
	BTV	Remote vehicle starter system	■	■	■
	AQQ	Remote Keyless Entry	■	■	■
	A91	Remote Locking Tailgate 1 - Included and only available with (AQQ) Remote Keyless Entry.	■ ¹	■ ¹	■ ¹
	B30	Floor covering , color-keyed carpeting	■	■	■
	B58	Floor mats , color-keyed carpeted first and second row	■	■	■
	U2L	Radio , HD	■	■	■
	DD8	Mirror , inside rearview auto-dimming	■	■	■
	UE1	OnStar Guidance Plan Limited Trial Service , including Automatic Crash Response, Stolen Vehicle Assistance, Roadside Assistance, Turn-by-Turn Navigation, Advanced Diagnostics and more (trial excludes Hands-Free Calling minutes) 1 - Fleet orders receive a 6-month trial. Visit onstar.com for coverage map, details and system limitations. Services vary by model. OnStar acts as a link to existing emergency service providers. Not all vehicles may transmit all crash data.	■ ¹	■ ¹	■ ¹
	VV4	OnStar 4G LTE and available built-in Wi-Fi hotspot offers a fast and reliable Internet connection for up to 7 devices; includes data trial for 3 months or 3GB (whichever comes first) 1 - Available Wi-Fi requires compatible mobile device, active OnStar service and data plan. Data plans provided by AT&T. Visit onstar.com for details and system limitations.	■ ¹	■ ¹	■ ¹
	JF4	Pedals , power-adjustable	■	■	■
	KI4	Power outlet , 110-volt AC	■	■	■
	UVC	Rear Vision Camera with dynamic guide lines	■	■	■
	AN3	Seats , front full-feature leather-appointed bucket with (KA1) heated seat cushions and seat backs. Includes 12-way power driver and front passenger seat adjusters, including 4-way power lumbar control, 2-position driver memory, adjustable head restraints, (D07) floor console and storage pockets and (K4C) wireless charging	■	■	■
	A68	Seat , rear 60/40 folding bench (folds up), 3-passenger, (includes child seat top tether anchor)	■	■	■
	KQV	Seating , heated and ventilated perforated leather-appointed front bucket	■	■	■
	UK3	Steering wheel audio controls	■	■	■
	UVD	Steering wheel , heated, leather wrapped with audio and cruise controls	■	■	■
	N37	Steering column , manual Tilt-Wheel and telescoping	■	■	■
	UTJ	Theft-deterrent system , unauthorized entry	■	■	■
	UG1	Universal Home Remote 1 - Not included when (VYU) Snow Plow Prep Package is ordered.	■	■ ¹	■ ¹
	DH6	Visors , driver and front passenger illuminated vanity mirrors	■	■	■

Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC15*43 and TK15*43. 2 - Available on Crew Cab models TC25743 and TK25743. 3 - Available on Crew Cab models TC35*43 and TK35*43.	Denali		
			Sierra 1500 5SA ¹	Sierra 2500HD 5SA ²	Sierra 3500HD 5SA ³
	A48	Window , power, rear sliding with rear defogger 1 - Not included when (VYU) Snow Plow Prep Package is ordered.	■	■ ¹	■ ¹
	A31	Windows , power with driver express up and down and express down on all other windows	■	■	■
	K4C	Wireless Charging 1 - Not compatible with all phones. Compliant batteries include Qi and PMA technologies. Reference Mobile devices manual to confirm what type of battery it uses.	■ ¹	■ ¹	■ ¹
	BVQ	Assist steps , chromed tubular, 6" rectangular (factory installed) 1 - May delete (BVQ) and add (BRS) power assist step or LPO assist steps (VXJ) by selecting (R8M) Alternate Assist Step Desired.	■ ¹	--	--
	VB5	Bumper , front, body-color	■	■	■
	VT5	Bumper , rear body-color with bumper CornerSteps	■	■	■
	E20	Door handles , chrome	■	■	■
	T3U	Fog lamps , thin profile LED	■	--	--
	T3U	Fog lamps , front, halogen	--	■	■
	AKO	Glass , deep-tinted	■	■	■
	TQ5	Headlamps , IntelliBeam, automatic high beam on/off	■	--	--
	DP9	Mirror caps , chrome	■	--	--
	DL3	Mirrors , outside chrome cap, heated power-adjustable, power-folding and driver-side auto-dimming, with integrated turn signal indicators and puddle lamps (includes driver's side spotter mirror)	■	■	--
DQS		Mirrors , outside heated power-adjustable vertical trailing, memory equipped, upper glass, power-folding and manual extending, chrome. Includes integrated turn signal indicators, consisting of 51 square inch flat mirror surface positioned over a 24.5 square inch convex mirror surface with a common head and lower convex spotter glass (convex glass is not heated and not power-adjustable) and addition of Auxiliary cargo lamp for backing up (helps to see trailer when backing up with a trailer) and amber auxiliary clearance lamp 1 - Included with (PCH) Duramax Plus Package.	--	A ¹	■
	B85	Moldings , bodyside, chrome	■	■	■
	UD5	Front and Rear Park Assist , Ultrasonic	■	■	■
	V76	Recovery hooks , front, frame-mounted, black	■	■	■
	PPA	Tailgate , EZ-Lift and Lower	■	■	■
	QQO	Tires , LT235/80R17E all-season highway 1 - Requires (CHX) 13,025 lbs. GVWR with dual rear wheels.	--	--	■ ¹
	QWF	Tires , LT265/70R18E all-season, blackwall 1 - Requires single rear wheels.	--	A	■ ¹
	RC4	Tire , spare P265/70R17 all-season, blackwall	■	--	--

Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC15*43 and TK15*43. 2 - Available on Crew Cab models TC25743 and TK25743. 3 - Available on Crew Cab models TC35*43 and TK35*43.	Denali		
			Sierra 1500 5SA ¹	Sierra 2500HD 5SA ²	Sierra 3500HD 5SA ³
	ZQO	Tire , spare LT235/80R17E highway 1 - Requires (CHX) 13,025 lbs. GVWR with dual rear wheels.	--	--	■ ¹
	ZWF	Tire , spare LT265/70R18E all-season, blackwall 1 - Requires single rear wheels.	--	■	■ ¹
	NZG	Wheels , 20" x 9" (50.8 cm x 22.9 cm) ultra bright machined aluminum	■	--	--
	RS7	Wheels , 17" (43.2 cm) forged polished aluminum 1 - Requires (CHX) 13,025 lbs. GVWR with dual rear wheels.	--	--	■ ¹
PYR		Wheels , 18" (45.7 cm) chromed aluminum, includes 18" x 8" (45.7 cm x 20.3 cm) steel spare wheel 1 - Requires 3500HD single rear wheels.	--	A	■ ¹
	RQA	Wheels , 20" (50.8 cm) chromed cast aluminum	--	□	--
	N79	Wheel , 18" x 8" (45.7 cm x 20.3 cm) full-size, steel spare	--	■	--
	B1J	Wheelhouse liners , rear 1 - Not available with dual rear wheels.	■	■	■ ¹
VQZ		LPO, Polished exhaust tip , (dealer installed) 1 - Not available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.	■	A/D ¹	A/D ¹
	KG4	Alternator , 150 amps	■	■	■
	L83	Engine , 5.3L EcoTec3 V8 with Active Fuel Management, Direct Injection and Variable Valve Timing, includes aluminum block construction (355 hp [265 kW] @ 5600 rpm, 383 lb-ft of torque [518 Nm] @ 4100 rpm; more than 300 lb-ft of torque from 2000 to 5600 rpm)	■	--	--
	C5Z	GVWR , 7200 lbs. (3266 kg) 1 - Requires 4WD model.	■ ¹	--	--
	C5W	GVWR , 7000 lbs. (3175 kg) 1 - Requires 2WD model.	■ ¹	--	--
	GU6	Rear axle , 3.42 ratio	■	--	--
	Z82	Trailer equipment , includes trailer hitch, 7-pin and 4-pin connectors	■	--	--
	Z82	Trailer equipment Trailering hitch platform 2.5" with a 2.0" insert for HD, 7-wire harness with independent fused trailering circuits mated to a 7-way sealed connector to hook up parking lamps, backup lamps, right and left turn signals, an electric brake lead, battery and a ground, The trailer connector also includes the 4-way for use on trailers without brakes - park, brake/turn lamps	--	■	■
	NQH	Transfer case , active, 2-speed electronic Autotrac with rotary controls, includes neutral position for dinghy towing 1 - Included with 4WD models only.	■ ¹	--	--
	NQF	Transfer case , electronic shift with rotary dial controls 1 - Requires 4WD models.	--	■ ¹	■ ¹

S = Standard Equipment A = Available -- (dashes) = Not Available D = ADI Available

■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

No deletions allowed to Equipment Groups. Additional options may be added; check ordering information section for compatibility.

*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC15*43 and TK15*43. 2 - Available on Crew Cab models TC25743 and TK25743. 3 - Available on Crew Cab models TC35*43 and TK35*43.	Denali		
			Sierra 1500 5SA ¹	Sierra 2500HD 5SA ²	Sierra 3500HD 5SA ³
	Y65	Driver Alert Package , includes (UFL) Lane Departure Warning, (UEU) Forward Collision Alert, and Safety Alert Seat	--	■	■
	Y86	Enhanced Driver Alert Package , includes (UHY) Low Speed Forward Automatic Braking, (UHX) Lane Keep Assist, (TQ5) IntelliBeam headlamps and (UEU) Forward Collision Alert, Safety Alert Seat	■	--	--
	UHY	Low Speed Forward Automatic Braking	■	--	--
	UEU	Forward Collision Alert	■	■	■
	UFL	Lane Departure Warning	--	■	■
	UHX	Lane Keep Assist	■	--	--
		Safety Alert Seat	■	■	■
	CJ2	Air conditioning , dual-zone automatic climate control	■	■	■
	IO6	Audio system , 8" diagonal Color Touch Screen Navigation with GMC Infotainment System, AM/FM/SiriusXM, HD Radio with USB ports, auxiliary jack, Bluetooth streaming audio for music and most phones, Pandora Internet radio and voice-activated technology for radio and phone	■	■	■
	TG5	Single-slot CD/MP3 player 1 - Replaced by (U42) rear seat DVD/Blu-Ray Entertainment Package when (U42) is ordered.	■ ¹	■ ¹	■ ¹
	U2K	SiriusXM Satellite Radio is standard on nearly all 2018 GM models. Enjoy a 3-month All Access trial subscription with over 150 channels including commercial-free music, plus sports, news and entertainment. Plus listening on the app and online is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. 1 - If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-866-635-2349. See our Customer Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change.	■ ¹	■ ¹	■ ¹
	UQA	Bose Sound with 6 speaker system, (7 speaker system including subwoofer when ordered with bucket seats).	■	■	■
	D07	Console , floor mounted, with cup holders, cell phone storage, power cord management, hanging file holder capability and (K4C) wireless charging	■	■	■
	C49	Defogger , rear-window electric	■	■	■

Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC15*43 and TK15*43. 2 - Available on Crew Cab models TC25743 and TK25743. 3 - Available on Crew Cab models TC35*43 and TK35*43.	Denali		
			Sierra 1500 5SA ¹	Sierra 2500HD 5SA ²	Sierra 3500HD 5SA ³
	UHS	Display , customizable driver display, 8" multi-color configurable	■	■	■
	BTV	Remote vehicle starter system	■	■	■
	AQQ	Remote Keyless Entry	■	■	■
	A91	Remote Locking Tailgate 1 - Included and only available with (AQQ) Remote Keyless Entry.	■ ¹	■ ¹	■ ¹
	B30	Floor covering , color-keyed carpeting	■	■	■
	B58	Floor mats , color-keyed carpeted first and second row	■	■	■
	U2L	Radio , HD	■	■	■
	DD8	Mirror , inside rearview auto-dimming	■	■	■
	UE1	OnStar Guidance Plan Limited Trial Service , including Automatic Crash Response, Stolen Vehicle Assistance, Roadside Assistance, Turn-by-Turn Navigation, Advanced Diagnostics and more (trial excludes Hands-Free Calling minutes) 1 - Fleet orders receive a 6-month trial. Visit onstar.com for coverage map, details and system limitations. Services vary by model. OnStar acts as a link to existing emergency service providers. Not all vehicles may transmit all crash data.	■ ¹	■ ¹	■ ¹
	VV4	OnStar 4G LTE and available built-in Wi-Fi hotspot offers a fast and reliable Internet connection for up to 7 devices; includes data trial for 3 months or 3GB (whichever comes first) 1 - Available Wi-Fi requires compatible mobile device, active OnStar service and data plan. Data plans provided by AT&T. Visit onstar.com for details and system limitations.	■ ¹	■ ¹	■ ¹
	JF4	Pedals , power-adjustable	■	■	■
	KI4	Power outlet , 110-volt AC	■	■	■
	UVC	Rear Vision Camera with dynamic guide lines	■	■	■
	AN3	Seats , front full-feature leather-appointed bucket with (KA1) heated seat cushions and seat backs. Includes 12-way power driver and front passenger seat adjusters, including 4-way power lumbar control, 2-position driver memory, adjustable head restraints, (D07) floor console and storage pockets and (K4C) wireless charging	■	■	■
	A68	Seat , rear 60/40 folding bench (folds up), 3-passenger, (includes child seat top tether anchor)	■	■	■
	KQV	Seating , heated and ventilated perforated leather-appointed front bucket	■	■	■
	UK3	Steering wheel audio controls	■	■	■
	UVD	Steering wheel , heated, leather wrapped with audio and cruise controls	■	■	■
	N37	Steering column , manual Tilt-Wheel and telescoping	■	■	■
	UTJ	Theft-deterrent system , unauthorized entry	■	■	■
	UG1	Universal Home Remote 1 - Not included when (VYU) Snow Plow Prep Package is ordered.	■	■ ¹	■ ¹
	DH6	Visors , driver and front passenger illuminated vanity mirrors	■	■	■

Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC15*43 and TK15*43. 2 - Available on Crew Cab models TC25743 and TK25743. 3 - Available on Crew Cab models TC35*43 and TK35*43.	Denali		
			Sierra 1500 5SA ¹	Sierra 2500HD 5SA ²	Sierra 3500HD 5SA ³
	A48	Window , power, rear sliding with rear defogger 1 - Not included when (VYU) Snow Plow Prep Package is ordered.	■	■ ¹	■ ¹
	A31	Windows , power with driver express up and down and express down on all other windows	■	■	■
	K4C	Wireless Charging 1 - Not compatible with all phones. Compliant batteries include Qi and PMA technologies. Reference Mobile devices manual to confirm what type of battery it uses.	■ ¹	■ ¹	■ ¹
	BVQ	Assist steps , chromed tubular, 6" rectangular (factory installed) 1 - May delete (BVQ) and add (BRS) power assist step or LPO assist steps (VXJ) by selecting (R8M) Alternate Assist Step Desired.	■ ¹	--	--
	VB5	Bumper , front, body-color	■	■	■
	VT5	Bumper , rear body-color with bumper CornerSteps	■	■	■
	E20	Door handles , chrome	■	■	■
	T3U	Fog lamps , thin profile LED	■	--	--
	T3U	Fog lamps , front, halogen	--	■	■
	AKO	Glass , deep-tinted	■	■	■
	TQ5	Headlamps , IntelliBeam, automatic high beam on/off	■	--	--
	DP9	Mirror caps , chrome	■	--	--
	DL3	Mirrors , outside chrome cap, heated power-adjustable, power-folding and driver-side auto-dimming, with integrated turn signal indicators and puddle lamps (includes driver's side spotter mirror)	■	■	--
DQS		Mirrors , outside heated power-adjustable vertical trailing, memory equipped, upper glass, power-folding and manual extending, chrome. Includes integrated turn signal indicators, consisting of 51 square inch flat mirror surface positioned over a 24.5 square inch convex mirror surface with a common head and lower convex spotter glass (convex glass is not heated and not power-adjustable) and addition of Auxiliary cargo lamp for backing up (helps to see trailer when backing up with a trailer) and amber auxiliary clearance lamp 1 - Included with (PCH) Duramax Plus Package.	--	A ¹	■
	B85	Moldings , bodyside, chrome	■	■	■
	UD5	Front and Rear Park Assist , Ultrasonic	■	■	■
	V76	Recovery hooks , front, frame-mounted, black	■	■	■
	PPA	Tailgate , EZ-Lift and Lower	■	■	■
	QQO	Tires , LT235/80R17E all-season highway 1 - Requires (CHX) 13,025 lbs. GVWR with dual rear wheels.	--	--	■ ¹
	QWF	Tires , LT265/70R18E all-season, blackwall 1 - Requires single rear wheels.	--	A	■ ¹
	RC4	Tire , spare P265/70R17 all-season, blackwall	■	--	--

Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC15*43 and TK15*43. 2 - Available on Crew Cab models TC25743 and TK25743. 3 - Available on Crew Cab models TC35*43 and TK35*43.	Denali		
			Sierra 1500 5SA ¹	Sierra 2500HD 5SA ²	Sierra 3500HD 5SA ³
	ZQO	Tire , spare LT235/80R17E highway 1 - Requires (CHX) 13,025 lbs. GVWR with dual rear wheels.	--	--	■ ¹
	ZWF	Tire , spare LT265/70R18E all-season, blackwall 1 - Requires single rear wheels.	--	■	■ ¹
	NZG	Wheels , 20" x 9" (50.8 cm x 22.9 cm) ultra bright machined aluminum	■	--	--
	RS7	Wheels , 17" (43.2 cm) forged polished aluminum 1 - Requires (CHX) 13,025 lbs. GVWR with dual rear wheels.	--	--	■ ¹
PYR		Wheels , 18" (45.7 cm) chromed aluminum, includes 18" x 8" (45.7 cm x 20.3 cm) steel spare wheel 1 - Requires 3500HD single rear wheels.	--	A	■ ¹
	RQA	Wheels , 20" (50.8 cm) chromed cast aluminum	--	□	--
	N79	Wheel , 18" x 8" (45.7 cm x 20.3 cm) full-size, steel spare	--	■	--
	B1J	Wheelhouse liners , rear 1 - Not available with dual rear wheels.	■	■	■ ¹
VQZ		LPO, Polished exhaust tip , (dealer installed) 1 - Not available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.	■	A/D ¹	A/D ¹
	KG4	Alternator , 150 amps	■	■	■
	L83	Engine , 5.3L EcoTec3 V8 with Active Fuel Management, Direct Injection and Variable Valve Timing, includes aluminum block construction (355 hp [265 kW] @ 5600 rpm, 383 lb-ft of torque [518 Nm] @ 4100 rpm; more than 300 lb-ft of torque from 2000 to 5600 rpm)	■	--	--
	C5Z	GVWR , 7200 lbs. (3266 kg) 1 - Requires 4WD model.	■ ¹	--	--
	C5W	GVWR , 7000 lbs. (3175 kg) 1 - Requires 2WD model.	■ ¹	--	--
	GU6	Rear axle , 3.42 ratio	■	--	--
	Z82	Trailer equipment , includes trailer hitch, 7-pin and 4-pin connectors	■	--	--
	Z82	Trailer equipment Trailering hitch platform 2.5" with a 2.0" insert for HD, 7-wire harness with independent fused trailering circuits mated to a 7-way sealed connector to hook up parking lamps, backup lamps, right and left turn signals, an electric brake lead, battery and a ground, The trailer connector also includes the 4-way for use on trailers without brakes - park, brake/turn lamps	--	■	■
	NQH	Transfer case , active, 2-speed electronic Autotrac with rotary controls, includes neutral position for dinghy towing 1 - Included with 4WD models only.	■ ¹	--	--
	NQF	Transfer case , electronic shift with rotary dial controls 1 - Requires 4WD models.	--	■ ¹	■ ¹

ADDITIONAL OPTIONS					
Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC15*43 and TK15*43. 2 - Available on Crew Cab models TC25743 and TK25743. 3 - Available on Crew Cab models TC35*43 and TK35*43.	Denali		
			Sierra 1500 5SA ¹	Sierra 2500HD 5SA ²	Sierra 3500HD 5SA ³
NKC		Active Noise Cancellation 1 - Included and only available with (L86) 6.2L EcoTec3 V8 engine.	A ¹	--	--
U42		Entertainment Package , rear seat DVD/Blu-Ray player with 9.2 inch LCD display, 2 sets of wireless headphones and A/V remote control 1 - Replaces (TG5) single-slot CD/MP3 player.	A ¹	A ¹	A ¹
CF5		Sunroof, power 1 - Included with (PEC) Denali Ultimate Package. 2 - Not available with (VYU) Snow Plow Prep Package.	A ¹	A ²	A ²
PDH		LPO, GMC Interior Protection Package , includes (VAV) all-weather floor mats, LPO and (VBR) rubber bed mat, LPO, (dealer-installed) 1 - Not available with (PEC) Denali Ultimate Package, (CGN) spray-on bed liner, (PDL) Cargo Convenience Package, LPO or (VZX) bed liner, LPO. 2 - Not available with (CGN) spray-on bed liner or (PDL) Cargo Convenience Package, LPO.	A/D ¹	A/D ²	A/D ²
PDL		LPO, Cargo Convenience Package , includes (VAV) all-weather floor mats, LPO, (VKW) front console organizer, LPO and (VBJ) rear under seat storage, LPO, (dealer-installed) 1 - Not available with (PEC) Denali Ultimate Package.	A/D ¹	A/D	A/D
RIA		LPO, All-weather floor liner , (dealer-installed) 1 - Not available with (VAV) all-weather floor mats.	A/D ¹	A/D ¹	A/D ¹
VAV		LPO, All-weather floor mats , front and rear (dealer-installed) 1 - Included with (PDL) Cargo Convenience Package, LPO and (PDH) GMC Interior Protection Package, LPO.	A/D ¹	A/D ¹	A/D ¹
S0P		LPO, Console insert organizer tray , (dealer-installed) 1 - Not available with (VKW) front console organizer, LPO.	A/D ¹	A/D ¹	A/D ¹
VKW		LPO, Console insert expandable folder tote , (dealer-installed) 1 - Included with (PDL) Cargo Convenience Package, LPO. Requires (AN3) front bucket seats. Not available with (S0P) console insert, LPO.	A/D ¹	A/D ¹	A/D ¹
UJ5		LPO, Rear seat DVD entertainment system , dual independent 7" monitors located in the headrest, includes cable kit, remote control, 2-wireless infrared headphones, vehicle wire harness jumper, control box, owners manual and 6-AAA batteries for headphones and remote (dealer installed) 1 - Not available with (U42) rear seat DVD/Blu-Ray Entertainment Package.	A/D ¹	A/D ¹	A/D ¹
VBJ		LPO, Rear underseat storage , composite storage bin (dealer-installed) 1 - Included with (PDL) Cargo Convenience Package, LPO.	A/D ¹	A/D ¹	A/D ¹
PEC		Denali Ultimate Package , includes (L86) 6.2L EcoTec3 V8 engine, (Q7M) 22" aluminum wheels with premium paint and chrome inserts, (CF5) power sunroof, (JL1) trailer brake controller, (BRS) Tri-Mode Power Steps, (VQY) chrome recovery hooks, LPO. 1 - Requires 4WD model. Not available with any LPO wheels, (PDH) GMC Interior Protection Package, LPO or (PDL) Cargo Convenience Package, LPO. Requires (RHH) 22" all-terrain tires.	A ¹	--	--

ADDITIONAL OPTIONS					
Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC15*43 and TK15*43. 2 - Available on Crew Cab models TC25743 and TK25743. 3 - Available on Crew Cab models TC35*43 and TK35*43.	Denali		
			Sierra 1500 5SA ¹	Sierra 2500HD 5SA ²	Sierra 3500HD 5SA ³
BRS		Tri-Mode Power Steps , rearward articulating, (providing bed access). Foot activated running side board. 1 - Included with (PEC) Denali Ultimate Package. Not available with (S6V) Cargo box retractable side assist step, LPO. Requires (R8M) Alternate Assist Step Desired.	A ¹	--	--
R8M		Alternate Assist Step Desired 1 - Requires (BRS) power assist step or LPO assist steps (VXJ) 4" round chrome tubular assist steps, LPO. 2 - Deletes standard (VXH) 6" rectangular chrome tubular assist step, LPO and is required and only available with (VXJ) 4" round chrome tubular assist steps, LPO.	A ¹	A ²	A ²
R8R		Delete: Spray-on bedliner 1 - Required with (VBR) rubber bed mat, LPO, (PDH) GMC Interior Protection Package, LPO or (VZX) bed liner, LPO.	A ¹	A ¹	A ¹
VK3		License plate kit , front (will be forced on orders with ship-to states that require front license plate) Note: (VK3) deletes center lower bumper filler panel.	A	A	A
U01		Lamps , Smoked Amber roof marker (required with dual rear wheels) 1 - Not available with (YF5) California state emissions requirements. 2 - Standard with dual rear wheels. Not available with (YF5) California state emissions requirements on single rear wheels.	--	A ¹	A ²
DQS		Mirrors , outside heated power-adjustable vertical trailing, memory equipped, upper glass, power-folding and manual extending, chrome. Includes integrated turn signal indicators, consisting of 51 square inch flat mirror surface positioned over a 24.5 square inch convex mirror surface with a common head and lower convex spotter glass (convex glass is not heated and not power-adjustable) and addition of Auxiliary cargo lamp for backing up (helps to see trailer when backing up with a trailer) and amber auxiliary clearance lamp 1 - Included with (PCH) Duramax Plus Package.	--	A ¹	■
TRW		Provision for cab roof-mounted lamp/beacon , provides an instrument panel-mounted switch and electrical wiring tucked beneath the headliner for a body upfitter to connect a body-mounted warning or emergency lamp 1 - Included with (VYU) Snow Plow Prep Package.	--	A ¹	A ¹
RC7		Tires , P275/55R20 all-terrain, blackwall 1 - On 4WD model not available with (L83) 5.3L EcoTec3 V8 engine.	A ¹	--	--
RHH		Tires , P285/45R22 SL 110H all-terrain, blackwall 1 - Required and only available with 22" LPO wheels or (Q7M) 22" aluminum with premium paint and chrome inserts.	A ¹	--	--
QZT		Tires , LT235/80R17E all-terrain, blackwall 1 - Requires (CHX) 13,025 lbs. GVWR with dual rear wheels.	--	--	A ¹
QGM		Tires , LT265/70R18E all-terrain, blackwall 1 - Requires single rear wheels.	--	A	A ¹

ADDITIONAL OPTIONS					
Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC15*43 and TK15*43. 2 - Available on Crew Cab models TC25743 and TK25743. 3 - Available on Crew Cab models TC35*43 and TK35*43.	Denali		
			Sierra 1500 5SA ¹	Sierra 2500HD 5SA ²	Sierra 3500HD 5SA ³
QWF		Tires , LT265/70R18E all-season, blackwall 1 - Requires single rear wheels.	--	A	■ ¹
ZZT		Tires , spare LT235/80R17E all-terrain 1 - Requires (CHX) 13,025 lbs. GVWR with dual rear wheels and (QZT) LT235/80R17E all-terrain, blackwall tires.	--	--	A ¹
RTL		Wheels , 4 - 20" x 9" (50.8 cm x 22.9 cm) chrome	A	--	--
PYR		Wheels , 18" (45.7 cm) chromed aluminum, includes 18" x 8" (45.7 cm x 20.3 cm) steel spare wheel 1 - Requires 3500HD single rear wheels.	--	A	■ ¹
Q7R		Wheels , 20" (50.8 cm) 6-spoke polished aluminum	--	A	--
VXJ		LPO, Assist steps , chromed tubular, 4" round (dealer-installed) 1 - Not available with (S6V) cargo box retractable side assist step, LPO, (BVQ) 6" chrome tubular rectangular assist step, LPO or (BRS) Tri-Mode Power Steps. 2 - Not available with (S6V) cargo box retractable side assist step, LPO or (VXH) 6" rectangular chrome tubular assist steps, LPO.	A/D ¹	A/D ²	A/D ²
S6V		LPO, Cargo box retractable driver side only side assist step , (dealer-installed) 1 - No longer available to order as of July 7, 2016. Not available with (BRS) power assist step or LPO assist steps or (VXJ) LPO, assist steps, chromed tubular, 4" round. 2 - Not available with (VXJ) assist steps, chromed tubular, 4" round, LPO.	A/D ¹	A/D ²	A/D ²
VQY		LPO, Chrome recovery hooks 1 - Included and only available with (PEC) Denali Ultimate Package. 2 - Included with (PCH) Duramax Plus Package.	A/D ¹	A/D ²	A/D ²
VQZ		LPO, Polished exhaust tip , (dealer installed) 1 - Not available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.	■	A/D ¹	A/D ¹
VQK		LPO, Front and Rear Molded Splash Guards , Black, (dealer-installed)	A/D	A/D	A/D
SF6		LPO, Body color wheel arch moldings , (dealer-installed) 1 - Requires (GAZ) Summit White or (GBA) Onyx Black. Not available with (ZW9) pickup box delete. 2 - Requires (GAZ) Summit White or (GBA) Onyx Black. Not available with (ZW9) pickup box delete or dual rear wheels.	--	A/D ¹	A/D ²
VRV		LPO, Body Color Molded Splash Guards , (dealer-installed) 1 - Requires (GAN) Quicksilver Metallic, (GAZ) Summit White, or (GBA) Onyx Black. Not available with (VQK) Front and Rear Molded Splash Guards, LPO. 2 - Requires (GAZ) Summit White or (GBA) Onyx Black. Not available with (VQK) Front and Rear Molded Splash Guards, LPO.	A/D ¹	A/D ²	A/D ²
5JY		LPO, Soft folding tonneau cover , (dealer-installed) 1 - Not available with (VPB) vinyl tonneau cover with integrated support bows, LPO or (VQT) hard tri-folding tonneau cover, LPO. 2 - Not available with (VPB) vinyl tonneau cover with integrated support bows, LPO, (VQT) hard tri-folding tonneau cover, LPO or with dual rear wheels.	A/D ¹	A/D ¹	A/D ²

ADDITIONAL OPTIONS					
Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC15*43 and TK15*43. 2 - Available on Crew Cab models TC25743 and TK25743. 3 - Available on Crew Cab models TC35*43 and TK35*43.	Denali		
			Sierra 1500 5SA ¹	Sierra 2500HD 5SA ²	Sierra 3500HD 5SA ³
VPB		LPO, Vinyl tonneau cover with integrated support bows, (dealer-installed) 1 - Not available with (5JY) soft folding tonneau cover, LPO or (VQT) hard tri-folding tonneau cover, LPO.	A/D ¹	A/D ¹	A/D ¹
VQT		LPO, Tonneau cover , Hard tri-folding with vinyl cover, (dealer-installed) 1 - Not available with (VPB) soft tonneau cover, LPO or (5JY) soft-folding tonneau cover, LPO. 2 - Not available with (VPB) soft tonneau cover, LPO, (5JY) soft-folding tonneau cover, LPO or with dual rear wheels.	A/D ¹	A/D ¹	A/D ²
VZX		LPO, Bed liner , (dealer-installed) 1 - Not available with (CGN) spray-on bed liner.	A/D ¹	A/D ¹	A/D ¹
VBR		LPO, Rubber bed mat , (dealer-installed) 1 - Included with (PDH) GMC Interior Protection Package, LPO. Not available with (VZX) bed liner, LPO.	A/D ¹	A/D ¹	A/D ¹
SCZ		LPO, Tailgate handle , chrome, (dealer-installed)	A/D	A/D	A/D
SFE		LPO, Wheel locks , set of 4 (dealer-installed) 1 - Not available with LPO 22" wheels.	A/D ¹	A/D	A/D
SF0		LPO, 22" (55.9 cm) 6-spoke premium Silver ultra-bright machined wheels , LPO wheels will come with 4 steel 22" wheels from the factory with alignment specs set to 22" LPO wheel selected (dealer-installed) 1 - Requires (RHH) 22" all-terrain tires.	A/D ¹	--	--
SF1		LPO, 22" (55.9 cm) 7-spoke Silver wheels , LPO wheels will come with 4 steel 22" wheels from the factory with alignment specs set to 22" LPO wheel selected (dealer-installed) 1 - Requires (RHH) 22" all-terrain tires.	A/D ¹	--	--
SEV		LPO, 22" (55.9 cm) 6-spoke high-gloss Black wheels , LPO wheels will come with 4 steel 22" wheels from the factory with alignment specs set to 22" LPO wheel selected (dealer-installed) 1 - Requires (RHH) 22" all-terrain tires.	A/D ¹	--	--
SEW		LPO, 22" (55.9 cm) 5-spoke Silver ultra-bright machined wheels with high-gloss Black , LPO wheels will come with 4 steel 22" wheels from the factory with alignment specs set to 22" LPO wheel selected (dealer-installed) 1 - Requires (RHH) 22" all-terrain tires.	A/D ¹	--	--
RX1		LPO, 22" (55.9 cm) 7-spoke Silver wheels with Black inserts , LPO wheels will come with 4 steel 22" wheels from the factory with alignment specs set to 22" LPO wheel selected (dealer-installed) 1 - Not available with (PEC) Denali Ultimate Package. Requires (RHH) 22" all-terrain tires.	A/D ¹	--	--

ADDITIONAL OPTIONS					
Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC15*43 and TK15*43. 2 - Available on Crew Cab models TC25743 and TK25743. 3 - Available on Crew Cab models TC35*43 and TK35*43.	Denali		
			Sierra 1500 5SA ¹	Sierra 2500HD 5SA ²	Sierra 3500HD 5SA ³
PCH		Duramax Plus Package , includes (L5P) Duramax 6.6L Turbo-Diesel V8 engine and (VQY) chrome recovery hooks, LPO, (MW7) Allison 1000 6-speed automatic transmission 1 - Includes (DQS) outside memory equipped heated power-adjustable vertical trailing mirrors.	--	A ¹	A
VYU		Snow Plow Prep Package , includes power feed for backup and roof emergency light, (KW5) 220-amp alternator with gas or diesel engine, forward lamp wiring harness, (TRW) provision for cab roof mounted lamp/beacon, (NZZ) underbody shields and Heavy-Duty front-springs 1 - Only available on 4WD models. Not available with (CF5) power sunroof. When (VYU) is ordered (UG1) Universal Home Remote and (A48) power sliding rear window is deleted. Upgradeable to (KHB) dual, 150 amps and 220 amps each alternators with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.	--	A ¹	A ¹
KW5		Alternator , 220 amps 1 - Included with (VYU) Snow Plow Prep Package when ordered with gas or diesel engines.	--	A ¹	A ¹
KHB		Alternators , dual, 150 amps and 220 amps each 1 - Requires (L5P) Duramax 6.6L Turbo-Diesel V8 engine.	--	A ¹	A ¹
K4B		Battery , 730 cold-cranking amps, auxiliary 1 - Not available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.	--	A ¹	A ¹
5JL		LPO, Front Brake Kit-Performance , includes Red Brembo 6-piston brake calipers with larger than stock pads and rotors (front brakes only with GMC logo) (dealer-installed) 1 - Requires 20" or 22" wheels.	A/D ¹	--	--
V10		Cover , 1-piece, covers radiator grille and front bumper openings for diesel engines in winter weather 1 - Requires (L5P) Duramax 6.6L Turbo-Diesel V8 engine and is required on orders with "Ship To" locations within the following states: Maine, New Hampshire, Vermont, Minnesota, North Dakota, South Dakota, Montana, Alaska, Idaho, Wisconsin, Wyoming, Michigan, Colorado and New York.	--	A ¹	A ¹
FE9		Emissions , Federal requirements	A	A	A
NE1		Emissions , Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington state requirements	A	A	A
NC7		Emissions override , Federal (for vehicles ordered by dealers in Federal emission states with (YF5) or (NE1) emissions - Not required for vehicles being shipped to California, Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont or Washington) 1 - Requires (YF5) California state emissions requirements or (NE1) Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont or Washington state emissions requirements.	A ¹	A ¹	A ¹

ADDITIONAL OPTIONS					
Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC15*43 and TK15*43. 2 - Available on Crew Cab models TC25743 and TK25743. 3 - Available on Crew Cab models TC35*43 and TK35*43.	Denali		
			Sierra 1500 5SA ¹	Sierra 2500HD 5SA ²	Sierra 3500HD 5SA ³
NB9		Emissions override , state-specific (for dealers ordering vehicles in (YF5) or (NE1) emission states - California, Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington) 1 - Allows a California dealer (YF5 emissions) to order (NE1) emissions with (NB9) emissions override code for registration in (NE1) states; or, a Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington dealer (NE1 emissions) to order (YF5) emissions with (NB9) emissions override code for registration in California.	A ¹	A ¹	A ¹
NB8		Emissions override , California (allows a dealer in states that require California emissions - California, Connecticut, Delaware, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island or Washington - to order Federal emissions for a vehicle that will be registered in a state that has Federal emission requirements). Do not use for vehicles that will be registered in California, Connecticut, Delaware, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island or Washington. 1 - Requires (FE9) Federal emissions requirements. Not available in Maine or Vermont.	A ¹	A ¹	A ¹
YF5		Emissions , California state requirements	A	A	A
K05		Engine block heater 1 - Included with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.	A	A ¹	A ¹
L86		Engine , 6.2L EcoTec3 V8 with Active Fuel Management, Direct Injection and Variable Valve Timing, includes aluminum block construction (420 hp [313 kW] @ 5600 rpm, 460 lb-ft of torque [624 N-m] @ 4100 rpm)	A	--	--
C7A		GVWR , 10,000 lbs. (4536 kg) 1 - Requires (L5P) Duramax 6.6L Turbo-Diesel V8 engine. 2 - Requires TC35743 model and (L96) Vortec 6.0L V8 SFI engine.	--	A ¹	A ²
C7G		GVWR , 10,500 lbs. (4763 kg) with single rear wheels 1 - Requires (L96) 6.0L V8 engine and model TC35743.	--	--	A ¹
JFL		GVWR , 10,800 lbs. (4899 kg) with single rear wheels 1 - Requires (L96) 6.0L V8 engine and model TK35743.	--	--	A ¹
C7E		GVWR , 11,000 lbs. (4990 kg) with single rear wheels 1 - Requires K35943 model and (L96) Vortec 6.0L V8 SFI engine.	--	--	A ¹
JFK		GVWR , 10,700 lbs. (4854 kg) with single rear wheels 1 - Requires C35943 and (L96) Vortec 6.0L V8 SFI engine.	--	--	A ¹
JFN		GVWR , 11,100 lbs. (5035 kg) with single rear wheels 1 - Requires (L5P) Duramax 6.6L Turbo-Diesel V8 engine and model TC35743.	--	--	A ¹
C7W		GVWR , 11,400 lbs. (5171 kg) with single rear wheels 1 - Requires C35943 with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.	--	--	A ¹

ADDITIONAL OPTIONS					
Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC15*43 and TK15*43. 2 - Available on Crew Cab models TC25743 and TK25743. 3 - Available on Crew Cab models TC35*43 and TK35*43.	Denali		
			Sierra 1500 5SA ¹	Sierra 2500HD 5SA ²	Sierra 3500HD 5SA ³
G1Y		GVWR , 11,500 lbs. (5216 kg) with single rear wheels 1 - Requires (L5P) Duramax 6.6L Turbo-Diesel V8 engine and model TK35743.	--	--	A ¹
C7V		GVWR , 11,600 lbs. (5262 kg) with single rear wheels 1 - Requires K35943 with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.	--	--	A ¹
CHX		GVWR , 13,025 lbs. (5908 kg) with dual rear wheels 1 - Requires model T*35943.	--	--	A ¹
Z71		Suspension Package , Off-Road, requires 4WD models, includes twin tube Rancho brand shocks and (JHD) Hill Descent Control 1 - Requires all-terrain tires. Z71 chrome front fender emblem not included on Denali models. 2 - Requires All-Terrain tires. Z71 chrome front fender emblem not included on Denali models. Not available with dual rear wheels.	--	A ¹	A ²
UF3		Switch, High Idle	--	A	A
JL1		Trailer brake controller , integrated 1 - Included with (PEC) Denali Ultimate Package.	A ¹	S	S
UY2		Trailer wiring provisions , for camper, fifth wheel and gooseneck trailer, includes additional 7-way wiring harness is located at the rear of the pickup box attached to the rear frame cross member	--	A	A
Z6A		Gooseneck / 5th Wheel Prep Package -- Hitch platform to accept Gooseneck or Fifth wheel hitch. Includes Hitch platform with tray to accept ball and drilled box holes with caps installed, box mounted 7-pin trailer harness (similar to (UY2) harness). 1 - Requires model T*25**3, (Z82) trailering equipment, (CGN) spray-on bedliner and trailering mirrors (DF2), (DPN) or (DQS) . Not available with (UY2) Trailering wiring provisions, (ZW9) pickup box delete, (9J4) rear bumper delete, (VBR) rubber bed mat, LPO, (VZX) bed liner, LPO, (VUK) tailgate liner, LPO, (PDH) Interior Protection Package, (VBN) bed rug, LPO or any ship thru code. 2 - Requires model T*35**3, (Z82) trailering equipment, (CGN) spray-on bedliner and trailering mirrors (DF2), (DPN) or (DQS) . Not available with (UY2) Trailering wiring provisions, (ZW9) pickup box delete, (9J4) rear bumper delete, (VBR) rubber bed mat, LPO, (VZX) bed liner, LPO, (VUK) tailgate liner, LPO, (PDH) Interior Protection Package, (VBN) bed rug, LPO or any ship thru code.	--	A ¹	A ²
SNO		LPO, Hitch Package , Gooseneck ball and chain tiedown kit with case, (dealer-installed) 1 - Requires (Z6A) Gooseneck / 5th Wheel Prep Package. Not available with (VBR) rubber bed mat, LPO or (VZX) bed liner, LPO.	--	A/D ¹	A/D ¹
MW7		Transmission , Allison 1000 6-speed automatic, electronically controlled with overdrive, electronic engine grade braking and tow/haul mode 1 - Requires (L5P) Duramax 6.6L Turbo-Diesel V8 engine.	--	A ¹	A ¹

S = Standard Equipment A = Available -- (dashes) = Not Available D = ADI Available

■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

No deletions allowed to Equipment Groups. Additional options may be added; check ordering information section for compatibility.

*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC15*43 and TK15*43. 2 - Available on Crew Cab models TC25743 and TK25743. 3 - Available on Crew Cab models TC35*43 and TK35*43.	Denali		
			Sierra 1500 5SA ¹	Sierra 2500HD 5SA ²	Sierra 3500HD 5SA ³
	CJ2	Air conditioning , dual-zone automatic climate control	■	■	■
	KG4	Alternator , 150 amps	■	■	■
	IO6	Audio system , 8" diagonal Color Touch Screen Navigation with GMC Infotainment System, AM/FM/SiriusXM, HD Radio with USB ports, auxiliary jack, Bluetooth streaming audio for music and most phones, Pandora Internet radio and voice-activated technology for radio and phone	■	■	■
	UQA	Bose Sound with 6 speaker system, (7 speaker system including subwoofer when ordered with bucket seats).	■	■	■
	VB5	Bumper , front, body-color	■	■	■
	VT5	Bumper , rear body-color with bumper CornerSteps	■	■	■
	D07	Console , floor mounted, with cup holders, cell phone storage, power cord management, hanging file holder capability and (K4C) wireless charging	■	■	■
	C49	Defogger , rear-window electric	■	■	■
	UHS	Display , customizable driver display, 8" multi-color configurable	■	■	■
	E20	Door handles , chrome	■	■	■
	B30	Floor covering , color-keyed carpeting	■	■	■
	B58	Floor mats , color-keyed carpeted first and second row	■	■	■
	UEU	Forward Collision Alert	■	■	■
	UD5	Front and Rear Park Assist , Ultrasonic	■	■	■
	AKO	Glass , deep-tinted	■	■	■
	DD8	Mirror , inside rearview auto-dimming	■	■	■
	B85	Moldings , bodyside, chrome	■	■	■
	UE1	OnStar Guidance Plan Limited Trial Service, including Automatic Crash Response, Stolen Vehicle Assistance, Roadside Assistance, Turn-by-Turn Navigation, Advanced Diagnostics and more (trial excludes Hands-Free Calling minutes) 1 - Fleet orders receive a 6-month trial. Visit onstar.com for coverage map, details and system limitations. Services vary by model. OnStar acts as a link to existing emergency service providers. Not all vehicles may transmit all crash data.	■ ¹	■ ¹	■ ¹

Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC15*43 and TK15*43. 2 - Available on Crew Cab models TC25743 and TK25743. 3 - Available on Crew Cab models TC35*43 and TK35*43.	Denali		
			Sierra 1500 5SA ¹	Sierra 2500HD 5SA ²	Sierra 3500HD 5SA ³
	VV4	OnStar 4G LTE and available built-in Wi-Fi hotspot offers a fast and reliable Internet connection for up to 7 devices; includes data trial for 3 months or 3GB (whichever comes first) 1 - Available Wi-Fi requires compatible mobile device, active OnStar service and data plan. Data plans provided by AT&T. Visit onstar.com for details and system limitations.	■ ¹	■ ¹	■ ¹
	JF4	Pedals , power-adjustable	■	■	■
	KI4	Power outlet , 110-volt AC	■	■	■
	U2L	Radio , HD	■	■	■
	UVC	Rear Vision Camera with dynamic guide lines	■	■	■
	V76	Recovery hooks , front, frame-mounted, black	■	■	■
	AQQ	Remote Keyless Entry	■	■	■
	A91	Remote Locking Tailgate 1 - Included and only available with (AQQ) Remote Keyless Entry.	■ ¹	■ ¹	■ ¹
	BTV	Remote vehicle starter system	■	■	■
		Safety Alert Seat	■	■	■
	A68	Seat , rear 60/40 folding bench (folds up), 3-passenger, (includes child seat top tether anchor)	■	■	■
	KQV	Seating , heated and ventilated perforated leather-appointed front bucket	■	■	■
	AN3	Seats , front full-feature leather-appointed bucket with (KA1) heated seat cushions and seat backs. Includes 12-way power driver and front passenger seat adjusters, including 4-way power lumbar control, 2-position driver memory, adjustable head restraints, (D07) floor console and storage pockets and (K4C) wireless charging	■	■	■
	TG5	Single-slot CD/MP3 player 1 - Replaced by (U42) rear seat DVD/Blu-Ray Entertainment Package when (U42) is ordered.	■ ¹	■ ¹	■ ¹
	U2K	SiriusXM Satellite Radio is standard on nearly all 2018 GM models. Enjoy a 3-month All Access trial subscription with over 150 channels including commercial-free music, plus sports, news and entertainment. Plus listening on the app and online is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. 1 - If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-866-635-2349. See our Customer Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change.	■ ¹	■ ¹	■ ¹
	N37	Steering column , manual Tilt-Wheel and telescoping	■	■	■
	UVD	Steering wheel , heated, leather wrapped with audio and cruise controls	■	■	■
	UK3	Steering wheel audio controls	■	■	■
	PPA	Tailgate , EZ-Lift and Lower	■	■	■

Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC15*43 and TK15*43. 2 - Available on Crew Cab models TC25743 and TK25743. 3 - Available on Crew Cab models TC35*43 and TK35*43.	Denali		
			Sierra 1500 5SA ¹	Sierra 2500HD 5SA ²	Sierra 3500HD 5SA ³
	UTJ	Theft-deterrent system , unauthorized entry	■	■	■
	UG1	Universal Home Remote 1 - Not included when (VYU) Snow Plow Prep Package is ordered.	■	■ ¹	■ ¹
	DH6	Visors , driver and front passenger illuminated vanity mirrors	■	■	■
	B1J	Wheelhouse liners , rear 1 - Not available with dual rear wheels.	■	■	■ ¹
	A48	Window , power, rear sliding with rear defogger 1 - Not included when (VYU) Snow Plow Prep Package is ordered.	■	■ ¹	■ ¹
	A31	Windows , power with driver express up and down and express down on all other windows	■	■	■
	K4C	Wireless Charging 1 - Not compatible with all phones. Compliant batteries include Qi and PMA technologies. Reference Mobile devices manual to confirm what type of battery it uses.	■ ¹	■ ¹	■ ¹
	DL3	Mirrors , outside chrome cap, heated power-adjustable, power-folding and driver-side auto-dimming, with integrated turn signal indicators and puddle lamps (includes driver's side spotter mirror)	■	■	
	BVQ	Assist steps , chromed tubular, 6" rectangular (factory installed) 1 - May delete (BVQ) and add (BRS) power assist step or LPO assist steps (VXJ) by selecting (R8M) Alternate Assist Step Desired.	■ ¹		
	L83	Engine , 5.3L EcoTec3 V8 with Active Fuel Management, Direct Injection and Variable Valve Timing, includes aluminum block construction (355 hp [265 kW] @ 5600 rpm, 383 lb-ft of torque [518 Nm] @ 4100 rpm; more than 300 lb-ft of torque from 2000 to 5600 rpm)	■		
	Y86	Enhanced Driver Alert Package , includes (UHY) Low Speed Forward Automatic Braking, (UHX) Lane Keep Assist, (TQ5) IntelliBeam headlamps and (UEU) Forward Collision Alert, Safety Alert Seat	■		
	T3U	Fog lamps , thin profile LED	■		
	C5Z	GVWR , 7200 lbs. (3266 kg) 1 - Requires 4WD model.	■ ¹		
	C5W	GVWR , 7000 lbs. (3175 kg) 1 - Requires 2WD model.	■ ¹		
	TQ5	Headlamps , IntelliBeam, automatic high beam on/off	■		
	UHX	Lane Keep Assist	■		
	UHY	Low Speed Forward Automatic Braking	■		
VQZ		LPO, Polished exhaust tip , (dealer installed)	■		
	DP9	Mirror caps , chrome	■		
	GU6	Rear axle , 3.42 ratio	■		
	RC4	Tire , spare P265/70R17 all-season, blackwall	■		
	Z82	Trailer equipment , includes trailer hitch, 7-pin and 4-pin connectors	■		

Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC15*43 and TK15*43. 2 - Available on Crew Cab models TC25743 and TK25743. 3 - Available on Crew Cab models TC35*43 and TK35*43.	Denali		
			Sierra 1500 5SA ¹	Sierra 2500HD 5SA ²	Sierra 3500HD 5SA ³
	NQH	Transfer case , active, 2-speed electronic Autotrac with rotary controls, includes neutral position for dinghy towing 1 - Included with 4WD models only.	■ ¹		
	NZG	Wheels , 20" x 9" (50.8 cm x 22.9 cm) ultra bright machined aluminum	■		
	Y65	Driver Alert Package , includes (UFL) Lane Departure Warning, (UEU) Forward Collision Alert, and Safety Alert Seat		■	■
	T3U	Fog lamps , front, halogen		■	■
	UFL	Lane Departure Warning		■	■
	ZWF	Tire , spare LT265/70R18E all-season, blackwall 1 - Requires single rear wheels.		■	■ ¹
	Z82	Trailer equipment Trailing hitch platform 2.5" with a 2.0" insert for HD, 7-wire harness with independent fused trailing circuits mated to a 7-way sealed connector to hook up parking lamps, backup lamps, right and left turn signals, an electric brake lead, battery and a ground, The trailer connector also includes the 4-way for use on trailers without brakes - park, brake/turn lamps		■	■
	NQF	Transfer case , electronic shift with rotary dial controls 1 - Requires 4WD models.		■ ¹	■ ¹
	N79	Wheel , 18" x 8" (45.7 cm x 20.3 cm) full-size, steel spare		■	
	RQA	Wheels , 20" (50.8 cm) chromed cast aluminum		□	
DQS		Mirrors , outside heated power-adjustable vertical trailing, memory equipped, upper glass, power-folding and manual extending, chrome. Includes integrated turn signal indicators, consisting of 51 square inch flat mirror surface positioned over a 24.5 square inch convex mirror surface with a common head and lower convex spotter glass (convex glass is not heated and not power-adjustable) and addition of Auxiliary cargo lamp for backing up (helps to see trailer when backing up with a trailer) and amber auxiliary clearance lamp			■
	ZQO	Tire , spare LT235/80R17E highway 1 - Requires (CHX) 13,025 lbs. GVWR with dual rear wheels.			■ ¹
	QQO	Tires , LT235/80R17E all-season highway 1 - Requires (CHX) 13,025 lbs. GVWR with dual rear wheels.			■ ¹
	QWF	Tires , LT265/70R18E all-season, blackwall 1 - Requires single rear wheels.			■ ¹
	RS7	Wheels , 17" (43.2 cm) forged polished aluminum 1 - Requires (CHX) 13,025 lbs. GVWR with dual rear wheels.			■ ¹
	PYR	Wheels , 18" (45.7 cm) chromed aluminum, includes 18" x 8" (45.7 cm x 20.3 cm) steel spare wheel 1 - Requires 3500HD single rear wheels.			■ ¹

S = Standard Equipment A = Available -- (dashes) = Not Available D = ADI Available
 ■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC15*43 and TK15*43. 2 - Available on Crew Cab models TC25743 and TK25743. 3 - Available on Crew Cab models TC35*43 and TK35*43.	Denali		
			Sierra 1500 5SA ¹	Sierra 2500HD 5SA ²	Sierra 3500HD 5SA ³
	Y65	Driver Alert Package , includes (UFL) Lane Departure Warning, (UEU) Forward Collision Alert, and Safety Alert Seat	--	■	■
	Y86	Enhanced Driver Alert Package , includes (UHY) Low Speed Forward Automatic Braking, (UHX) Lane Keep Assist, (TQ5) IntelliBeam headlamps and (UEU) Forward Collision Alert, Safety Alert Seat	■	--	--
	UHY	Low Speed Forward Automatic Braking	■	--	--
	UEU	Forward Collision Alert	■	■	■
	UFL	Lane Departure Warning	--	■	■
	UHX	Lane Keep Assist	■	--	--
		Safety Alert Seat	■	■	■
	AL0	Air bag , Passenger Sensing System	S	--	--
	AY0	Air bags , dual-stage frontal and side-impact, driver and front passenger and head-curtain side-impact, front and rear outboard seating positions 1 - Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.	S ¹	--	--
	AY0	Air bags , single-stage frontal and thorax side-impact, driver and front passenger, and head curtain side-impact, front and rear outboard seating positions 1 - Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.	--	S ¹	S ¹
	CJ2	Air conditioning , dual-zone automatic climate control	■	■	■
		Assist handle , front passenger and driver on A-pillars	S	S	S
	IO6	Audio system , 8" diagonal Color Touch Screen Navigation with GMC Infotainment System, AM/FM/SiriusXM, HD Radio with USB ports, auxiliary jack, Bluetooth streaming audio for music and most phones, Pandora Internet radio and voice-activated technology for radio and phone	■	■	■
	TG5	Single-slot CD/MP3 player 1 - Replaced by (U42) rear seat DVD/Blu-Ray Entertainment Package when (U42) is ordered.	■ ¹	■ ¹	■ ¹

Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC15*43 and TK15*43. 2 - Available on Crew Cab models TC25743 and TK25743. 3 - Available on Crew Cab models TC35*43 and TK35*43.	Denali		
			Sierra 1500 5SA ¹	Sierra 2500HD 5SA ²	Sierra 3500HD 5SA ³
	U2K	SiriusXM Satellite Radio is standard on nearly all 2018 GM models. Enjoy a 3-month All Access trial subscription with over 150 channels including commercial-free music, plus sports, news and entertainment. Plus listening on the app and online is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. 1 - If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-866-635-2349. See our Customer Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change.	■ ¹	■ ¹	■ ¹
	UQA	Bose Sound with 6 speaker system, (7 speaker system including subwoofer when ordered with bucket seats).	■	■	■
	NKC	Active Noise Cancellation 1 - Included and only available with (L86) 6.2L EcoTec3 V8 engine.	A ¹	--	--
		Bluetooth for phone , personal cell phone connectivity to vehicle audio system	S	S	S
	D07	Console , floor mounted, with cup holders, cell phone storage, power cord management, hanging file holder capability and (K4C) wireless charging	■	■	■
	K34	Cruise control , steering wheel-mounted	S	S	S
		Instrumentation , 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure	S	S	S
	C49	Defogger , rear-window electric	■	■	■
	UHS	Display , customizable driver display, 8" multi-color configurable	■	■	■
	AU3	Door locks , power	S	S	S
	U42	Entertainment Package , rear seat DVD/Blu-Ray player with 9.2 inch LCD display, 2 sets of wireless headphones and A/V remote control 1 - Replaces (TG5) single-slot CD/MP3 player.	A ¹	A ¹	A ¹
	BTV	Remote vehicle starter system	■	■	■
	AQQ	Remote Keyless Entry	■	■	■
	A91	Remote Locking Tailgate 1 - Included and only available with (AQQ) Remote Keyless Entry.	■ ¹	■ ¹	■ ¹
	B30	Floor covering , color-keyed carpeting	■	■	■
	B58	Floor mats , color-keyed carpeted first and second row	■	■	■
	U2L	Radio , HD	■	■	■
	DD8	Mirror , inside rearview auto-dimming	■	■	■

Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC15*43 and TK15*43. 2 - Available on Crew Cab models TC25743 and TK25743. 3 - Available on Crew Cab models TC35*43 and TK35*43.	Denali		
			Sierra 1500 5SA ¹	Sierra 2500HD 5SA ²	Sierra 3500HD 5SA ³
	UE1	OnStar Guidance Plan Limited Trial Service, including Automatic Crash Response, Stolen Vehicle Assistance, Roadside Assistance, Turn-by-Turn Navigation, Advanced Diagnostics and more (trial excludes Hands-Free Calling minutes) 1 - Fleet orders receive a 6-month trial. Visit onstar.com for coverage map, details and system limitations. Services vary by model. OnStar acts as a link to existing emergency service providers. Not all vehicles may transmit all crash data.	■ ¹	■ ¹	■ ¹
	VV4	OnStar 4G LTE and available built-in Wi-Fi hotspot offers a fast and reliable Internet connection for up to 7 devices; includes data trial for 3 months or 3GB (whichever comes first) 1 - Available Wi-Fi requires compatible mobile device, active OnStar service and data plan. Data plans provided by AT&T. Visit onstar.com for details and system limitations.	■ ¹	■ ¹	■ ¹
	JF4	Pedals , power-adjustable	■	■	■
	KI4	Power outlet , 110-volt AC	■	■	■
	UVC	Rear Vision Camera with dynamic guide lines	■	■	■
	AN3	Seats , front full-feature leather-appointed bucket with (KA1) heated seat cushions and seat backs. Includes 12-way power driver and front passenger seat adjusters, including 4-way power lumbar control, 2-position driver memory, adjustable head restraints, (D07) floor console and storage pockets and (K4C) wireless charging	■	■	■
	A68	Seat , rear 60/40 folding bench (folds up), 3-passenger, (includes child seat top tether anchor)	■	■	■
	KQV	Seating , heated and ventilated perforated leather-appointed front bucket	■	■	■
	UK3	Steering wheel audio controls	■	■	■
	UVD	Steering wheel , heated, leather wrapped with audio and cruise controls	■	■	■
	N37	Steering column , manual Tilt-Wheel and telescoping	■	■	■
CF5		Sunroof , power 1 - Included with (PEC) Denali Ultimate Package. 2 - Not available with (VYU) Snow Plow Prep Package.	A ¹	A ²	A ²
	TDM	Teen Driver mode, a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to encourage safe driving behavior. It can limit certain vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report gives you information on your teen's driving habits and helps you to continue to coach your new driver	S	S	S
	UTJ	Theft-deterrent system , unauthorized entry	■	■	■
	UJM	Tire Pressure Monitoring System (does not apply to spare tire) 1 - On 3500HD, included and only available with (C7A) 10,000 lb. GVWR.	S	S	A ¹
	UG1	Universal Home Remote 1 - Not included when (VYU) Snow Plow Prep Package is ordered.	■	■ ¹	■ ¹
	DH6	Visors , driver and front passenger illuminated vanity mirrors	■	■	■

Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC15*43 and TK15*43. 2 - Available on Crew Cab models TC25743 and TK25743. 3 - Available on Crew Cab models TC35*43 and TK35*43.	Denali		
			Sierra 1500 5SA ¹	Sierra 2500HD 5SA ²	Sierra 3500HD 5SA ³
	A48	Window , power, rear sliding with rear defogger 1 - Not included when (VYU) Snow Plow Prep Package is ordered.	■	■ ¹	■ ¹
	A31	Windows , power with driver express up and down and express down on all other windows	■	■	■
	K4C	Wireless Charging 1 - Not compatible with all phones. Compliant batteries include Qi and PMA technologies. Reference Mobile devices manual to confirm what type of battery it uses.	■ ¹	■ ¹	■ ¹
PDH		LPO, GMC Interior Protection Package , includes (VAV) all-weather floor mats, LPO and (VBR) rubber bed mat, LPO, (dealer-installed) 1 - Not available with (PEC) Denali Ultimate Package, (CGN) spray-on bed liner, (PDL) Cargo Convenience Package, LPO or (VZX) bed liner, LPO. 2 - Not available with (CGN) spray-on bed liner or (PDL) Cargo Convenience Package, LPO.	A/D ¹	A/D ²	A/D ²
PDL		LPO, Cargo Convenience Package , includes (VAV) all-weather floor mats, LPO, (VKW) front console organizer, LPO and (VBJ) rear under seat storage, LPO, (dealer-installed) 1 - Not available with (PEC) Denali Ultimate Package.	A/D ¹	A/D	A/D
RIA		LPO, All-weather floor liner , (dealer-installed) 1 - Not available with (VAV) all-weather floor mats.	A/D ¹	A/D ¹	A/D ¹
VAV		LPO, All-weather floor mats , front and rear (dealer-installed) 1 - Included with (PDL) Cargo Convenience Package, LPO and (PDH) GMC Interior Protection Package, LPO.	A/D ¹	A/D ¹	A/D ¹
SOP		LPO, Console insert organizer tray , (dealer-installed) 1 - Not available with (VKW) front console organizer, LPO.	A/D ¹	A/D ¹	A/D ¹
VKW		LPO, Console insert expandable folder tote , (dealer-installed) 1 - Included with (PDL) Cargo Convenience Package, LPO. Requires (AN3) front bucket seats. Not available with (SOP) console insert, LPO.	A/D ¹	A/D ¹	A/D ¹
UJ5		LPO, Rear seat DVD entertainment system , dual independent 7" monitors located in the headrest, includes cable kit, remote control, 2-wireless infrared headphones, vehicle wire harness jumper, control box, owners manual and 6-AAA batteries for headphones and remote (dealer installed) 1 - Not available with (U42) rear seat DVD/Blu-Ray Entertainment Package.	A/D ¹	A/D ¹	A/D ¹
VBJ		LPO, Rear underseat storage , composite storage bin (dealer-installed) 1 - Included with (PDL) Cargo Convenience Package, LPO.	A/D ¹	A/D ¹	A/D ¹

S = Standard Equipment A = Available -- (dashes) = Not Available D = ADI Available
 ■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC15*43 and TK15*43. 2 - Available on Crew Cab models TC25743 and TK25743. 3 - Available on Crew Cab models TC35*43 and TK35*43.	Denali		
			Sierra 1500 5SA ¹	Sierra 2500HD 5SA ²	Sierra 3500HD 5SA ³
PEC		Denali Ultimate Package , includes (L86) 6.2L EcoTec3 V8 engine, (Q7M) 22" aluminum wheels with premium paint and chrome inserts, (CF5) power sunroof, (JL1) trailer brake controller, (BRS) Tri-Mode Power Steps, (VQY) chrome recovery hooks, LPO. 1 - Requires 4WD model. Not available with any LPO wheels, (PDH) GMC Interior Protection Package, LPO or (PDL) Cargo Convenience Package, LPO. Requires (RHH) 22" all-terrain tires.	A ¹	--	--
BRS		Tri-Mode Power Steps , rearward articulating, (providing bed access). Foot activated running side board. 1 - Included with (PEC) Denali Ultimate Package. Not available with (S6V) Cargo box retractable side assist step, LPO. Requires (R8M) Alternate Assist Step Desired.	A ¹	--	--
	BVQ	Assist steps , chromed tubular, 6" rectangular (factory installed) 1 - May delete (BVQ) and add (BRS) power assist step or LPO assist steps (VXJ) by selecting (R8M) Alternate Assist Step Desired.	■ ¹	--	--
	VXH	LPO, Assist steps , chromed tubular, 6" rectangular (dealer-installed) 1 - May be substituted with (VXJ) assist steps, LPO. (VXH) is deleted when (VXJ) assist steps, LPO is specified.	--	S ¹	S ¹
R8M		Alternate Assist Step Desired 1 - Requires (BRS) power assist step or LPO assist steps (VXJ) 4" round chrome tubular assist steps, LPO. 2 - Deletes standard (VXH) 6" rectangular chrome tubular assist step, LPO and is required and only available with (VXJ) 4" round chrome tubular assist steps, LPO.	A ¹	A ²	A ²
	BWN	CornerStep , rear bumper	S	S	S
	CGN	Bed Liner, Spray-on , Pickup box bed liner consisting of high pressure, chemically bonded, sprayed-on polyurea & polyurethane liner formulation. Liner is permanently bonded to the truck bed providing a water tight seal. Includes embossed Denali logo on front bed wall. The textured, non-skid surface is black in color and robotically applied. Spray-on liner covers entire bed interior surface below side rails, including tailgate, front box top rail, gage hole plugs and lower tie down loops. 1 - Not available with (VZX) bed liner, LPO.	S ¹	S ¹	S ¹
R8R		Delete: Spray-on bedliner 1 - Required with (VBR) rubber bed mat, LPO, (PDH) GMC Interior Protection Package, LPO or (VZX) bed liner, LPO.	A ¹	A ¹	A ¹
	VB5	Bumper , front, body-color	■	■	■
	VT5	Bumper , rear body-color with bumper CornerSteps	■	■	■

Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC15*43 and TK15*43. 2 - Available on Crew Cab models TC25743 and TK25743. 3 - Available on Crew Cab models TC35*43 and TK35*43.	Denali		
			Sierra 1500 5SA ¹	Sierra 2500HD 5SA ²	Sierra 3500HD 5SA ³
		Capped Fuel Fill 1 - Included and only available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.	--	A ¹	A ¹
		Capless Fuel Fill 1 - Requires gas engine and (E63) pickup box.	S	S ¹	S ¹
		Daytime Running Lamps , with automatic exterior lamp control	S	S	S
	E20	Door handles , chrome	■	■	■
	T3U	Fog lamps , thin profile LED	■	--	--
	T3U	Fog lamps , front, halogen	--	■	■
	CTD	Cargo tie downs (4) , movable upper	S	S	S
	AKO	Glass , deep-tinted	■	■	■
	TL1	Grille , Denali Chrome	S	--	--
	TQ5	Headlamps , IntelliBeam, automatic high beam on/off	■	--	--
	T4L	Headlamps , high-performance LED headlamps with GMC signature LED lighting	S	--	--
		Headlamps , High-Intensity Discharge (HID) projector-beam with GMC signature LED lighting	--	S	S
		Taillamps , LED with signature	S	--	--
	VK3	License plate kit , front (will be forced on orders with ship-to states that require front license plate) Note: (VK3) deletes center lower bumper filler panel.	A	A	A
		Lamps , cargo area, cab mounted with switch on center switch bank	S	S	S
	U01	Lamps , Smoked Amber roof marker (required with dual rear wheels) 1 - Not available with (YF5) California state emissions requirements. 2 - Standard with dual rear wheels. Not available with (YF5) California state emissions requirements on single rear wheels.	--	A ¹	A ²
	UF2	LED Lighting , cargo box with switch on center switch bank	S	S	S
	DP9	Mirror caps , chrome	■	--	--
	DL3	Mirrors , outside chrome cap, heated power-adjustable, power-folding and driver-side auto-dimming, with integrated turn signal indicators and puddle lamps (includes driver's side spotter mirror)	■	■	--
	DQS	Mirrors , outside heated power-adjustable vertical trailering, memory equipped, upper glass, power-folding and manual extending, chrome. Includes integrated turn signal indicators, consisting of 51 square inch flat mirror surface positioned over a 24.5 square inch convex mirror surface with a common head and lower convex spotter glass (convex glass is not heated and not power-adjustable) and addition of Auxiliary cargo lamp for backing up (helps to see trailer when backing up with a trailer) and amber auxiliary clearance lamp 1 - Included with (PCH) Duramax Plus Package.	--	A ¹	■
	B85	Moldings , bodyside, chrome	■	■	■

Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC15*43 and TK15*43. 2 - Available on Crew Cab models TC25743 and TK25743. 3 - Available on Crew Cab models TC35*43 and TK35*43.	Denali		
			Sierra 1500 5SA ¹	Sierra 2500HD 5SA ²	Sierra 3500HD 5SA ³
	E63	Pickup box	S	S	S
TRW		Provision for cab roof-mounted lamp/beacon , provides an instrument panel-mounted switch and electrical wiring tucked beneath the headliner for a body upfitter to connect a body-mounted warning or emergency lamp 1 - Included with (VYU) Snow Plow Prep Package.	--	A ¹	A ¹
	UD5	Front and Rear Park Assist , Ultrasonic	■	■	■
	V76	Recovery hooks , front, frame-mounted, black	■	■	■
		Tailgate and bed rail protection caps , top	S	S	S
	PPA	Tailgate , EZ-Lift and Lower	■	■	■
	SAF	Tire carrier lock , keyed cylinder lock that utilizes same key as ignition and door	S	S	S
	QSS	Tires , P275/55R20 all-season, blackwall	S	--	--
RC7		Tires , P275/55R20 all-terrain, blackwall 1 - On 4WD model not available with (L83) 5.3L EcoTec3 V8 engine.	A ¹	--	--
RHH		Tires , P285/45R22 SL 110H all-terrain, blackwall 1 - Required and only available with 22" LPO wheels or (Q7M) 22" aluminum with premium paint and chrome inserts.	A ¹	--	--
	QQO	Tires , LT235/80R17E all-season highway 1 - Requires (CHX) 13,025 lbs. GVWR with dual rear wheels.	--	--	■ ¹
	QZT	Tires , LT235/80R17E all-terrain, blackwall 1 - Requires (CHX) 13,025 lbs. GVWR with dual rear wheels.	--	--	A ¹
	QGM	Tires , LT265/70R18E all-terrain, blackwall 1 - Requires single rear wheels.	--	A	A ¹
	QWF	Tires , LT265/70R18E all-season, blackwall 1 - Requires single rear wheels.	--	A	■ ¹
	QFC	Tires , LT265/60R20E all-terrain, blackwall	--	S	--
	RC4	Tire , spare P265/70R17 all-season, blackwall	■	--	--
	ZZT	Tires , spare LT235/80R17E all-terrain 1 - Requires (CHX) 13,025 lbs. GVWR with dual rear wheels and (QZT) LT235/80R17E all-terrain, blackwall tires.	--	--	A ¹
	ZQO	Tire , spare LT235/80R17E highway 1 - Requires (CHX) 13,025 lbs. GVWR with dual rear wheels.	--	--	■ ¹
	ZWF	Tire , spare LT265/70R18E all-season, blackwall 1 - Requires single rear wheels.	--	■	■ ¹
	NZG	Wheels , 20" x 9" (50.8 cm x 22.9 cm) ultra bright machined aluminum	■	--	--
	RTL	Wheels , 4 - 20" x 9" (50.8 cm x 22.9 cm) chrome	A	--	--
	Q7M	Wheels , 22" (55.9 cm) aluminum with premium paint and chrome inserts 1 - Included and only available with (PEC) Denali Ultimate Package. Requires (RHH) 22" all-terrain tires.	A ¹	--	--
	RUF	Wheel , full-size spare, 17" (43.2 cm) steel	S	--	--

Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC15*43 and TK15*43. 2 - Available on Crew Cab models TC25743 and TK25743. 3 - Available on Crew Cab models TC35*43 and TK35*43.	Denali		
			Sierra 1500 5SA ¹	Sierra 2500HD 5SA ²	Sierra 3500HD 5SA ³
	RS7	Wheels, 17" (43.2 cm) forged polished aluminum 1 - Requires (CHX) 13,025 lbs. GVWR with dual rear wheels.	--	--	■ ¹
	PYR	Wheels, 18" (45.7 cm) chromed aluminum, includes 18" x 8" (45.7 cm x 20.3 cm) steel spare wheel 1 - Requires 3500HD single rear wheels.	--	A	■ ¹
	Q7R	Wheels, 20" (50.8 cm) 6-spoke polished aluminum	--	A	--
	RQA	Wheels, 20" (50.8 cm) chromed cast aluminum	--	□	--
	N79	Wheel, 18" x 8" (45.7 cm x 20.3 cm) full-size, steel spare	--	■	--
	B1J	Wheelhouse liners, rear 1 - Not available with dual rear wheels.	■	■	■ ¹
	VXJ	LPO, Assist steps , chromed tubular, 4" round (dealer-installed) 1 - Not available with (S6V) cargo box retractable side assist step, LPO, (BVQ) 6" chrome tubular rectangular assist step, LPO or (BRS) Tri-Mode Power Steps. 2 - Not available with (S6V) cargo box retractable side assist step, LPO or (VXH) 6" rectangular chrome tubular assist steps, LPO.	A/D ¹	A/D ²	A/D ²
	S6V	LPO, Cargo box retractable driver side only side assist step , (dealer-installed) 1 - No longer available to order as of July 7, 2016. Not available with (BRS) power assist step or LPO assist steps or (VXJ) LPO, assist steps, chromed tubular, 4" round. 2 - Not available with (VXJ) assist steps, chromed tubular, 4" round, LPO.	A/D ¹	A/D ²	A/D ²
	VQY	LPO, Chrome recovery hooks 1 - Included and only available with (PEC) Denali Ultimate Package. 2 - Included with (PCH) Duramax Plus Package.	A/D ¹	A/D ²	A/D ²
	VQZ	LPO, Polished exhaust tip , (dealer installed) 1 - Not available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.	■	A/D ¹	A/D ¹
	VQK	LPO, Front and Rear Molded Splash Guards , Black, (dealer-installed)	A/D	A/D	A/D
	SF6	LPO, Body color wheel arch moldings , (dealer-installed) 1 - Requires (GAZ) Summit White or (GBA) Onyx Black. Not available with (ZW9) pickup box delete. 2 - Requires (GAZ) Summit White or (GBA) Onyx Black. Not available with (ZW9) pickup box delete or dual rear wheels.	--	A/D ¹	A/D ²
	VRV	LPO, Body Color Molded Splash Guards , (dealer-installed) 1 - Requires (GAN) Quicksilver Metallic, (GAZ) Summit White, or (GBA) Onyx Black. Not available with (VQK) Front and Rear Molded Splash Guards, LPO. 2 - Requires (GAZ) Summit White or (GBA) Onyx Black. Not available with (VQK) Front and Rear Molded Splash Guards, LPO.	A/D ¹	A/D ²	A/D ²
	5JY	LPO, Soft folding tonneau cover , (dealer-installed) 1 - Not available with (VPB) vinyl tonneau cover with integrated support bows, LPO or (VQT) hard tri-folding tonneau cover, LPO. 2 - Not available with (VPB) vinyl tonneau cover with integrated support bows, LPO, (VQT) hard tri-folding tonneau cover, LPO or with dual rear wheels.	A/D ¹	A/D ¹	A/D ²

Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC15*43 and TK15*43. 2 - Available on Crew Cab models TC25743 and TK25743. 3 - Available on Crew Cab models TC35*43 and TK35*43.	Denali		
			Sierra 1500 5SA ¹	Sierra 2500HD 5SA ²	Sierra 3500HD 5SA ³
VPB		LPO, Vinyl tonneau cover with integrated support bows, (dealer-installed) 1 - Not available with (5JY) soft folding tonneau cover, LPO or (VQT) hard tri-folding tonneau cover, LPO.	A/D ¹	A/D ¹	A/D ¹
VQT		LPO, Tonneau cover , Hard tri-folding with vinyl cover, (dealer-installed) 1 - Not available with (VPB) soft tonneau cover, LPO or (5JY) soft-folding tonneau cover, LPO. 2 - Not available with (VPB) soft tonneau cover, LPO, (5JY) soft-folding tonneau cover, LPO or with dual rear wheels.	A/D ¹	A/D ¹	A/D ²
VZX		LPO, Bed liner , (dealer-installed) 1 - Not available with (CGN) spray-on bed liner.	A/D ¹	A/D ¹	A/D ¹
VBR		LPO, Rubber bed mat , (dealer-installed) 1 - Included with (PDH) GMC Interior Protection Package, LPO. Not available with (VZX) bed liner, LPO.	A/D ¹	A/D ¹	A/D ¹
SCZ		LPO, Tailgate handle , chrome, (dealer-installed)	A/D	A/D	A/D
SFE		LPO, Wheel locks , set of 4 (dealer-installed) 1 - Not available with LPO 22" wheels.	A/D ¹	A/D	A/D
SF0		LPO, 22" (55.9 cm) 6-spoke premium Silver ultra-bright machined wheels , LPO wheels will come with 4 steel 22" wheels from the factory with alignment specs set to 22" LPO wheel selected (dealer-installed) 1 - Requires (RHH) 22" all-terrain tires.	A/D ¹	--	--
SF1		LPO, 22" (55.9 cm) 7-spoke Silver wheels , LPO wheels will come with 4 steel 22" wheels from the factory with alignment specs set to 22" LPO wheel selected (dealer-installed) 1 - Requires (RHH) 22" all-terrain tires.	A/D ¹	--	--
SEV		LPO, 22" (55.9 cm) 6-spoke high-gloss Black wheels , LPO wheels will come with 4 steel 22" wheels from the factory with alignment specs set to 22" LPO wheel selected (dealer-installed) 1 - Requires (RHH) 22" all-terrain tires.	A/D ¹	--	--
SEW		LPO, 22" (55.9 cm) 5-spoke Silver ultra-bright machined wheels with high-gloss Black , LPO wheels will come with 4 steel 22" wheels from the factory with alignment specs set to 22" LPO wheel selected (dealer-installed) 1 - Requires (RHH) 22" all-terrain tires.	A/D ¹	--	--
RX1		LPO, 22" (55.9 cm) 7-spoke Silver wheels with Black inserts , LPO wheels will come with 4 steel 22" wheels from the factory with alignment specs set to 22" LPO wheel selected (dealer-installed) 1 - Not available with (PEC) Denali Ultimate Package. Requires (RHH) 22" all-terrain tires.	A/D ¹	--	--

S = Standard Equipment A = Available -- (dashes) = Not Available D = ADI Available

■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC15*43 and TK15*43. 2 - Available on Crew Cab models TC25743 and TK25743. 3 - Available on Crew Cab models TC35*43 and TK35*43.	Denali		
			Sierra 1500 5SA ¹	Sierra 2500HD 5SA ²	Sierra 3500HD 5SA ³
PCH		Duramax Plus Package , includes (L5P) Duramax 6.6L Turbo-Diesel V8 engine and (VQY) chrome recovery hooks, LPO, (MW7) Allison 1000 6-speed automatic transmission 1 - Includes (DQS) outside memory equipped heated power-adjustable vertical trailering mirrors.	--	A ¹	A
VYU		Snow Plow Prep Package , includes power feed for backup and roof emergency light, (KW5) 220-amp alternator with gas or diesel engine, forward lamp wiring harness, (TRW) provision for cab roof mounted lamp/beacon, (NZZ) underbody shields and Heavy-Duty front-springs 1 - Only available on 4WD models. Not available with (CF5) power sunroof. When (VYU) is ordered (UG1) Universal Home Remote and (A48) power sliding rear window is deleted. Upgradeable to (KHB) dual, 150 amps and 220 amps each alternators with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.	--	A ¹	A ¹
	KG4	Alternator , 150 amps	■	■	■
KW5		Alternator , 220 amps 1 - Included with (VYU) Snow Plow Prep Package when ordered with gas or diesel engines.	--	A ¹	A ¹
KHB		Alternators , dual, 150 amps and 220 amps each 1 - Requires (L5P) Duramax 6.6L Turbo-Diesel V8 engine.	--	A ¹	A ¹
	K47	Air cleaner , high-capacity	S	S	S
		Battery , heavy-duty 720 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power	S	S	S
		Battery , heavy-duty dual 730 cold-cranking amps/70 Amp-hr, maintenance-free with rundown protection and retained accessory power 1 - Included and only available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.	--	A ¹	A ¹
K4B		Battery , 730 cold-cranking amps, auxiliary 1 - Not available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.	--	A ¹	A ¹
	J95	Brakes , 4-wheel antilock, 4-wheel disc with DuraLife brake rotors 1 - Requires single rear wheels.	--	S	S ¹
	J96	Brakes , 4-wheel antilock, 4-wheel disc with dual rear wheel and DuraLife brake rotors	--	--	S
	JD9	Brakes , 4-wheel disc with DURALIFE rotors, 4-wheel antilock	S	--	--

Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC15*43 and TK15*43. 2 - Available on Crew Cab models TC25743 and TK25743. 3 - Available on Crew Cab models TC35*43 and TK35*43.	Denali		
			Sierra 1500 5SA ¹	Sierra 2500HD 5SA ²	Sierra 3500HD 5SA ³
5JL		LPO, Front Brake Kit-Performance , includes Red Brembo 6-piston brake calipers with larger than stock pads and rotors (front brakes only with GMC logo) (dealer-installed) 1 - Requires 20" or 22" wheels.	A/D ¹	--	--
	SRW	Chassis , single rear wheel	--	--	S
	KC4	Cooling , external engine oil cooler	S	S	S
	KNP	Cooling , auxiliary external transmission oil cooler	S	S	S
V10		Cover , 1-piece, covers radiator grille and front bumper openings for diesel engines in winter weather 1 - Requires (L5P) Duramax 6.6L Turbo-Diesel V8 engine and is required on orders with "Ship To" locations within the following states: Maine, New Hampshire, Vermont, Minnesota, North Dakota, South Dakota, Montana, Alaska, Idaho, Wisconsin, Wyoming, Michigan, Colorado and New York.	--	A ¹	A ¹
	G80	Differential , heavy-duty locking rear	S	S	S
FE9		Emissions , Federal requirements	A	A	A
NE1		Emissions , Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington state requirements	A	A	A
NC7		Emissions override , Federal (for vehicles ordered by dealers in Federal emission states with (YF5) or (NE1) emissions - Not required for vehicles being shipped to California, Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont or Washington) 1 - Requires (YF5) California state emissions requirements or (NE1) Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont or Washington state emissions requirements.	A ¹	A ¹	A ¹
NB9		Emissions override , state-specific (for dealers ordering vehicles in (YF5) or (NE1) emission states - California, Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington) 1 - Allows a California dealer (YF5 emissions) to order (NE1) emissions with (NB9) emissions override code for registration in (NE1) states; or, a Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington dealer (NE1 emissions) to order (YF5) emissions with (NB9) emissions override code for registration in California.	A ¹	A ¹	A ¹
NB8		Emissions override , California (allows a dealer in states that require California emissions - California, Connecticut, Delaware, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island or Washington - to order Federal emissions for a vehicle that will be registered in a state that has Federal emission requirements). Do not use for vehicles that will be registered in California, Connecticut, Delaware, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island or Washington. 1 - Requires (FE9) Federal emissions requirements. Not available in Maine or Vermont.	A ¹	A ¹	A ¹
YF5		Emissions , California state requirements	A	A	A

Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC15*43 and TK15*43. 2 - Available on Crew Cab models TC25743 and TK25743. 3 - Available on Crew Cab models TC35*43 and TK35*43.	Denali		
			Sierra 1500 5SA ¹	Sierra 2500HD 5SA ²	Sierra 3500HD 5SA ³
		Exhaust , aluminized stainless-steel muffler and tailpipe	S	S	S
	K40	Exhaust brake 1 - Included and only available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.	--	A ¹	A ¹
	K05	Engine block heater 1 - Included with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.	A	A ¹	A ¹
	L83	Engine , 5.3L EcoTec3 V8 with Active Fuel Management, Direct Injection and Variable Valve Timing, includes aluminum block construction (355 hp [265 kW] @ 5600 rpm, 383 lb-ft of torque [518 Nm] @ 4100 rpm; more than 300 lb-ft of torque from 2000 to 5600 rpm)	■	--	--
	L86	Engine , 6.2L EcoTec3 V8 with Active Fuel Management, Direct Injection and Variable Valve Timing, includes aluminum block construction (420 hp [313 kW] @ 5600 rpm, 460 lb-ft of torque [624 N-m] @ 4100 rpm)	A	--	--
	L96	Engine , Vortec 6.0L Variable Valve Timing V8 SFI E85-compatible, FlexFuel, capable of running on unleaded or up to 85% ethanol (360 hp [268.4 kW] @ 5400 rpm, 380 lb-ft of torque [515.0 N-m] @ 4200 rpm)	--	S	S
	L5P	Engine , Duramax 6.6L Turbo-Diesel V8, B20-Diesel compatible (445 hp [332 kW] @ 2800 rpm, 910 lb-ft of torque [1220 Nm] @ 1600 rpm) 1 - Included and only available with (PCH) Duramax Plus Package. Includes capped fuel fill, (K40) exhaust brake, and (K05) engine block heater. Requires (GT4) 3.73 rear axle ratio.	--	A ¹	A ¹
		Frame , fully-boxed, hydroformed front section	S	S	S
	JHD	Hill Descent Control 1 - Included and only available with (Z71) Off-Road Suspension Package.	S	A ¹	A ¹
	C5Z	GVWR , 7200 lbs. (3266 kg) 1 - Requires 4WD model.	■ ¹	--	--
	C5W	GVWR , 7000 lbs. (3175 kg) 1 - Requires 2WD model.	■ ¹	--	--
	GEH	GVWR , 9500 lbs. (4309 kg) 1 - Requires (L96) Vortec 6.0L V8 SFI engine.	--	S ¹	--
	C7A	GVWR , 10,000 lbs. (4536 kg) 1 - Requires (L5P) Duramax 6.6L Turbo-Diesel V8 engine. 2 - Requires TC35743 model and (L96) Vortec 6.0L V8 SFI engine.	--	A ¹	A ²
	C7G	GVWR , 10,500 lbs. (4763 kg) with single rear wheels 1 - Requires (L96) 6.0L V8 engine and model TC35743.	--	--	A ¹
	JFL	GVWR , 10,800 lbs. (4899 kg) with single rear wheels 1 - Requires (L96) 6.0L V8 engine and model TK35743.	--	--	A ¹
	C7E	GVWR , 11,000 lbs. (4990 kg) with single rear wheels 1 - Requires K35943 model and (L96) Vortec 6.0L V8 SFI engine.	--	--	A ¹
	JFK	GVWR , 10,700 lbs. (4854 kg) with single rear wheels 1 - Requires C35943 and (L96) Vortec 6.0L V8 SFI engine.	--	--	A ¹

Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC15*43 and TK15*43. 2 - Available on Crew Cab models TC25743 and TK25743. 3 - Available on Crew Cab models TC35*43 and TK35*43.	Denali		
			Sierra 1500 5SA ¹	Sierra 2500HD 5SA ²	Sierra 3500HD 5SA ³
JFN		GVWR , 11,100 lbs. (5035 kg) with single rear wheels 1 - Requires (L5P) Duramax 6.6L Turbo-Diesel V8 engine and model TC35743.	--	--	A ¹
C7W		GVWR , 11,400 lbs. (5171 kg) with single rear wheels 1 - Requires C35943 with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.	--	--	A ¹
G1Y		GVWR , 11,500 lbs. (5216 kg) with single rear wheels 1 - Requires (L5P) Duramax 6.6L Turbo-Diesel V8 engine and model TK35743.	--	--	A ¹
C7V		GVWR , 11,600 lbs. (5262 kg) with single rear wheels 1 - Requires K35943 with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.	--	--	A ¹
CHX		GVWR , 13,025 lbs. (5908 kg) with dual rear wheels 1 - Requires model T*35943.	--	--	A ¹
	GU5	Rear axle , 3.23 ratio 1 - Requires (L86) 6.2L EcoTec3 V8 engine.	A ¹	--	--
	GU6	Rear axle , 3.42 ratio	■	--	--
	GT4	Rear axle , 3.73 ratio 1 - Standard and only available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.	--	A ¹	A ¹
	GT5	Rear axle , 4.10 ratio 1 - Requires (L96) Vortec 6.0L V8 SFI engine.	--	S ¹	S ¹
	NZZ	Underbody Shield , frame-mounted shields, includes front underbody shield starting behind front bumper and running to first cross-member, protecting front underbody, oil pan, differential case and transfer case 1 - Standard on 4WD models only.	S ¹	S	S
		StabiliTrak , stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist	S	S	S
		Steering , Electric Power Steering (EPS) assist, rack-and-pinion	S	--	--
		Steering , Recirculating Ball with smart flow power steering system	--	S	S
	NV8	Steering , Digital Steering Assist	--	S	S
	Z95	Suspension , MagneRide Magnetic Ride Control, with MagneRide brand shock absorbers	S	--	--
Z71		Suspension Package , Off-Road, requires 4WD models, includes twin tube Rancho brand shocks and (JHD) Hill Descent Control 1 - Requires all-terrain tires. Z71 chrome front fender emblem not included on Denali models. 2 - Requires All-Terrain tires. Z71 chrome front fender emblem not included on Denali models. Not available with dual rear wheels.	--	A ¹	A ²
	Z85	Suspension Package , Standard, includes 51mm twin tube shock absorbers and 33mm front stabilizer bar	--	S	S
UF3		Switch , High Idle	--	A	A
	Z82	Trailer equipment , includes trailer hitch, 7-pin and 4-pin connectors	■	--	--

Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC15*43 and TK15*43. 2 - Available on Crew Cab models TC25743 and TK25743. 3 - Available on Crew Cab models TC35*43 and TK35*43.	Denali		
			Sierra 1500 5SA ¹	Sierra 2500HD 5SA ²	Sierra 3500HD 5SA ³
	Z82	Trailer equipment Trailing hitch platform 2.5" with a 2.0" insert for HD, 7-wire harness with independent fused trailing circuits mated to a 7-way sealed connector to hook up parking lamps, backup lamps, right and left turn signals, an electric brake lead, battery and a ground, The trailer connector also includes the 4-way for use on trailers without brakes - park, brake/turn lamps	--	■	■
JL1		Trailer brake controller , integrated 1 - Included with (PEC) Denali Ultimate Package.	A ¹	S	S
UY2		Trailer wiring provisions , for camper, fifth wheel and gooseneck trailer, includes additional 7-way wiring harness is located at the rear of the pickup box attached to the rear frame cross member	--	A	A
Z6A		Gooseneck / 5th Wheel Prep Package -- Hitch platform to accept Gooseneck or Fifth wheel hitch. Includes Hitch platform with tray to accept ball and drilled box holes with caps installed, box mounted 7-pin trailer harness (similar to (UY2) harness). 1 - Requires model T*25**3, (Z82) trailer equipment, (CGN) spray-on bedliner and trailing mirrors (DF2), (DPN) or (DQS) . Not available with (UY2) Trailing wiring provisions, (ZW9) pickup box delete, (9J4) rear bumper delete, (VBR) rubber bed mat, LPO, (VZX) bed liner, LPO, (VUK) tailgate liner, LPO, (PDH) Interior Protection Package, (VBN) bed rug, LPO or any ship thru code. 2 - Requires model T*35**3, (Z82) trailer equipment, (CGN) spray-on bedliner and trailing mirrors (DF2), (DPN) or (DQS) . Not available with (UY2) Trailing wiring provisions, (ZW9) pickup box delete, (9J4) rear bumper delete, (VBR) rubber bed mat, LPO, (VZX) bed liner, LPO, (VUK) tailgate liner, LPO, (PDH) Interior Protection Package, (VBN) bed rug, LPO or any ship thru code.	--	A ¹	A ²
SNO		LPO, Hitch Package , Gooseneck ball and chain tiedown kit with case, (dealer-installed) 1 - Requires (Z6A) Gooseneck / 5th Wheel Prep Package. Not available with (VBR) rubber bed mat, LPO or (VZX) bed liner, LPO.	--	A/D ¹	A/D ¹
	M5U	Transmission , 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking	S	--	--
	MYD	Transmission , 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking 1 - Requires (L96) Vortec 6.0L V8 SFI engine.	--	S ¹	S ¹
	MW7	Transmission , Allison 1000 6-speed automatic, electronically controlled with overdrive, electronic engine grade braking and tow/haul mode 1 - Requires (L5P) Duramax 6.6L Turbo-Diesel V8 engine.	--	A ¹	A ¹
	NQH	Transfer case , active, 2-speed electronic Autotrac with rotary controls, includes neutral position for dinghy towing 1 - Included with 4WD models only.	■ ¹	--	--
	NQF	Transfer case , electronic shift with rotary dial controls 1 - Requires 4WD models.	--	■ ¹	■ ¹

S = Standard Equipment A = Available -- (dashes) = Not Available
 ■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

		Transmissions	Axles		GVWR lbs. (kg)	
Model	Engine	M5U 8-speed Automatic	GU5 3.23	GU6 3.42	C5W 7000 (3175)	C5Z 7200 (3266)
Crew Cab						
TC15543	L83 5.3L EcoTec3 V8 AFM DI VVT aluminum block	S	--	S	A	--
	L86 6.2L EcoTec3 V8 AFM DI VVT aluminum block	S	S	--	A	--
TK15543	L83 5.3L EcoTec3 V8 AFM DI VVT aluminum block	S	--	S	--	A
	L86 6.2L EcoTec3 V8 AFM DI VVT aluminum block	S	S	--	--	A
TK15743	L83 5.3L EcoTec3 V8 AFM DI VVT aluminum block	S	--	S	--	A
	L86 6.2L EcoTec3 V8 AFM DI VVT aluminum block	S	S	--	--	A

S = Standard Equipment A = Available -- (dashes) = Not Available
 ■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

		Transmissions		Axles		GVWR lbs. (kg)		
Model	Engine	MYD 6-Speed Automatic Heavy-Duty	MW7 Allison 1000 6-Speed Automatic	GT4 3.73	GT5 4.10	C4M 9900 (4490)	GEH 9500 (4309)	C7A 10,000 (4536)
Crew Cab								
TC25743	L96 Vortec 6.0L Variable Valve Timing V8 SFI	S	--	--	S	--	S	--
	L5P Duramax 6.6L Turbo-Diesel V8	--	A	A	--	--	--	A
TK25743	L96 Vortec 6.0L Variable Valve Timing V8 SFI	S	--	--	S	--	S	--
	L5P Duramax 6.6L Turbo-Diesel V8	--	A	A	--	A	--	A

S = Standard Equipment A = Available -- (dashes) = Not Available
 ■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Model	Engine	Transmissions		Axles		GVWR lbs. (kg)								
		MYD 6-Speed Automatic Heavy-Duty	MW7 Allison 1000 6-Speed Automatic	GT4 3.73	GT5 4.10	C7G 10,500 (4763)	JFK 10,700 (4854)	JFL 10,800 (4899)	C7E 11,000 (4990)	JFN 11,100 (5035)	C7W 11,400 (5171)	G1Y 11,500 (5216)	C7V 11,600 (5262)	CHX 13,025 (5908)
Crew Cab														
TC35743	L96 Vortec 6.0L Variable Valve Timing V8 SFI	S	--	--	S	S ¹	--	--	--	--	--	--	--	--
	L5P Duramax 6.6L Turbo-Diesel V8	--	A	A	--	--	--	--	--	A ¹	--	--	--	--
TK35743	L96 Vortec 6.0L Variable Valve Timing V8 SFI	S	--	--	S	--	--	S ¹	--	--	--	--	--	--
	L5P Duramax 6.6L Turbo-Diesel V8	--	A	A	--	--	--	--	--	--	--	A ¹	--	--
TC35943	L96 Vortec 6.0L Variable Valve Timing V8 SFI	S	--	--	S	--	S ¹	--	--	--	--	--	--	A ²
	L5P Duramax 6.6L Turbo-Diesel V8	--	A	A	--	--	--	--	--	--	A ¹	--	--	A ²

		Transmissions		Axles		GVWR lbs. (kg)								
Model	Engine	MYD 6-Speed Automatic Heavy-Duty	MW7 Allison 1000 6-Speed Automatic	GT4 3.73	GT5 4.10	C7G 10,500 (4763)	JFK 10,700 (4854)	JFL 10,800 (4899)	C7E 11,000 (4990)	JFN 11,100 (5035)	C7W 11,400 (5171)	G1Y 11,500 (5216)	C7V 11,600 (5262)	CHX 13,025 (5908)
TK35943	L96 Vortec 6.0L Variable Valve Timing V8 SFI	S	--	--	S	--	--	--	S ¹	--	--	--	--	A ²
	L5P Duramax 6.6L Turbo-Diesel V8	--	A	A	--	--	--	--	--	--	--	--	A ¹	A ²
1 - Requires single rear wheels. 2 - Requires dual rear wheels.														

S = Standard Equipment A = Available -- (dashes) = Not Available
 ■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Decor Level	Seat Type	Seat Code	Seat Trim	Interior	
				Jet Black	Cocoa / Dark Sand
5SA	Front power full-feature reclining heated and ventilated buckets, 12-way power driver and passenger seat with 4-way power lumbar, driver seat includes 2-position memory	AN3	Perforated Leather-appointed	H2X	HDQ

Exterior Solid Paint	Color Code	Touch Up Paint Number	Interior	
			Jet Black	Cocoa / Dark Sand
White Frost Tricoat ¹	G1W	WA-140X	A	A
NEW! Quicksilver Metallic ²	GAN	WA-636R	A	A
Onyx Black	GBA	WA-8555	A	A
Mineral Metallic ²	GJB	WA-433B	A	A
Dark Slate Metallic ²	GPA	WA-457B	A	A
NEW! Red Quartz Tintcoat ²	GPJ	WA-434B	A	A

1 - Late availability for HD models. Ordering to begin September of 2017. Available at extra charge.
 2 - Available at extra charge.

There is no data available for Sierra Denali.

S = Standard Equipment A = Available -- (dashes) = Not Available D = ADI Available
 ■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.




Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC15*43 and TK15*43. 2 - Available on Crew Cab models TC25743 and TK25743. 3 - Available on Crew Cab models TC35*43 and TK35*43.	Denali		
			Sierra 1500 5SA ¹	Sierra 2500HD 5SA ²	Sierra 3500HD 5SA ³
PQF		OnStar 6 months of OnStar Protection Service. Provides 6 months of Protection service in addition to the 6 months of standard Guidance Plan trial service (12 months for Cadillac) that is included in the price of the vehicle (trial excludes Hands-Free Calling minutes). Total service duration is 12 months (18 months for Cadillac). 1 - Requires UE1 OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQI, PQL, PQM, PQP, PQQ and PQT. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQG or PQH.	A ¹	A ¹	A ¹
PQG		OnStar 18 months of OnStar Protection Service. Provides 18 months of Protection service in addition to the 6 months of standard Guidance Plan trial service (12 months for Cadillac) that is included in the price of the vehicle (trial excludes Hands-Free Calling minutes). Total service duration is 24 months (30 months for Cadillac). 1 - Requires UE1 OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQI, PQL, PQM, PQP, PQQ and PQT. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQF or PQH.	A ¹	A ¹	A ¹
PQH		OnStar 30 months of OnStar Protection Service. Provides 30 months of Protection service in addition to the 6 months of standard Guidance Plan trial service (12 months for Cadillac) that is included in the price of the vehicle (trial excludes Hands-Free Calling minutes). Total service duration is 36 months (42 months for Cadillac). 1 - Requires UE1 OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQI, PQL, PQM, PQP, PQQ and PQT. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQF or PQG.	A ¹	A ¹	A ¹
PQI		OnStar 6 months of OnStar Security Service. Provides 6 months of Security service in addition to the 6 months of standard Guidance Plan trial service (12 months for Cadillac) that is included in the price of the vehicle (trial excludes Hands-Free Calling minutes). Total service duration is 12 months (18 months for Cadillac). 1 - Requires UE1 OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQF, PQG, PQH, PQP, PQQ and PQT. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQL or PQM.	A ¹	A ¹	A ¹

Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC15*43 and TK15*43. 2 - Available on Crew Cab models TC25743 and TK25743. 3 - Available on Crew Cab models TC35*43 and TK35*43.	Denali		
			Sierra 1500 5SA ¹	Sierra 2500HD 5SA ²	Sierra 3500HD 5SA ³
PQL		OnStar 18 months of OnStar Security Service. Provides 18 months of Security service in addition to the 6 months of standard Guidance Plan trial service (12 months for Cadillac) that is included in the price of the vehicle (trial excludes Hands-Free Calling minutes). Total service duration is 24 months (30 months for Cadillac). 1 - Requires UE1 OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQF, PQG, PQH, PQP, PQQ and PQT. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQL or PQM.	A ¹	A ¹	A ¹
PQM		OnStar 30 months of OnStar Security Service. Provides 30 months of Security service in addition to the 6 months of standard Guidance Plan trial service (12 months for Cadillac) that is included in the price of the vehicle (trial excludes Hands-Free Calling minutes). Total service duration is 36 months (42 months for Cadillac). 1 - Requires UE1 OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQF, PQG, PQH, PQP, PQQ and PQT. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQL or PQL.	A ¹	A ¹	A ¹
PQP		OnStar Additional 6 months of OnStar Fleet Guidance Service. Provides 6 months of Fleet Guidance service in addition to the 6 months of standard Guidance Plan trial service (12 months for Cadillac) that is included in the price of the vehicle (plan excludes Hands-Free Calling minutes). Total service duration is 12 months (18 months for Cadillac). 1 - Requires UE1 OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQF, PQG, PQH, PQL, PQL and PQM. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQQ or PQT.	A ¹	A ¹	A ¹
PQQ		OnStar Additional 18 months of OnStar Fleet Guidance Service. Provides 18 months of Fleet Guidance service in addition to the 6 months of standard Guidance Plan trial service (12 months for Cadillac) that is included in the price of the vehicle (plan excludes Hands-Free Calling minutes). Total service duration is 24 months (30 months for Cadillac). 1 - Requires UE1 OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQF, PQG, PQH, PQL, PQL and PQM. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQP or PQT.	A ¹	A ¹	A ¹
PQT		OnStar Additional 30 months of OnStar Fleet Guidance Service. Provides 30 months of Guidance service in addition to the 6 months of standard Guidance Plan trial service (12 months for Cadillac) that is included in the price of the vehicle (plan excludes Hands-Free Calling minutes). Total service duration is 36 months (42 months for Cadillac). 1 - Requires UE1 OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQF, PQG, PQH, PQL, PQL and PQM. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQP or PQQ.	A ¹	A ¹	A ¹

Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC15*43 and TK15*43. 2 - Available on Crew Cab models TC25743 and TK25743. 3 - Available on Crew Cab models TC35*43 and TK35*43.	Denali		
			Sierra 1500 5SA ¹	Sierra 2500HD 5SA ²	Sierra 3500HD 5SA ³
ROV		<p>OnStar with 4G LTE for Fleet (20GB/12 months) provides a built-in Wi-Fi hotspot to connect to the internet at 4G LTE speeds, includes AT&T 20GB data plan good for 12 months.</p> <p>1 - Requires (UE1) OnStar and (VV4) OnStar with 4G LTE and one of the following order types FLS, FNR, FRC, FBC, FGO or FEF. Not available with ROW. Visit www.onstar.com for vehicle availability, details and system limitations. Services and connectivity may vary by model and conditions. 4G LTE service available in select markets. 4G LTE performance based on industry averages and vehicle systems design. Some services require data plan.</p>	A ¹	A ¹	A ¹
ROW		<p>OnStar with 4G LTE for Fleet (36GB/24 months) provides a built-in Wi-Fi hotspot to connect to the internet at 4G LTE speeds, includes AT&T 36GB data plan good for 24 months.</p> <p>1 - Requires (UE1) OnStar and (VV4) OnStar with 4G LTE and one of the following order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with ROV. Visit www.onstar.com for vehicle availability, details and system limitations. Services and connectivity may vary by model and conditions. 4G LTE service available in select markets. 4G LTE performance based on industry averages and vehicle systems design. Some services require data plan.</p>	A ¹	A ¹	A ¹
PR6		<p>SiriusXM Satellite Radio Additional 9 months of the SiriusXM All Access Package. Includes 150 channels of commercial-free music plus every major sport and the biggest names in entertainment, news and comedy in vehicle plus 9 months of listening on the SiriusXM app or online in addition to the 3 months of All Access trial service that is included in the price of the vehicle. Total service duration is 12 months. Non-Transferrable. Non-Refundable.</p> <p>1 - Requires (U2K) SiriusXM Satellite Radio and a Fleet or Government order type. Not available with FDR order types, PR7 or PR8. Not available in AK, HI, PR and VI.</p>	A ¹	A ¹	A ¹
PR7		<p>SiriusXM Satellite Radio Additional 21 months of the SiriusXM All Access Package. Includes 150 channels of commercial-free music plus every major sport and the biggest names in entertainment, news and comedy in vehicle plus 21 months of listening on the SiriusXM app or online in addition to the 3 months of All Access trial service that is included in the price of the vehicle. Total service duration is 24 months. Non-Transferrable. Non-Refundable.</p> <p>1 - Requires (U2K) SiriusXM Satellite Radio and a Fleet or Government order type. Not available with FDR order types, PR6 or PR8. Not available in AK, HI, PR and VI.</p>	A ¹	A ¹	A ¹
PR8		<p>SiriusXM Satellite Radio Additional 33 months of the SiriusXM All Access Package. Includes 150 channels of commercial-free music plus every major sport and the biggest names in entertainment, news and comedy in vehicle plus 33 months of listening on the SiriusXM app or online in addition to the 3 months of All Access trial service that is included in the price of the vehicle. Total service duration is 36 months. Non-Transferrable. Non-Refundable.</p> <p>1 - Requires (U2K) SiriusXM Satellite Radio and a Fleet or Government order type. Not available with FDR order types, PR6 or PR7. Not available in AK, HI, PR and VI.</p>	A ¹	A ¹	A ¹

All dimensions in inches (mm) unless otherwise stated.

	Specifications	TC1551	K1551	K1571	C2571	K2571	C3571	K3571	C3591	K3591	
		2WD	4WD	4WD	2WD	4WD	2WD	4WD	2WD	4WD	
		Short Box Crew Cab	Short Box Crew Cab	Standard Box Crew Cab	Standard Box Crew Cab	Standard Box Crew Cab	Standard Box Crew Cab	Standard Box Crew Cab	Long Box Crew Cab	Long Box Crew Cab	
							with Single Rear Wheel	with Single Rear Wheel	Single and Dual Rear Wheel	Single and Dual Rear Wheel	
  	A	Wheelbase	143.5 (3645)	143.5 (3645)	153.0 (3886)	153.0 (3904)	153.7 (3904)	153.7 (3904)	167.7 (4260)	167.7 (4260)	
	B	Overall length	229.5 (5829)	229.5 (5829)	239.0 (6032)	239.5 (6033)	239.5 (6033)	239.5 (6033)	258.4 (6563)	258.4 (6563)	
	C	Body width	80.0 (2032)	80.0 (2032)	80.0 (2032)	80.5 (2045)	80.5 (2045)	80.5 (2045)	80.5 (2045)	80.5 (2045)	
	C	Body width, DRW	--	--	--	--	--	--	95.9 (2438)	95.9 (2438)	
			Overall height, SRW	74.1 (1884)	73.9 (1879)	73.8 (1875)	78.2 (1988)	78.2 (1987)	78.3 (1990)	78.1 (1985)	78.0 (1979)
			Overall height, DRW	--	--	--	--	--	--	TBD	TBD
			Head room, front	42.8 (1087)	42.8 (1087)	42.8 (1087)	42.8 (1087)	42.8 (1087)	42.8 (1087)	42.8 (1087)	42.8 (1087)
			Head room, rear	40.5 (1029)	40.5 (1029)	40.5 (1029)	40.5 (1029)	40.5 (1029)	40.5 (1029)	40.5 (1029)	
			Shoulder room, front	66.0 (1677)	66.0 (1677)	66.0 (1677)	64.8 (1647)	66.3 (1684)	66.3 (1684)	64.8 (1647)	64.8 (1647)
			Shoulder room, rear	65.7 (1670)	65.7 (1670)	65.7 (1670)	64.3 (1634)	65.7 (1670)	65.7 (1670)	64.3 (1634)	64.3 (1634)
			Hip room, front	60.7 (1543)	60.7 (1543)	60.7 (1543)	60.7 (1543)	60.7 (1543)	60.7 (1543)	60.7 (1543)	
			Hip room, rear	60.2 (1531)	60.2 (1531)	60.2 (1531)	60.2 (1531)	60.2 (1531)	60.2 (1531)	60.2 (1531)	
			Leg room, front	45.2 (1150)	45.2 (1150)	45.2 (1150)	45.2 (1150)	45.2 (1150)	45.2 (1150)	45.2 (1150)	
			Leg room, rear	40.9 (1040)	40.9 (1040)	40.9 (1040)	40.9 (1040)	40.9 (1040)	40.9 (1040)	40.9 (1040)	
	CA		Cab to axle	31.9 (812)	31.9 (812)	41.4 (1053)	41.2 (1048)	41.2 (1048)	41.2 (1048)	55.2 (1403)	55.2 (1403)
	ILF		Inside length, at floor	69.3 (1761)	69.3 (1761)	78.8 (2003)	78.8 (2003)	78.8 (2003)	78.8 (2003)	97.7 (2483)	97.7 (2483)
		Inside height	21.1 (536)	21.1 (536)	21.1 (536)	21.1 (536)	21.2 (539)	21.2 (539)	21.2 (539)	21.2 (539)	
BBC		Front bumper to back of cab	50.4 (1282)	50.4 (1282)	50.4 (1282)	50.1 (1273)	51.1 (1298)	51.1 (1298)	51.1 (1298)	51.1 (1298)	

All dimensions in inches (mm) unless otherwise stated.

Specifications	TC1551	K1550	K1570	C2570	K2570	C3570	K3570	C3590	K3590									
	2WD Short Box Crew Cab	4WD Short Box Crew Cab	4WD Standard Box Crew Cab	2WD Standard Box Crew Cab	4WD Standard Box Crew Cab	2WD Standard Box Crew Cab	4WD Standard Box Crew Cab	2WD Long Box Crew Cab	4WD Long Box Crew Cab									
							with Single Rear Wheel	with Single Rear Wheel	Single and Dual Rear Wheel	Single and Dual Rear Wheel								
									39.0 (993)	39.4 (1001)								
									38.8 (987)	38.8 (987)								
IWW									51.0 (1296)	51.0 (1296)	51.0 (1296)	51.0 (1296)	51.0 (1296)	51.0 (1296)	51.0 (1296)	51.0 (1296)	51.0 (1296)	
									8.73 (222)	8.90 (226)	8.93 (227)	9.68 (246)	9.65 (245)	8.58 (218)	8.42 (214)	8.42 (214)	8.53 (217)	8.53 (217)
									--	--	--	--	--	--	--	8.27 (210)	8.27 (210)	

Published dimensions indicated are without optional equipment or accessories. Additional accessories or equipment ordered at the customer's request can result in a minor change in these dimensions.

	TC15543 2WD Short Box Crew Cab	TK15543 4WD Short Box Crew Cab	TK15743 4WD Standard Box Crew Cab	TC25743 2WD Standard Box Crew Cab	TK25743 4WD Standard Box Crew Cab	TC35743 2WD Standard Box Crew Cab with Single Rear Wheel	TK35743 4WD Standard Box Crew Cab with Single Rear Wheel	TC35943 2WD Long Box Crew Cab Single and Dual Rear Wheel	TK35943 4WD Long Box Crew Cab Single and Dual Rear Wheel
Specifications									
Front shock absorber diameter, in. (mm)	1.81 (46)	1.81 (46)	1.81 (46)	--	--	--	--	--	--
Front stabilizer bar diameter, in. (mm)	1.35 (34)	1.35 (34)	1.35 (34)	--	--	--	--	--	--
Rear shock absorber diameter, in. (mm)	1.38 (35)	1.38 (35)	1.38 (35)	--	--	--	--	--	--
Turning diameter, curb-to-curb, ft. (m)	47.2 (14.4)	47.2 (14.4)	48.6 (14.8)	51.5 (15.7)	51.5 (15.7)	51.8 (15.8)	51.8 (15.8)	--	--
Turning diameter, curb-to-curb (with Single Rear Wheels), ft. (m)	--	--	--	--	--	--	--	56.1 (17.1)	56.1 (17.1)
Turning diameter, curb-to-curb (with Dual Rear Wheels), ft. (m)	--	--	--	--	--	--	--	55.7 (17.0)	55.7 (17.0)
Capacities									
Front axle ¹ , lbs. (kg)	3850 (1746)	3950 (1792)	3950 (1792)	4400 (1996)	4800 (2177)	4400 (1996)	4800 (2177)	--	--
Front axle (with Single Rear Wheels), L96, lbs. (kg)	--	--	--	--	--	--	--	4400 (1996)	4800 (2177)
Front axle (with Single Rear Wheels), L5P, lbs. (kg)	--	--	--	--	--	--	--	5200 (2359)	5600 (2540)
Front axle (with Dual Rear Wheels), L96, lbs. (kg)	--	--	--	--	--	--	--	4800 (2177)	4800 (2177)
Front axle (with Dual Rear Wheels), L5P, lbs. (kg)	--	--	--	--	--	--	--	5600 (2540)	5600 (2540)
Front spring capacity, lbs. (kg)	3850 (1746)	3950 (1792)	3950 (1792)	4400 (1996)	4800 (2177)	4400 (1996)	4800 (2177)	--	--
Front spring capacity (with Single Rear Wheels), L96, lbs. (kg)	--	--	--	--	--	--	--	4400 (1996)	4800 (2177)
Front spring capacity (with Single Rear Wheels), L5P, lbs. (kg)	--	--	--	--	--	--	--	5200 (2359)	5600 (2540)
Front spring capacity (with Dual Rear Wheels), L96, lbs. (kg)	--	--	--	--	--	--	--	4800 (2177)	4800 (2177)
Front spring capacity (with Dual Rear Wheels), L5P, lbs. (kg)	--	--	--	--	--	--	--	5600 (2540)	5600 (2540)

	TC15543 2WD Short Box Crew Cab	TK15543 4WD Short Box Crew Cab	TK15743 4WD Standard Box Crew Cab	TC25743 2WD Standard Box Crew Cab	TK25743 4WD Standard Box Crew Cab	TC35743 2WD Standard Box Crew Cab with Single Rear Wheel	TK35743 4WD Standard Box Crew Cab with Single Rear Wheel	TC35943 2WD Long Box Crew Cab Single and Dual Rear Wheel	TK35943 4WD Long Box Crew Cab Single and Dual Rear Wheel
Rear axle ² , lbs. (kg)	3950 (1792)	3950 (1792)	3950 (1792)	6200 (2812)	6200 (2812)	7050 (3198)	7050 (3198)	--	--
Rear axle (with Single Rear Wheels), lbs. (kg)	--	--	--	--	--	--	--	7050 (3198)	7050 (3198)
Rear axle (with Dual Rear Wheels), lbs. (kg)	--	--	--	--	--	--	--	9375 (4252)	9375 (4252)
Rear spring capacity, lbs. (kg)	3950 (1792)	3950 (1792)	3950 (1792)	6200 (2812)	6200 (2812)	7050 (3198)	7050 (3198)	--	--
Rear spring capacity (with Single Rear Wheels), lbs. (kg)	--	--	--	--	--	--	--	7050 (3198)	7050 (3198)
Rear spring capacity (with Dual Rear Wheels), lbs. (kg)	--	--	--	--	--	--	--	9375 (4252)	9375 (4252)
Curb weight, lbs. (kg)	5161 (2341)	5414 (2456)	5458 (2476)	--	--	--	--	--	--
Curb weight (with Single Rear Wheels), L96, lbs. (kg)	--	--	--	6242 (2831)	6532 (2963)	6423 (2913)	6717 (3047)	6551 (2972)	6901 (3130)
Curb weight (with Single Rear Wheels), L5P, lbs. (kg)	--	--	--	7172 (3253)	7462 (3385)	7254 (3290)	7548 (3424)	7382 (3348)	7732 (3507)
Curb weight (with Dual Rear Wheels), L96, lbs. (kg)	--	--	--	--	--	--	--	6888 (3124)	7239 (3284)
Curb weight (with Dual Rear Wheels), L5P, lbs. (kg)	--	--	--	--	--	--	--	7719 (3501)	8070 (3661)
Cargo volume, cargo box, cu. ft. (liters)	53.4 (1512.3)	53.4 (1512.3)	61.0 (1727.5)	61.0 (1727.5)	61.0 (1727.5)	61.0 (1727.5)	61.0 (1727.5)	76.3 (2160.8)	76.3 (2160.8)
Payload ³ , lbs. (kg)	1810 (821)	1760 (798)	1710 (776)	--	--	--	--	--	--
Payload (with Single Rear Wheels), L96 ⁴ , lbs. (kg)	--	--	--	3233 (1466)	2943 (1335)	4052 (1838)	4058 (1841)	4124 (1871)	4074 (1848)
Payload (with Single Rear Wheels), L5P, lbs. (kg)	--	--	--	2803 (1271)	2513 (1140)	3821 (1733)	3927 (1781)	3993 (1811)	3843 (1743)
Payload (with Dual Rear Wheels), L96 ⁵ , lbs. (kg)	--	--	--	--	--	--	--	6112 (2772)	5761 (2613)
Payload (with Dual Rear Wheels), L5P, lbs. (kg)	--	--	--	--	--	--	--	5281 (2395)	4930 (2236)
Gross Vehicle Weight Rating (GVWR) (with	--	--	--	--	--	--	--	10700	11000

	TC15543 2WD Short Box Crew Cab	TK15543 4WD Short Box Crew Cab	TK15743 4WD Standard Box Crew Cab	TC25743 2WD Standard Box Crew Cab	TK25743 4WD Standard Box Crew Cab	TC35743 2WD Standard Box Crew Cab with Single Rear Wheel	TK35743 4WD Standard Box Crew Cab with Single Rear Wheel	TC35943 2WD Long Box Crew Cab Single and Dual Rear Wheel	TK35943 4WD Long Box Crew Cab Single and Dual Rear Wheel
Single Rear Wheels), L96, lbs. (kg)								(4854)	(4990)
Gross Vehicle Weight Rating (GVWR) (with Single Rear Wheels), L5P, lbs. (kg)	--	--	--	--	--	--	--	11400 (5171)	11600 (5262)
Gross Vehicle Weight Rating (GVWR) (with Dual Rear Wheels), L96, lbs. (kg)	--	--	--	--	--	--	--	13025 (5908)	13025 (5908)
Gross Vehicle Weight Rating (GVWR) (with Dual Rear Wheels), L5P, lbs. (kg)	--	--	--	--	--	--	--	13025 (5908)	13025 (5908)
Gross Vehicle Weight Rating (GVWR), lbs. (kg)	7000 (3175)	7200 (3266)	7200 (3266)	9500 (4309)	9500 (4309)	10500 (4763)	10800 (4899)	--	--
Front Gross Axle Weight Rating (GAWR), lbs. (kg)	3850 (1746)	3950 (1792)	3950 (1792)	4400 (1996)	4800 (2177)	4400 (1996)	4800 (2177)	--	--
Front Gross Axle Weight Rating (GAWR) (with Single Rear Wheels), L96, lbs. (kg)	--	--	--	--	--	--	--	4400 (1996)	4800 (2177)
Front Gross Axle Weight Rating (GAWR) (with Single Rear Wheels), L5P, lbs. (kg)	--	--	--	--	--	--	--	5200 (2359)	5600 (2540)
Front Gross Axle Weight Rating (GAWR) (with Dual Rear Wheels), L96, lbs. (kg)	--	--	--	--	--	--	--	4800 (2177)	4800 (2177)
Front Gross Axle Weight Rating (GAWR) (with Dual Rear Wheels), L5P, lbs. (kg)	--	--	--	--	--	--	--	5600 (2540)	5600 (2540)
Rear Gross Axle Weight Rating (GAWR) (with Single Rear Wheels), L96, lbs. (kg)	--	--	--	--	--	--	--	7050 (3198)	7050 (3198)
Rear Gross Axle Weight Rating (GAWR) (with Single Rear Wheels), L5P, lbs. (kg)	--	--	--	--	--	--	--	7050 (3198)	7050 (3198)
Rear Gross Axle Weight Rating (GAWR) (with Dual Rear Wheels), L96, lbs. (kg)	--	--	--	--	--	--	--	9375 (4252)	9375 (4252)
Rear Gross Axle Weight Rating (GAWR) (with Dual Rear Wheels), L5P, lbs. (kg)	--	--	--	--	--	--	--	9375 (4252)	9375 (4252)
Rear Gross Axle Weight Rating (GAWR), lbs. (kg)	3950 (1792)	3950 (1792)	3950 (1792)	6200 (2812)	6200 (2812)	7050 (3198)	7050 (3198)	--	--
Fuel capacity, approximate, U.S., gallon (liters)	26 (98)	26 (98)	26 (98)	36 (136)	36 (136)	36 (136)	36 (136)	36 (136)	36 (136)
Seating capacity	5	5	5	5	5	5	5	5	5

1. Mass values are calculated assuming nominal equipment. Actual values may vary due to equipment loading.
2. Mass values are calculated assuming nominal equipment. Actual values may vary due to equipment loading.
3. Maximum payload capacity includes weight of driver, passengers, optional equipment and cargo.
4. Maximum payload capacity includes weight of driver, passengers, optional equipment and cargo.

	TC15543	TK15543	TK15743	TC25743	TK25743	TC35743	TK35743	TC35943	TK35943
	2WD	4WD	4WD	2WD	4WD	2WD	4WD	2WD	4WD
	Short	Short	Standard	Standard	Standard	Standard	Standard	Long	Long
	Box	Box	Box	Box	Box	Box	Box	Box	Box
	Crew	Crew	Crew	Crew	Crew	Crew	Crew	Crew	Crew
	Cab	Cab	Cab	Cab	Cab	Cab	Cab	Cab	Cab
						with Single Rear Wheel	with Single Rear Wheel	Single and Dual Rear Wheel	Single and Dual Rear Wheel

5. Maximum payload capacity includes weight of driver, passengers, optional equipment and cargo.

	<p>RTL Wheels, 4 - 20" x 9" (50.8 cm x 22.9 cm) chrome</p>
	<p>NZG Wheels, 20" x 9" (50.8 cm x 22.9 cm) ultra bright machined aluminum</p>
	<p>SEW LPO, 22" (55.9 cm) 5-spoke Silver ultra-bright machined wheels with high-gloss Black, LPO wheels will come with 4 steel 22" wheels from the factory with alignment specs set to 22" LPO wheel selected (dealer-installed)</p>
	<p>SF1 LPO, 22" (55.9 cm) 7-spoke Silver wheels, LPO wheels will come with 4 steel 22" wheels from the factory with alignment specs set to 22" LPO wheel selected (dealer-installed)</p>
	<p>SEV LPO, 22" (55.9 cm) 6-spoke high-gloss Black wheels, LPO wheels will come with 4 steel 22" wheels from the factory with alignment specs set to 22" LPO wheel selected (dealer-installed)</p>
	<p>Q7M Wheels, 22" (55.9 cm) aluminum with premium paint and chrome inserts</p>

Maximum trailer ratings are calculated assuming standard equipped vehicle, driver and required trailering equipment. The weight of optional equipment, passengers and cargo will reduce the maximum trailer weight your vehicle can tow. 10 to 15% of the trailer weight is the recommended trailer tongue load.

Automatic Transmission Ratings with Ball Hitch								
Model	(L83) 5.3L EcoTec3 V8 AFM DI VVT aluminum block		(L86) 6.2L EcoTec3 V8 AFM DI VVT aluminum block		(L96) Vortec 6.0L V8 SFI		(L5P) Duramax 6.6L Turbo-Diesel V8	
	Axle Ratio	Maximum Trailer Weight lbs. (kg)	Axle Ratio	Maximum Trailer Weight lbs. (kg)	Axle Ratio	Maximum Trailer Weight lbs. (kg)	Axle Ratio	Maximum Trailer Weight lbs. (kg)
TC15543	3.42	9300 (4218)	3.23	9300 (4218)				
TK15743	3.42	9100 (4128)	3.23	9000 (4082)				
TK15543	3.42	9100 (4128)	3.23	9100 (4128)				
TC25743					4.10	13000 (5897)	3.73	13000 (5897)
TK25743					4.10	13000 (5897)	3.73	13000 (5897)
TC35743					4.10	13000 (5897)	3.73	13000 (5897)
TK35743					4.10	13000 (5897)	3.73	13000 (5897)
TC35943 w/ SRW					4.10	14100 (6396)	3.73	14500 (6577)
TC35943 w/ DRW					4.10	13700 (6214)	3.73	20000 (9072)
TK35943 w/ SRW					4.10	13700 (6214)	3.73	15000 (6804)
TK35943 w/ DRW					4.10	13400 (6078)	3.73	20000 (9072)

GCWR For Engine/Rear Axle Ratio Combination with Automatic Transmission					
Engine	(GCWR) Gross Combination Weight Ratings lbs. (kg)				
	14000 (6350)	15000 (6804)	21100 (9571)	25300 (11476)	31300 (14198)
(L83) 5.3L EcoTec3 V8 AFM DI VVT aluminum block	3.42	3.42			
(L86) 6.2L EcoTec3 V8 AFM DI VVT aluminum block		3.23			
(L96) Vortec 6.0L V8 SFI			4.10		
(L5P) Duramax 6.6L Turbo-Diesel				3.73	3.73 ¹

Maximum trailer ratings are calculated assuming standard equipped vehicle, driver and required trailering equipment. The weight of optional equipment, passengers and cargo will reduce the maximum trailer weight your vehicle can tow. 10 to 15% of the trailer weight is the recommended trailer tongue load.

GCWR For Engine/Rear Axle Ratio Combination with Automatic Transmission					
Engine	(GCWR) Gross Combination Weight Ratings lbs. (kg)				
	14000 (6350)	15000 (6804)	21100 (9571)	25300 (11476)	31300 (14198)
V8					

1 - Requires dual rear wheels.

Maximum trailer ratings are calculated assuming standard equipped vehicle, driver and required trailering equipment. The weight of optional equipment, passengers and cargo will reduce the maximum trailer weight your vehicle can tow. 15 to 25% of the trailer weight is the recommended 5th Wheel or Gooseneck kingpin load.

Automatic Transmission Ratings with 5th Wheel or Gooseneck Hitch								
Model	(L83) 5.3L EcoTec3 V8 AFM DI VVT aluminum block		(L86) 6.2L EcoTec3 V8 AFM DI VVT aluminum block		(L96) Vortec 6.0L V8 SFI		(L5P) Duramax 6.6L Turbo-Diesel V8	
	Axle Ratio	Maximum Trailer Weight lbs. (kg)	Axle Ratio	Maximum Trailer Weight lbs. (kg)	Axle Ratio	Maximum Trailer Weight lbs. (kg)	Axle Ratio	Maximum Trailer Weight lbs. (kg)
TK15743	3.42	8100 (3674)	3.23	8000 (3629)				
TC25743					4.10	14300 (6486)	3.73	15400 (6985)
TK25743					4.10	14000 (6350)	3.73	13500 (6124)
TC35743					4.10	14200 (6441)	3.73	17500 (7938)
TK35743					4.10	13900 (6305)	3.73	17200 (7802)
TC35943 w/ SRW					4.10	14000 (6350)	3.73	17400 (7893)
TC35943 w/ DRW					4.10	13700 (6214)	3.73	23100 (10478)
TK35943 w/ SRW					4.10	13700 (6214)	3.73	17000 (7711)
TK35943 w/ DRW					4.10	13300 (6033)	3.73	22700 (10297)

GCWR For Engine/Rear Axle Ratio Combination with Automatic Transmission					
Engine	(GCWR) Gross Combination Weight Ratings lbs. (kg)				
	14000 (6350)	15000 (6804)	21100 (9571)	25300 (11476)	31300 (14198)
(L83) 5.3L EcoTec3 V8 AFM DI VVT aluminum block	3.42				
(L86) 6.2L EcoTec3 V8 AFM DI VVT aluminum block		3.23			
(L96) Vortec 6.0L V8 SFI			4.10		
(L5P) Duramax 6.6L Turbo-Diesel V8				3.73	3.73 ¹

1 - Requires dual rear wheels.

Maximum trailer ratings are calculated assuming standard equipped vehicle, driver and required trailering equipment. The weight of optional equipment, passengers and cargo will reduce the maximum trailer weight your vehicle can tow. 15 to 25% of the trailer weight is the recommended 5th Wheel or Gooseneck kingpin load.

GCWR For Engine/Rear Axle Ratio Combination with Automatic Transmission					
Engine	(GCWR) Gross Combination Weight Ratings lbs. (kg)				
		14000 (6350)	15000 (6804)	21100 (9571)	25300 (11476)

Option Code	Description
4GM	TireSpare LT265/70R18E all-terrain
5JL	LPO, Front Brake Kit-Performance
5JY	LPO, Soft folding tonneau cover
5L5	Theft deterrent system fleet immobilizer modifications
5M7	Speedometer calibration
8S3	Backup alarm, 97 decibels
8W9	Increased front GAWR
8X1	Label, fasten safety belts
9B9	Governor, electronic speed sensor set to 70 MPH
9L3	Spare tire delete
9U5	Tail lamp, single bulb
A31	Windows, power
A48	Window, power, rear sliding
A68	Seat, rear 60/40 folding bench
A91	Remote Locking Tailgate
AKO	Glass, deep-tinted
AL0	Air bag, Passenger Sensing System
AN3	Seats, front full-feature leather-appointed bucket
AQQ	Remote Keyless Entry
AU3	Door locks, power
AY0	Air bags, dual-stage frontal and side-impact, driver and front passenger and head-curtain side-impact, front and rear outboard seating positions
AY0	Air bags, single-stage frontal and thorax side-impact, driver and front passenger, and head curtain side-impact, front and rear outboard seating positions
B1J	Wheelhouse liners, rear
B30	Floor covering, color-keyed carpeting
B58	Floor mats, color-keyed carpeted first and second row
B85	Moldings, bodyside
BRS	Tri-Mode Power Steps
BTV	Remote vehicle starter system
BVQ	Assist steps, chromed tubular
BWN	CornerStep, rear bumper
C49	Defogger, rear-window
C5W	GVWR, 7000 lbs. (3175 kg)
C5Z	GVWR, 7200 lbs. (3266 kg)
C7A	GVWR, 10,000 lbs. (4536 kg)
C7E	GVWR, 11,000 lbs. (4990 kg)
C7G	GVWR, 10,500 lbs. (4763 kg)
C7V	GVWR, 11,600 lbs. (5262 kg)
C7W	GVWR, 11,400 lbs. (5171 kg)
CF5	Sunroof, power
CGN	Bed Liner, Spray-on
CHX	GVWR, 13,025 lbs. (5908 kg) with dual rear wheels
CJ2	Air conditioning, dual-zone automatic climate control
CTD	Cargo tie downs (4), movable upper
D07	Console, floor
DD8	Mirror, inside rearview auto-dimming
DH6	Visors, driver and front passenger illuminated vanity mirrors
DL3	Mirrors, outside chrome cap

Option Code	Description
DP9	Mirror caps, chrome
DQS	Mirrors
E20	Door handles, chrome
E63	Pickup box
FE9	Emissions, Federal requirements
G1Y	GVWR, 11,500 lbs. (5216 kg)
G80	Differential, heavy-duty locking rear
GEH	GVWR, 9500 lbs. (4309 kg)
GT4	Rear axle, 3.73 ratio
GT5	Rear axle, 4.10 ratio
GU5	Rear axle, 3.23 ratio
GU6	Rear axle, 3.42 ratio
IO6	Audio system, 8" diagonal Color Touch Screen Navigation with GMC Infotainment System
J95	Brakes, 4-wheel antilock, 4-wheel disc
J96	Brakes, 4-wheel antilock, 4-wheel disc
JD9	Brakes, 4-wheel disc with DURALIFE rotors, 4-wheel antilock
JF4	Pedals, power-adjustable
JFK	GVWR, 10,700 lbs. (4854 kg)
JFL	GVWR, 10,800 lbs. (4899 kg)
JFN	GVWR, 11,100 lbs. (5035 kg)
JHD	Hill Descent Control
JL1	Trailer brake controller, integrated
K05	Engine block heater
K34	Cruise control
K40	Exhaust brake
K47	Air cleaner, high-capacity
K4B	Battery, 730 cold-cranking amps
K4C	Wireless Charging
KC4	Cooling, external engine oil cooler
KG4	Alternator, 150 amps
KHB	Alternators, dual
KI4	Power outlet, 110-volt
KNP	Cooling, auxiliary external transmission oil cooler
KQV	Seating, heated and ventilated perforated leather-appointed front bucket
KW5	Alternator, 220 amps
L5P	Engine, Duramax 6.6L Turbo-Diesel V8, B20-Diesel compatible
L83	Engine, 5.3L EcoTec3 V8
L86	Engine, 6.2L EcoTec3 V8
L96	Engine, Vortec 6.0L Variable Valve Timing V8 SFI
M5U	Transmission, 8-speed automatic
MW7	Transmission, Allison 1000 6-speed automatic
MYD	Transmission, 6-speed automatic, heavy-duty
N37	Steering column, manual Tilt-Wheel
N79	Wheel, 18" x 8" (45.7 cm x 20.3 cm) full-size, steel spare
NB8	Emissions override, California
NB9	Emissions override, state-specific
NC7	Emissions override, Federal
NE1	Emissions, Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington state requirements

Option Code	Description
NKC	Active Noise Cancellation
NQF	Transfer case, electronic shift with rotary dial controls
NQH	Transfer case, active, 2-speed
NV8	Steering, Digital Steering Assist
NZG	Wheels, 20" x 9" (50.8 cm x 22.9 cm) ultra bright machined aluminum
NZZ	Underbody Shield
PCH	Duramax Plus Package
PDH	LPO, GMC Interior Protection Package
PDL	LPO, Cargo Convenience Package
PEC	Denali Ultimate Package
PPA	Tailgate, EZ-Lift
PQF	OnStar 6 months of OnStar Protection Service
PQG	OnStar 18 months of OnStar Protection Service
PQH	OnStar 30 months of OnStar Protection Service
PQI	OnStar 6 months of OnStar Security Service
PQL	OnStar 18 months of OnStar Security Service
PQM	OnStar 30 months of OnStar Security Service
PQP	OnStar Additional 6 months of OnStar Fleet Guidance Service
PQQ	OnStar Additional 18 months of OnStar Fleet Guidance Service
PQT	OnStar Additional 30 months of OnStar Fleet Guidance Service
PR6	SiriusXM Satellite Radio Additional 9 months of the SiriusXM All Access Package.
PR7	SiriusXM Satellite Radio Additional 21 months of the SiriusXM All Access Package.
PR8	SiriusXM Satellite Radio Additional 33 months of the SiriusXM All Access Package.
PYR	Wheels, 18" (45.7 cm) chromed aluminum
Q7M	Wheels, 22" (55.9 cm) aluminum with premium paint and chrome inserts
Q7R	Wheels, 20" (50.8 cm) 6-spoke polished aluminum
QFC	Tires, LT265/60R20E all-terrain, blackwall
QGM	Tires, LT265/70R18E all-terrain, blackwall
QQO	Tires, LT235/80R17E all-season highway
QSS	Tires, P275/55R20 all-season, blackwall
QWF	Tires, LT265/70R18E all-season, blackwall
QZT	Tires, LT235/80R17E all-terrain
R8M	Alternate Assist Step Desired
R8R	Delete: Spray-on bedliner
RC4	Tire, spare P265/70R17 all-season, blackwall
RC7	Tires, P275/55R20 all-terrain, blackwall
RHH	Tires, P285/45R22 SL 110H all-terrain, blackwall
RIA	LPO, All-weather floor liner
ROV	OnStar with 4G LTE for Fleet (20GB/12 months)
ROW	OnStar with 4G LTE for Fleet (36GB/24 months)
RQA	Wheels, 20" (50.8 cm) chromed cast aluminum
RS7	Wheels, 17" (43.2 cm) forged polished aluminum
RTL	Wheels, 4 - 20" x 9" (50.8 cm x 22.9 cm) chrome
RUF	Wheel, full-size spare, 17" (43.2 cm) steel
RX1	LPO, 22" (55.9 cm) 7-spoke Silver wheels with Black inserts
S0P	LPO, Console insert organizer tray
S6V	LPO, Cargo box retractable driver side only side assist step
SAF	Tire carrier lock
SCZ	LPO, Tailgate handle

Option Code	Description
SEV	LPO, 22" (55.9 cm) 6-spoke high-gloss Black wheels
SEW	LPO, 22" (55.9 cm) 5-spoke Silver ultra-bright machined wheels with high-gloss Black
SF0	LPO, 22" (55.9 cm) 6-spoke premium Silver ultra-bright machined wheels
SF1	LPO, 22" (55.9 cm) 7-spoke Silver wheels
SF6	LPO, Body color wheel arch moldings
SFE	LPO, Wheel locks
SFW	Back-up alarm calibration
SNO	LPO, Hitch Package, Gooseneck ball and chain tiedown kit with case
SRW	Chassis, single rear wheel
T3U	Fog lamps
T3U	Fog lamps
T4L	Headlamps, high-performance LED headlamps with GMC signature LED lighting
TDM	Teen Driver
TG5	Single-slot CD/MP3 player
TL1	Grille
TQ5	Headlamps, IntelliBeam
TRW	Provision for cab roof-mounted lamp/beacon
TVY	Ship Thru, Produced and shipped to Anchorage VDC then to TK Services and returned to Anchorage VDC for shipping to final destination
TW4	Ship Thru, Produced in Flint Assembly and shipped to Manheim Carleton, MI and returned to Flint Assembly Returned to Flint Assembly for shipping to final destination.
TZU	Ship Thru, Produced in Flint Assembly and shipped to Leggett and Platt CVP Taylor, MI. Returned to Flint Assembly for shipping to final destination.
U01	Lamps, Smoked Amber roof marker
U2K	SiriusXM Satellite Radio
U2L	Radio, HD
U42	Entertainment Package
UD5	Front and Rear Park Assist
UE1	OnStar Guidance Plan Limited Trial Service
UEU	Forward Collision Alert
UF2	LED Lighting, cargo box
UF3	Switch, High Idle
UFL	Lane Departure Warning
UG1	Universal Home Remote
UHS	Display
UHX	Lane Keep Assist
UHY	Low Speed Forward Automatic Braking
UJ5	LPO, Rear seat DVD entertainment system
UJM	Tire Pressure Monitoring System
UK3	Steering wheel audio controls
UQA	Bose Sound with 6 speaker system
UTJ	Theft-deterrent system
UVC	Rear Vision Camera
UVD	Steering wheel, heated
UY2	Trailer wiring provisions, for camper, fifth wheel and gooseneck trailer
V10	Cover, 1-piece
V76	Recovery hooks, front, frame-mounted
VAV	LPO, All-weather floor mats
VB5	Bumper, front, body-color

Option Code	Description
VBJ	LPO, Rear underseat storage, composite storage bin
VBR	LPO, Rubber bed mat
VCB	Ship Thru, Produced in Flint Assembly and shipped to Monroe Truck Equipment in Flint. Returned to Flint Assembly for shipping to final destination.
VFW	Ship Thru, Produced in Flint Assembly and shipped to NBC Truck Equipment Roseville, MI. Returned to Flint Assembly for shipping to final destination.
VHR	Ship Thru, Produced in Flint Assembly and shipped to Reading Equipment and Distribution Pontiac, MI. Returned to Lansing Delta for shipping to final destination.
VK3	License plate kit, front
VKW	LPO, Console insert expandable folder tote
VPB	LPO, Vinyl tonneau cover with integrated support bows
VQK	LPO, Front and Rear Molded Splash Guards
VQT	LPO, Tonneau cover, Hard tri-folding with vinyl cover
VQY	LPO, Chrome recovery hooks
VQZ	LPO, Polished exhaust tip
VRV	LPO, Body Color Molded Splash Guards
VT5	Bumper, rear body-color
VUD	Ship Thru, Produced in Flint Assembly and shipped to Knapheide Truck Equipment in Flint, MI. Returned to Flint Assembly for shipping to final destination.
VUI	Ship Thru, Produced in Flint Assembly and shipped to Auto Truck Group, Roanoke, IN and Returned to Ft. Wayne Assembly for shipping to final destination
VV4	OnStar 4G LTE
VXH	LPO, Assist steps, chromed tubular
VXJ	LPO, Assist steps, chromed tubular
VYU	Snow Plow Prep Package
VZX	LPO, Bed liner
Y65	Driver Alert Package
Y86	Enhanced Driver Alert Package
YF5	Emissions, California state requirements
Z6A	Gooseneck / 5th Wheel Prep Package
Z71	Suspension Package, Off-Road
Z82	Trailer equipment
Z82	Trailer equipment
Z85	Suspension Package, Standard
Z95	Suspension, MagneRide Magnetic Ride Control
ZQO	Tire, spare LT235/80R17E highway
ZWF	Tire, spare LT265/70R18E all-season, blackwall
ZZT	Tires, spare LT235/80R17E all-terrain

Updates for Sierra Denali

Week of 7/3/2017

Effective 7/3/2017, the following changes will be made to the Vehicle Order Guide:

- Exterior section-(RS7) Wheels, 17" (43.2 cm) polished aluminum, Updated description to read "Wheels, 17" (43.2 cm) forged polished aluminum".

Week of 6/19/2017

Effective 6/19/2017, the following changes will be made to the Vehicle Order Guide:

- Color and Trim section-(G1W) White Frost Tricoat, updated footnote 1 to read "Late availability for HD models. Ordering to begin September of 2017. Available at extra charge."

Week of 6/12/2017

Effective 6/12/2017, the following changes will be made to the Vehicle Order Guide:

- Trailering Specs section-TC15543 with (L83) 5.3L EcoTec3 V8 AFM DI VVT aluminum block engine changed max trailering weight to 9300 lbs. (4218 kg)

Week of 6/5/2017

Effective 6/5/2017, the following changes will be made to the Vehicle Order Guide:

- Color and Trim section-(G1W) White Frost Tricoat, updated footnote to read "Available on LD Denali only. Available at extra Charge.". Old footnote 1 becomes footnote 2.

Week of 5/29/2017

Effective 5/29/2017, the following changes will be made to the Vehicle Order Guide:

- Color and Trim section-(GJB) Mineral Metallic, applied footnote 1. Deleted footnote 2 entirely.

Week of 5/22/2017

Effective 5/22/2017, the following changes will be made to the Vehicle Order Guide:

- Color and Trim section-(G1W) White Frost Tricoat, updated footnote 1 to read "Available at extra charge.". Old footnote 2 and 3 becomes footnote 1 and 2.