STANDARD EQUIPMENT

S = Standard Equipment A = Available -- (dashes) = Not Available D = ADI Available

■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow RPO Code	Ref. Only RPO Code	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
Code	Code		1WT	1WT	1WT	1WT	1LT	1LT	1LT	1LT
	AK5	Airbags, frontal, driver and right front passenger 1 - Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.	S ¹	S ¹						
	C99	Airbag deactivation switch, frontal passenger-side 1 - Included and only available with (AK5) frontal, driver and right front passenger airbags.	S ¹	S ¹						
	C67	Air conditioning, single-zone	S	S	S	S	S	S	S	S
		Assist handle, front passenger and driver on A-pillars	S	S	S	S	S	S	S	S
	IO3	Audio system, 4.2" diagonal color display, AM/FM stereo with USB port and auxiliary jack 1 - Requires (AE7) front 40/20/40 split-bench seat. Not available with (UE1) OnStar or (U2K) SiriusXM Radio.	S ¹	δ¹	S ¹	σ ¹				
U2J		SiriusXM, delete 1 - Requires Fleet or Government order type and (UE0) OnStar delete.	S	S	S	S	A ¹	A ¹	A ¹	A ¹
	UQ5	Audio system feature, 4-speaker system	S		S					
	UQ3	6-speaker audio system 1 - Included and only available with (IOB) 7" diagonal color touch-screen with Chevrolet Infotainment.	A ¹	S	A ¹	8	S	S	S	S
		Bluetooth for phone, personal cell phone connectivity to vehicle audio system 1 - Included and only available with (IOB) 7" diagonal color touch-screen with Chevrolet Infotainment.	A ¹	A ¹	A ¹	A ¹	S	S	S	S
	K34	Cruise control, steering wheel-mounted	S	S	S	S	S	S	S	S

Free Flow RPO Code	Ref. Only RPO Code	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
		Instrumentation, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure	S S	S S	S S	S S	S S	S S	S S	S S
	UMN	Speedometer, miles/kilometers	S	S	S	S	S	S	S	S
	UDC	Driver Information Center, 3.5-inch diagonal monochromatic display, provides warning messages and basic vehicle information	S	S	S	S	-		-	-
	AU3	Door locks, power	S	S	S	S	S	S	S	S
	BG9	Floor covering, Graphite-colored rubberized-vinyl	S	S	Ø	S	Ø	S	Ø	S
		Interior trim, Jet Black/Dark Ash 1 - See Color and Trim chart for availability.	S ¹	S ¹						
		Mirror, inside rearview manual day/night 1 - Included and only available when Fleet or Government order type, (UE0) OnStar delete and (UZJ) SiriusXM delete are ordered.	S	S	S	S	A ¹	A ¹	A ¹	A ¹
UE0		OnStar, delete 1 - Requires Fleet or Government order type and (U2J) SiriusXM delete or (9D9) inside rearview mirror delete.	S	S	S	S	A ¹	A ¹	A ¹	A ¹
	AE7	Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger recline with outboard head restraints and center fold-down armrest with storage. Vinyl has fixed lumbar and cloth has manually adjustable driver lumbar.	S	S	S	S				
AZ3		Seats, front 40/20/40 split-bench, cloth 3-passenger. Includes driver and front passenger recline with outboard head restraints and center fold-down armrest with storage. Also includes manually adjustable driver lumbar, lockable storage compartment in seat cushion, and storage pockets. 1 - Requires (IOB) 7" diagonal color touch-screen with Chevrolet Infotainment. Includes (AG1) 10-way power seat.	A ¹	A ¹	A ¹	A ¹	\$	S	\$	Ø

Free Flow RPO Code	Ref. Only RPO Code	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
Code	Code		1WT	1WT	1WT	1WT	1LT	1LT	1LT	1LT
	A68	Seat, rear 60/40 folding bench (folds up), 3-passenger, (includes child seat top tether anchor)		S		S		S		S
	719	Seat Belt, Black	S	S	S	S	S	S	S	S
	AG1	Seat adjuster, driver 10-way power 1 - Included and only available with (AZ3) front 40/20/40 split-bench seat.	A ¹	A ¹	A ¹	A ¹	S	S	S	S
	NK5	Steering wheel, urethane	S	S	S	s				
	N33	Steering column, manual Tilt-Wheel	S	S	S	S	S	S	S	S
		Visors , driver and front passenger, vinyl	S	S	S	S	-			
		Windows, manual driver and front passenger	S		S		-		-	
	ZY1	Paint, solid	S	S	S	S	S	S	S	S
	U73	Antenna, fixed mast	S	S	S	S	S	S	S	S
	E01	Assist steps	S	S	S	S	S	S	S	S
	8E8	Bumper, front, Black	S	S	S	S	S	S	S	S
		Capped Fuel Fill	S	S	S	S	S	S	S	S
		Door handles, Black	S	S	S	S	S	S	S	S
	FNX	Front fender extension, mold-in-color Black 1 - Not available with (FNP) Body color front fender extension.	S ¹	S ¹						
	VWX	Grille, base, molded in color, Black	S	S	S	S	S	S	S	S
	AKP	Glass, solar absorbing, tinted	S	S	S	S	S	S	S	S
		Daytime Running Lamps, with automatic exterior lamp control	S	S	S	S	S	S	S	S
		Headlamps , halogen projector-beam	S	S	S	S	S	S	S	S
	TR1	Lamps, rear, stop/turn/backup (1-piece assembly) with license plate light	S	S	S	S	S	S	S	S

Free Flow RPO Code	Ref. Only RPO Code	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
	KL6	Taillamp provisions, located inside of frame 1 - Will be forced with the following frame extension, rear suspension and wheelbase combination less (JL1) trailer brake controller: (F0D) 63" axle to end of frame and wheelbase (ED9, ER2, ED5 or EM1) and rear mechanical suspension (FU7, GR3 or GR4). Will be forced with the following frame extension, rear suspension and wheelbase combination less (JL1) trailer brake controller: (F0I) 75" axle to end of frame and wheelbase (ER2, ED5, EQB or FRP). Will be forced with (F0K) 91" axle to end of frame and (FPN) 231" wheelbase less (JL1) trailer brake controller.	ິ ⁵	S ¹	S ¹	S ¹	S ¹	S ¹	S ¹	S ¹
	U04	Horn, single-note	S	S	S	S	S	S	S	S
	VXT	Incomplete vehicle	S	S	S	S	S	S	S	S
		Lamps , cargo area, cab mounted with switch on center switch bank	S	S	S	S	S	S	S	S
	U01	Lamps, Smoked Amber roof marker	S	S	S	S	S	S	S	S
	DF2	Mirrors , outside high-visibility vertical camper-style, Black with manual folding and extension and lower convex spotter glass	S	S	S	S				
	9L3	Spare tire delete	S	S	S	S	S	S	S	S
	XDL	Tires , front 225/70R19.5G highway blackwall Continental	S	S	S	S	S	S	S	S
	YAM	Tires , rear 225/70R19.5G highway blackwall Continental	S	S	S	S	S	S	S	S
	PWQ	Wheels , 19.5" x 6.75", steel, Black painted, 8-holes, hub piloted	S	S	S	S	S	S	S	S
	PD7	Wheel, spare delete	S	S	S	S	S	S	S	S
	KG4	Alternator, 150 amps	S	S	S	S	S	S	S	S
	7Y7	Batteries, heavy-duty dual 1100 cold-cranking amps, includes battery box mounted to left side under cab	S	S	S	S	S	S	S	S
	J48	Brakes, hydraulic, heavy duty Bosch/Meritor/Wabco system with 4-channel (ABS) 1 - Includes (J69) driveline park brake.	S ¹	S ¹						
	J69	Brake , parking, driveline park brake system	S	S	S	S	S	S	S	S

Free Flow RPO Code	Ref. Only RPO Code	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
			1WT	1WT	1WT	1WT	1LT	1LT	1LT	1LT
	N4E	Emissions, USA 50 State certified	S	S	S	S	S	S	S	S
	N4C	Emissions, 50 state certification	S	S	S	S	S	S	S	S
	NPR	Exhaust system, right side exit, behind rear wheel 1 - Requires (FQT) 141" wheelbase.	S ¹				S ¹			
N12		Exhaust system, rear exit 1 - Not available with (FQT) 141" wheel base.	A ¹	S	S	S	A ¹	S	S	S
	L5D	Engine, Duramax 6.6L Turbo-Diesel V8, B20-Diesel compatible, 350 hp @ 2700 rpm, 700 lb-ft torque @ 1600 rpm. 2900 rpm governed speed	S	S	S	S	S	S	S	S
	FHX	Fuel, diesel B20	S	S	S	S	S	S	S	S
	N2L	Fuel tank, rear only, 40 gallon, mounted between frame side rails and behind rear axle	S	S	S	S	S	S	S	S
	C7R	GVWR, 16,500 lbs. (7484 kg) 1 - Silverado 4500HD Requires (FTA) 7k front axle/ (FK6) suspension and (FM1) 10k rear axle and (GR3) 11k rear suspension or (FTD) 6k front axle/ (F95) suspension, (GL4) 11k rear axle and (GR3) 11k or (GR4) 13.5k rear suspension, or (G40) 12k rear air suspension. Not available with rear air suspension when ordered with (FQT) 141" wheelbase. 2 - Silverado 4500HD Requires (FTA) 7k front axle/ (FK6) suspension and (FN1) 10k rear axle and (GR3) 11k rear suspension or (G40) 12k rear air suspension when ordered with (FQT) 141" wheelbase. 3 - Silverado 4500HD Requires (FTB) 7.5k front axle/(FTV) suspension and (FN1) 10k rear axle or (GL4) 11K rear axle and (GR3) 11k rear suspension.	S ¹	S²	S³	S³	S¹	S²	S³	S³
	066	Rear axle, 4.10 ratio 1 - Not available with Allison 1750 transmission with 30,000 GCWR rating (MJ0), (MI0), (MHV), (ME0).	S ¹	S ¹			S ¹	S ¹		
092		Rear axle, 4.30 ratio	Α	Α	S	S	Α	Α	S	S
	FQT	Wheelbase, 141" (358.1 cm), 60" CA 1 - Requires (F0C) 49" axle to end of frame and (NPR) exhaust. Not available with rear air suspensions.	S ¹				S ¹			

Free Flow RPO Code	Ref. Only RPO Code	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
5525	5545		1WT	1WT	1WT	1WT	1LT	1LT	1LT	1LT
ED9		Wheelbase, 165" (419.1 cm), 84" CA 1 - Requires (F0C) 49" axle to end of frame or (F0D) 63" axle to end of frame.	A ¹		S ¹	-	A ¹		S ¹	
	FNV	Wheelbase, 175" (444.5 cm), 60" CA 1 - Requires (F0C) 49" axle to end of frame.		S ¹	-	S ¹	-	S ¹		S¹
	F0C	Axle to End of Frame, 49" 1 - Requires wheelbase (ED5) 201", (ED9) 165", (ER2) 189" or (FQT) 141". 2 - Requires wheelbase (EM1) 199" or (FNV) 175". 3 - Requires wheelbase (ED5) 201", (ED9) 165" or (ER2) 189".	S ¹	S²	S³	S²	S ¹	S²	S³	S²
		Steering , power (Bosch S2 8014 Plus)	S	S	S	S	Ø	S	Ø	S
	FTA	Front axle, 7,000 lbs, Dana Spicer D800-N, "I"-beam, non-driving 1 - Requires (FK6) 7,000 lb. (3,175 kg) front suspension.	S ¹	S ¹	ł		S ¹	S ¹	I	
	FTB	Front axle , 7,500 lbs, Dana Spicer 60-256, single-reduction, front driving			S	S			S	S
	FK6	Front suspension, 7,000 lbs. (3,175 kg) multi-leaf, includes shock absorbers	S	S			S	S		
	FTV	Front suspension, 7,500 lbs. (3,402 kg) multi-leaf, includes shock absorbers			S	S			S	S
	FTN	Axle lubricant, front, synthetic oil EmGard FE-75W-90			S	S			S	S
FN1		Rear axle, 10,000 lb. (4,536 kg) Dana Spicer S14-110, single reduction	S	S	А	А	S	S	А	А
GL4		Rear axle, 11,000 lb. (4,999 kg) Dana Spicer S14-110, single reduction	А	А	S	S	Α	А	S	S
	G86	Axle , limited slip, Dana Spicer Truetrac, torque proportioning limited slip	S	S	S	S	S	S	S	S

Free Flow RPO Code	Ref. Only RPO Code	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
Code	Code		1WT	1WT	1WT	1WT	1LT	1LT	1LT	1LT
	GR3	Rear suspension, 11,000 (4,990 kg) multi-leaf, vari-rate 1 - Not available with air suspension.	S¹	S ¹	Ø	S	S ¹	S ¹	S	S
	MWA	Highway Service Transmission, Automatic close-ratio 6 SPD with double overdrive, Allison, A1700HS, ratios: 3.10 1ST, 1.80 2ND, 1.40 3RD, 1.00 4TH, 0.70 5TH, 0.60 6TH Highway Series, 19.5K GVW & 26K GCW Max., requires PTX and park pawl. Available with GVWs less than or equal to 19.5K 1 - Requires (C5B) 15,000 lbs. GVWR, (C7P) 16,000 lbs.GVWR, (C7R) 16,500 lbs. GVWR, (GZX) 17,500 lbs GVWR, (GZJ) 18,000 lbs. GVWR or (GZG) 19,500 lbs. GVWR. Requires (R6G) 26,000 lb GCWR (11,793 kg).	S ¹	S ¹						

EQUIPMENT GROUPS

S = Standard Equipment A = Available -- (dashes) = Not Available D = ADI Available

■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

No deletions allowed to Equipment Groups. Additional options may be added; check ordering information section for compatibility.

*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow RPO Code	Ref. Only RPO Code	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
Couc	Jour		1WT	1WT	1WT	1WT	1LT	1LT	1LT	1LT
	IO5	Audio system, Chevrolet Infotainment System with 8" diagonal color touch-screen, AM/FM stereo with seek-and-scan and digital clock, includes Bluetooth streaming audio for music and select phones; USB ports; auxiliary jack; voice-activated technology for radio and phone; and Shop with the ability to browse, select and install apps to your vehicle. Apps include Pandora, iHeartRadio, The Weather Channel and more. 1 - Upgradeable to (IO6) 8" Diagonal Color Touch Navigation with Chevrolet Infotainment.	1	1	į.		□ ¹	_ 1	□ ¹	_1
TG5		Single-slot CD/MP3 player 1 - Requires (IO3) 4.2" diagonal color display, AM/FM stereo.	A ¹	A ¹	A ¹	A ¹				

Free Flow RPO Code	Ref. Only RPO Code	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
			1WT	1WT	1WT	1WT	1LT	1LT	1LT	1LT
U2K		SiriusXM Radio is standard on nearly all 2019 GM models. Enjoy a 3-month All Access trial subscription with over 150 channels including commercial-free music, plus sports, news and entertainment. Plus listening on the app and online is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. 1 - Requires (UE1) OnStar and (IOB) 7" diagonal color touch-screen with Chevrolet Infotainment. IMPORTANT: The SiriusXM radio trial package is not provided on vehicles that are ordered for Fleet Daily Rental ("FDR") use. If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-866-635-2349. See our Customer Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change. 2 - IMPORTANT: The SiriusXM radio trial package is not provided on vehicles that are ordered for Fleet Daily Rental ("FDR") use. If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-866-635-2349. See our Customer Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change.	A ¹	A ¹	A ¹	A ¹	2	2	2	■2
	UDD	Driver Information Center, 4.2-inch diagonal color display, includes driver personalization, warning messages and vehicle information								
AQQ		Remote Keyless Entry	Α	Α	Α	Α				
	DD8	Mirror , inside rearview auto-dimming								

Free Flow RPO Code	Ref. Only RPO Code	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
Code	Code		1WT	1WT	1WT	1WT	1LT	1LT	1LT	1LT
UE1		OnStar and Chevrolet connected services capable 1 - Requires (IOB) 7" diagonal color touch-screen with Chevrolet Infotainment. Includes compass in instrument cluster. Fleet orders receive a 3-month trial. Visit onstar.com for coverage map, details and system limitations. Services vary by model. 2 - Includes compass in instrument cluster. Fleet orders receive a 3-month trial. Visit onstar.com for coverage map, details and system limitations. Services vary by model.	A ¹	A ¹	A ¹	A ¹	□ ²	□ ²	□ ²	□ ²
VV4		Chevrolet 4G LTE and available built-in Wi-Fi hotspot offers a fast and reliable Internet connection for up to 7 devices; includes data trial for 1 month or 3GB (whichever comes first) 1 - Included and only available with (UE1) OnStar. Requires (IOB) 7" diagonal color touch-screen with Chevrolet Infotainment. Available Wi-Fi requires compatible mobile device, active OnStar service and data plan. Data plans provided by AT&T. Visit onstar.com for details and system limitations. 2 - Not available with (UE0) OnStar, delete. Available Wi-Fi requires compatible mobile device, active OnStar service and data plan. Data plans provided by AT&T. Visit onstar.com for details and system limitations.	A ¹	A ¹	A ¹	A ¹	□ ²	2	□ ²	□ ²

Free Flow RPO	Ref. Only RPO	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
Code	Code		1WT	1WT	1WT	1WT	1LT	1LT	1LT	1LT
		Chevrolet Connected Access with 10 years of standard connectivity which enables services such as, Vehicle Diagnostics, Dealer Maintenance Notification, Chevrolet Smart Driver, Marketplace and more 1 - Included and only available with (UE1) OnStar. Limitations apply. Not transferable. Standard connectivity available to original purchaser for ten years from the date of initial vehicle purchase for model year 2018 or newer Chevrolet vehicles. See onstar.com for details and further plan limitations. Connected Access does not include emergency or security services. Availability and additional services enabled by Connected Access are subject to change. 2 - Not available with (UE0) OnStar, delete. Limitations apply. Not transferable. Standard connectivity available to original purchaser for ten years from the date of initial vehicle purchase for model year 2018 or newer Chevrolet vehicles. See onstar.com for details and further plan limitations. Connected Access does not include emergency or security services. Availability and additional services enabled by Connected Access are subject to change.		A ¹	A ¹	A ¹		2	□ ²	2
	NP5	Steering wheel, leather-wrapped with audio and cruise controls								
	UK3	Steering wheel audio controls				-				
	DH6	Visors, driver and front passenger illuminated vanity mirrors							•	
A31		Windows, power with driver express up and down and express down on all other windows	А		Α					

Free Flow RPO Code	Ref. Only RPO Code	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
			1WT	1WT	1WT	1WT	1LT	1LT	1LT	1LT
DPN		Mirrors, outside heated power-adjustable vertical trailering, upper glass, manual-folding and extending, black. Includes integrated turn signal indicators consisting of 51 square inch flat mirror surface positioned over a 24.5 square inch convex mirror surface with a common head and lower convex spotter glass (convex glass is not heated and not power adjustable) and addition of Auxiliary cargo lamp for backing up (helps to see trailer when backing up with a trailer) and amber auxiliary clearance lamp 1 - Requires (A31) power windows.	A ¹	A	A ¹	A				

EQUIPMENT GROUPS

S = Standard Equipment A = Available -- (dashes) = Not Available D = ADI Available

■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

No deletions allowed to Equipment Groups. Additional options may be added; check ordering information section for compatibility.

*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow RPO Code	Ref. Only RPO Code	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
Couc	Jour		1WT	1WT	1WT	1WT	1LT	1LT	1LT	1LT
	IO5	Audio system, Chevrolet Infotainment System with 8" diagonal color touch-screen, AM/FM stereo with seek-and-scan and digital clock, includes Bluetooth streaming audio for music and select phones; USB ports; auxiliary jack; voice-activated technology for radio and phone; and Shop with the ability to browse, select and install apps to your vehicle. Apps include Pandora, iHeartRadio, The Weather Channel and more. 1 - Upgradeable to (IO6) 8" Diagonal Color Touch Navigation with Chevrolet Infotainment.	1	1	į.		□ ¹	_ 1	□ ¹	_1
TG5		Single-slot CD/MP3 player 1 - Requires (IO3) 4.2" diagonal color display, AM/FM stereo.	A ¹	A ¹	A ¹	A ¹				

Free Flow RPO Code	Ref. Only RPO Code	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
			1WT	1WT	1WT	1WT	1LT	1LT	1LT	1LT
U2K		SiriusXM Radio is standard on nearly all 2019 GM models. Enjoy a 3-month All Access trial subscription with over 150 channels including commercial-free music, plus sports, news and entertainment. Plus listening on the app and online is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. 1 - Requires (UE1) OnStar and (IOB) 7" diagonal color touch-screen with Chevrolet Infotainment. IMPORTANT: The SiriusXM radio trial package is not provided on vehicles that are ordered for Fleet Daily Rental ("FDR") use. If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-866-635-2349. See our Customer Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change. 2 - IMPORTANT: The SiriusXM radio trial package is not provided on vehicles that are ordered for Fleet Daily Rental ("FDR") use. If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-866-635-2349. See our Customer Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change.	A ¹	A ¹	A ¹	A ¹	2	2	2	■2
	UDD	Driver Information Center, 4.2-inch diagonal color display, includes driver personalization, warning messages and vehicle information								
AQQ		Remote Keyless Entry	Α	Α	Α	Α				
	DD8	Mirror , inside rearview auto-dimming								

Free Flow RPO Code	Ref. Only RPO Code	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
Oouc	Code		1WT	1WT	1WT	1WT	1LT	1LT	1LT	1LT
UE1		OnStar and Chevrolet connected services capable 1 - Requires (IOB) 7" diagonal color touch-screen with Chevrolet Infotainment. Includes compass in instrument cluster. Fleet orders receive a 3-month trial. Visit onstar.com for coverage map, details and system limitations. Services vary by model. 2 - Includes compass in instrument cluster. Fleet orders receive a 3-month trial. Visit onstar.com for coverage map, details and system limitations. Services vary by model.	A ¹	A ¹	A ¹	A ¹	□ ²	□ ²	□ ²	□ ²
VV4		Chevrolet 4G LTE and available built-in Wi-Fi hotspot offers a fast and reliable Internet connection for up to 7 devices; includes data trial for 1 month or 3GB (whichever comes first) 1 - Included and only available with (UE1) OnStar. Requires (IOB) 7" diagonal color touch-screen with Chevrolet Infotainment. Available Wi-Fi requires compatible mobile device, active OnStar service and data plan. Data plans provided by AT&T. Visit onstar.com for details and system limitations. 2 - Not available Wi-Fi requires compatible mobile device, active OnStar service and data plan. Data plans provided by AT&T. Visit onstar.com for details and system limitations.	A ¹	A ¹	A ¹	A ¹	□ ²	2	□2	□ ²

Free Flow RPO	Ref. Only RPO	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
Code	Code		1WT	1WT	1WT	1WT	1LT	1LT	1LT	1LT
		Chevrolet Connected Access with 10 years of standard connectivity which enables services such as, Vehicle Diagnostics, Dealer Maintenance Notification, Chevrolet Smart Driver, Marketplace and more 1 - Included and only available with (UE1) OnStar. Limitations apply. Not transferable. Standard connectivity available to original purchaser for ten years from the date of initial vehicle purchase for model year 2018 or newer Chevrolet vehicles. See onstar.com for details and further plan limitations. Connected Access does not include emergency or security services. Availability and additional services enabled by Connected Access are subject to change. 2 - Not available with (UE0) OnStar, delete. Limitations apply. Not transferable. Standard connectivity available to original purchaser for ten years from the date of initial vehicle purchase for model year 2018 or newer Chevrolet vehicles. See onstar.com for details and further plan limitations. Connected Access does not include emergency or security services. Availability and additional services enabled by Connected Access are subject to change.		A ¹	A ¹	A ¹		2	□ ²	2
	NP5	Steering wheel, leather-wrapped with audio and cruise controls								
	UK3	Steering wheel audio controls				-				
	DH6	Visors, driver and front passenger illuminated vanity mirrors							•	
A31		Windows, power with driver express up and down and express down on all other windows	А		Α					

Free Flow RPO Code	Ref. Only RPO Code	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
DPN		Mirrors, outside heated power-adjustable vertical trailering, upper glass, manual-folding and extending, black. Includes integrated turn signal indicators consisting of 51 square inch flat mirror surface positioned over a 24.5 square inch convex mirror surface with a common head and lower convex spotter glass (convex glass is not heated and not power adjustable) and addition of Auxiliary cargo lamp for backing up (helps to see trailer when backing up with a trailer) and amber auxiliary clearance lamp 1 - Requires (A31) power windows.	A ¹	A	A ¹	A	•		•	
		ADI	DITIONA	L OPTIC	NS					
Free Flow RPO Code	Ref. Only RPO Code	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
			1WT	1WT	1WT	1WT	1LT	1LT	1LT	1LT
AJ3		Airbag, frontal, driver side only 1 - Requires (APL) passenger seat delete.	A ¹		A ¹		A ¹	-1	A ¹	
C42		HVAC system, heater only, outside air, deluxe 1 - Not available with (C49) rear window defogger.	A ¹	A ¹	A ¹	A ¹	1		1	
IOB		Audio system, 7" diagonal color touch-screen with Chevrolet Infotainment, AM/FM stereo with seek-and-scan and digital clock, includes Bluetooth streaming audio for music and select phones. 1 - Requires (UQ3) 6-speaker audio system. Not available with (TG5) Single slot CD/MP3 player. 2 - Not available with (TG5) Single slot CD/MP3 player.	A ¹	A ²	A ¹	A ²	-	1	-	

		ADI	DITIONA	L OPTIC	NS					
Free Flow RPO Code	Ref. Only RPO Code	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
Code	Code		1WT	1WT	1WT	1WT	1LT	1LT	1LT	1LT
IO6		Audio system, Chevrolet Infotainment System with Navigation and 8" diagonal color touch-screen, AM/FM stereo with seek-and-scan and digital clock, includes Bluetooth streaming audio for music and select phones; USB ports; auxiliary jack; voice-activated technology for radio and phone; and Shop with the ability to browse, select and install apps to your vehicle. Apps include Pandora, iHeartRadio, The Weather Channel and more.			1	1	A	A	A	A
TG5		Single-slot CD/MP3 player 1 - Requires (IO3) 4.2" diagonal color display, AM/FM stereo.	A ¹	A ¹	A ¹	A ¹				•
U2J		SiriusXM, delete 1 - Requires Fleet or Government order type and (UE0) OnStar delete.	S	S	S	S	A ¹	A ¹	A ¹	A ¹

		ADI	DITIONA	L OPTIC	NS					
Free Flow RPO Code	Ref. Only RPO Code	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
Code	Code		1WT	1WT	1WT	1WT	1LT	1LT	1LT	1LT
U2K		SiriusXM Radio is standard on nearly all 2019 GM models. Enjoy a 3-month All Access trial subscription with over 150 channels including commercial-free music, plus sports, news and entertainment. Plus listening on the app and online is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. 1 - Requires (UE1) OnStar and (IOB) 7" diagonal color touch-screen with Chevrolet Infotainment. IMPORTANT: The SiriusXM radio trial package is not provided on vehicles that are ordered for Fleet Daily Rental ("FDR") use. If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-866-635-2349. See our Customer Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change. 2 - IMPORTANT: The SiriusXM radio trial package is not provided on vehicles that are ordered for Fleet Daily Rental ("FDR") use. If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-866-635-2349. See our Customer Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change.	A ¹	A ¹	A ¹	A ¹	2	2	2	■2
C49		Defogger, rear-window electric	Α	Α	Α	Α	Α	Α	Α	Α
AQQ		Remote Keyless Entry	Α	Α	Α	Α				
		Interior trim, Jet Black 1 - See Color and Trim chart for availability.	A ¹	A ¹						
5H1		Key system, 2 spare keys	А	А	Α	Α	Α	А	Α	Α

		ADI	DITIONA	AL OPTIC	NS					
Free Flow RPO Code	Ref. Only RPO Code	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
Code	Code		1WT	1WT	1WT	1WT	1LT	1LT	1LT	1LT
9D9		Mirror, inside rearview delete 1 - Requires (UEO) OnStar delete. 2 - Requires Fleet or Government order type and (UEO) OnStar delete.	A ¹	A ¹	A ¹	A ¹	A ²	A ²	A ²	A ²
UE0		OnStar, delete 1 - Requires Fleet or Government order type and (U2J) SiriusXM delete or (9D9) inside rearview mirror delete.	S	S	S	S	A ¹	A ¹	A ¹	A ¹
UE1		OnStar and Chevrolet connected services capable 1 - Requires (IOB) 7" diagonal color touch-screen with Chevrolet Infotainment. Includes compass in instrument cluster. Fleet orders receive a 3-month trial. Visit onstar.com for coverage map, details and system limitations. Services vary by model. 2 - Includes compass in instrument cluster. Fleet orders receive a 3-month trial. Visit onstar.com for coverage map, details and system limitations. Services vary by model.	A ¹	A ¹	A ¹	A ¹	□ ²	□ ²	□ ²	□ ²
VV4		Chevrolet 4G LTE and available built-in Wi-Fi hotspot offers a fast and reliable Internet connection for up to 7 devices; includes data trial for 1 month or 3GB (whichever comes first) 1 - Included and only available with (UE1) OnStar. Requires (IOB) 7" diagonal color touch-screen with Chevrolet Infotainment. Available Wi-Fi requires compatible mobile device, active OnStar service and data plan. Data plans provided by AT&T. Visit onstar.com for details and system limitations. 2 - Not available with (UE0) OnStar, delete. Available Wi-Fi requires compatible mobile device, active OnStar service and data plan. Data plans provided by AT&T. Visit onstar.com for details and system limitations.	A ¹	A ¹	A ¹	A ¹	□ ²	□²	□ ²	□ ²

		ADI	DITIONA	L OPTIC	NS					
Free Flow RPO	Ref. Only RPO	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
Code	Code		1WT	1WT	1WT	1WT	1LT	1LT	1LT	1LT
		Chevrolet Connected Access with 10 years of standard connectivity which enables services such as, Vehicle Diagnostics, Dealer Maintenance Notification, Chevrolet Smart Driver, Marketplace and more 1 - Included and only available with (UE1) OnStar. Limitations apply. Not transferable. Standard connectivity available to original purchaser for ten years from the date of initial vehicle purchase for model year 2018 or newer Chevrolet vehicles. See onstar.com for details and further plan limitations. Connected Access does not include emergency or security services. Availability and additional services enabled by Connected Access are subject to change. 2 - Not available with (UE0) OnStar, delete. Limitations apply. Not transferable. Standard connectivity available to original purchaser for ten years from the date of initial vehicle purchase for model year 2018 or newer Chevrolet vehicles. See onstar.com for details and further plan limitations. Connected Access does not include emergency or security services. Availability and additional services enabled by Connected Access are subject to	A ¹	A ¹	A ¹	A ¹	□ ²	□²	□ ²	2
KI4		Power outlet, 110-volt AC	Α	Α	Α	Α	Α	Α	Α	Α
UVC		Rear Vision Camera, display integrated into Radio 1 - Shipped loose in cab for upfitter installation.	A ¹	A ¹						
AZ3		Seats, front 40/20/40 split-bench, cloth 3-passenger. Includes driver and front passenger recline with outboard head restraints and center fold-down armrest with storage. Also includes manually adjustable driver lumbar, lockable storage compartment in seat cushion, and storage pockets. 1 - Requires (IOB) 7" diagonal color touch-screen with Chevrolet Infotainment. Includes (AG1) 10-way power seat.	A ¹	A ¹	A ¹	A ¹	S	S	S	S

		ADI	DITIONA	L OPTIC	NS					
Free Flow RPO Code	Ref. Only RPO Code	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
Code	Code		1WT	1WT	1WT	1WT	1LT	1LT	1LT	1LT
A95		Seats, front cloth bucket with adjustable head restraints. Includes (KA1) heated seat cushions and seat backs, (D07) floor console, storage pockets and (K4C) wireless charging. Driver seat includes 10-way power adjustable, Passenger seat includes 6-way power adjustable.						A		А
KA1		Seats, heated driver and front passenger 1 - Included with (A95) bucket seat. Available on (AZ3) front 40/20/40 split-bench seat.						A ¹		A ¹
APL		Passenger seat, delete (removes 20/40 section of passenger and center seat section. All exposed floor area will remain untrimmed) 1 - Requires (AJ3) driver side only airbag. 2 - Requires (AJ3) driver side only airbag and (AZ3) front 40/20/40 split-bench seat.	A ¹		A ¹		A ²		A ²	
ATZ		Seat delete, rear		Α		А		Α		Α
379		Seat Belt, Orange (center seat belt will ship loose)	А	А	А	А	А	А	А	А
3F9		Seat Belt, Front, Red (center seat belt will ship loose)	А	А	А	А	А	А	А	А
BTV		Remote Start 1 - Includes (UTJ) Theft-deterrent system.					A ¹	A ¹	A ¹	A ¹
9L7		Upfitter switches, provides up to 4-30 amp circuits to facilitate installation of aftermarket electrical accessories located on the instrument panel 1 - Included with (YF2) Emergency Service Package.	A ¹	A ¹						
A31		Windows, power with driver express up and down and express down on all other windows	А		А					
01U		Paint Scheme, Style 1	Α	Α	Α	Α	Α	Α	Α	Α
E0N		Assist Steps, aluminum	Α	Α	Α	Α	Α	Α	Α	Α
V46		Bumper, front chrome	Α	Α	Α	Α	Α	Α	Α	Α

		ADI	DITIONA	L OPTIC	NS					
Free Flow RPO Code	Ref. Only RPO Code	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
Code	Code		1WT	1WT	1WT	1WT	1LT	1LT	1LT	1LT
5D1		Bumper, front, Gray	Α	Α	Α	Α	Α	Α	Α	Α
ТЗА		Bumper, front with 4" extension 1 - Not available with (POD) grille guard screen, insect protection, (V23) grille guard screen, stone protection or (V76) recovery hooks.	A ¹	A ¹						
8H5		Bumper, front, delete 1 - Not available with (T3A). front bumper with 4" extension or (V23) grille guard screen, insect protection.	A ¹	A ¹						
UZF		Backup alarm 1 - Included with (YF2) Emergency Service Package.	A ¹	A ¹						
E20		Door handles, outside, chrome					Α	Α	Α	Α
FNP		Front fender extension, painted body color 1 - Not available with (FNX) Black front fender extension.	A ¹	A ¹						
5DX		Electrical Provisions, rear of cab, upfitter, body builder wiring, includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn	А	А	Α	Α	А	А	А	А
5DY		Electrical Provisions, rear of frame, upfitter, body builder wiring, includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn 1 - Included with (YF2) Emergency Service Package.	A ¹	A ¹						
T3U		Fog lamps, front, halogen					Α	Α	Α	Α
V22		Grille, chrome	Α	Α	Α	Α	Α	Α	Α	Α
POD		Grille guard screen, insect protection (mounted behind grille) 1 - Not available with (T3A) front bumper with 4" extension.	A ¹	A ¹						
V23		Grille guard screen, stone protection (mounted to bumper) 1 - Not available with (T3A) front bumper with 4" extension.	A ¹	A ¹						

		ADI	DITIONA	L OPTIC	NS					
Free Flow RPO Code	Ref. Only RPO Code	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
Code	Code		1WT	1WT	1WT	1WT	1LT	1LT	1LT	1LT
P0E		Air intake guard screen, Ember (keeps hot embers out of the engine and HVAC air intake system)	А	А	А	А	А	A	А	A
AKO		Glass, deep-tinted	Α	Α	Α	Α	Α	Α	Α	Α
UNL		Auxiliary harness, 3' for headlamps and turn signals, 1 - Included with (VYU) Snow Plow Prep Package.	A ¹	A ¹						
UGE		Lamps, rear, LED stop/turn and license plate, with incandescent backup lamps	Α	A	A	A	A	A	А	А
JTR		Tail lamp wiring harness provisions, includes wiring for standard left and right taillamps, separate 8 feet of extra cable wiring for left and right body-mounted tail lights	А	А	А	А	А	A	A	A
U05		Horn, dual-note	Α	Α	Α	Α	Α	А	А	Α
VK3		License plate kit, front (will be shipped with trucks with ship-to states that require front license plate)	A	A	A	A	A	A	A	A
DPN		Mirrors, outside heated power-adjustable vertical trailering, upper glass, manual-folding and extending, black. Includes integrated turn signal indicators consisting of 51 square inch flat mirror surface positioned over a 24.5 square inch convex mirror surface with a common head and lower convex spotter glass (convex glass is not heated and not power adjustable) and addition of Auxiliary cargo lamp for backing up (helps to see trailer when backing up with a trailer) and amber auxiliary clearance lamp 1 - Requires (A31) power windows.	A ¹	A	A ¹	A				
DP9		Mirror caps, chrome					Α	А	А	Α
		·		1	·	1	l	1	l .	

		ADI	DITIONA	L OPTIC	NS					
Free Flow RPO Code	Ref. Only RPO Code	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
Code	Code		1WT	1WT	1WT	1WT	1LT	1LT	1LT	1LT
TRW		Provision for cab roof-mounted lamp/beacon, provides an overhead console mounted switch and electrical wiring tucked beneath the headliner for a body upfitter to connect a body-mounted warning or emergency lamp 1 - Included with (VYU) Snow Plow Prep Package.	A ¹	A ¹						
V76		Recovery hooks, front, frame-mounted, black 1 - Not available with (T3A) front bumper with 4" extension.	A ¹	A ¹						
XDK		Tires , front 225/70R19.5G highway blackwall Goodyear	А	А	A	А	Α	А	Α	А
YAL		Tires , rear 225/70R19.5G highway blackwall Goodyear	А	А	Α	А	А	А	А	А
YAN		Tires , rear 225/70R19.5G traction blackwall Continental	А	А	А	А	А	А	Α	А
YAO		Tires , rear 225/70R19.5G traction blackwall Goodyear	А	А	А	А	А	А	Α	А
ZBK		Tire, Spare 225/70R19.5G highway blackwall Goodyear 1 - Requires (XDK) 225/70R19.5G Goodyear highway blackwall front tires or (YAL) 225/70R19.5G Goodyear highway blackwall rear tires. Includes (V33) road emergency tool kit.	A ¹	A ¹						
ZBR		Tire, Spare 225/70R19.5G highway blackwall Continental 1 - Requires (XDL) 225/70R19.5G Continental highway blackwall front tires or (YAM) 225/70R19.5G Continental highway blackwall rear tires. Includes (V33) road emergency tool kit.	A ¹	A ¹						
ZBO		Tire, Spare 225/70R19.5G traction blackwall Continental 1 - Requires (YAN) 225/70R19.5G Continental traction blackwall rear tires. Includes (V33) road emergency tool kit.	A ¹	A ¹						

		ADI	DITIONA	L OPTIC	NS					
Free Flow RPO Code	Ref. Only RPO Code	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
Code	Code		1WT	1WT	1WT	1WT	1LT	1LT	1LT	1LT
ZBP		Tire, Spare 225/70R19.5G traction blackwall Goodyear 1 - Requires (YAO) 225/70R19.5G Goodyear traction blackwall rear tires. Includes (V33) road emergency tool kit.	A ¹	A ¹						
PWR		Wheels, 19.5" x 6.75", steel, Grey painted, 8-holes, hub piloted	Α	А	А	А	Α	А	А	А
PWS		Wheels, 19.5" x 6.75", steel, White painted, 8-holes, hub piloted	А	А	Α	А	Α	А	Α	А
PWV		Wheels , 19.5" x 6.75", aluminum, 8-holes, hub piloted	А	А	А	А	А	А	А	А
Q91		Tire valve cap, flo-thru	Α	Α	Α	Α	Α	Α	Α	Α
Q92		Tire valve cap , (Alligaro V2B) flo-thru	А	А	А	А	А	А	А	А
PWY		Wheel, 19.5" x 6.75", spare, steel, Black, 8-holes, temporary mounted on frame, hub piloted	A	A	A	А	Α	A	Α	А
VYU		Snow Plow Prep Package, includes (UNL) auxiliary harness for headlamps and turn signals, (KW5) 220-amp alternator, forward lamp wiring harness and (TRW) provision for cab roof mounted lamp/beacon	А	А	А	А	А	А	А	А
PCH		Motorhome Package 1 - Requires Motorhome transmission (ME0), (MIX) or (MF0).	A ¹	A ¹						
YF2		Emergency Service Package, includes (KHB) dual alternators, (9L7) upfitter box switchbank, (K40) exhaust brake, (UZF) backup alarm and (5DY) end of cab wiring provisions 1 - Requires Emergency Service transmission, (MH1), (MHV) or (MG0)	A ¹	A ¹						
WN9		Special processing, Delivery Request, truck can not be used as lead truck when delivered (must be towed or hauled)	А	A	А	А	А	A	Α	А

		ADI	DITIONA	L OPTIC)NS					
Free Flow RPO Code	Ref. Only RPO Code	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
Coue	Code		1WT	1WT	1WT	1WT	1LT	1LT	1LT	1LT
KUT		Air Compressor Accessory Drive, includes 4-pack of solenoids 1 - Required with all models equipped with Rear Air Suspension (G40/GP1/GP8). Available as free flow option on all models without Rear Air Suspension.	A ¹	A ¹	A	A	A ¹	A ¹	A	A
JPY		Air Dryer, heated 1 - Requires (KUT) Air Compressor Accessory Drive.	A ¹	A ¹						
KW5		Alternator, 220 amps 1 - Included with (VYU) Snow Plow Prep Package.	A ¹	A ¹						
КНВ		Alternators, dual, 150 amps and 220 amps each 1 - Included with (YF2) Emergency Service Package.	A ¹	A ¹						
7Y8		Batteries, heavy-duty dual 1300 cold-cranking amps, includes battery box mounted to left side under cab	A	Α	A	A	A	A	A	A
7Y9		Batteries, heavy-duty triple 2250 cold-cranking amps, temporarily mounted behind cab, no battery box included	A	А	А	А	А	A	A	A
BTN		Battery, top post threaded, battery jump start stud (located on battery box) 1 - Requires (7Y7) 1100 cold-cranking amps batteries or (7Y8) 1300 cold-cranking amps batteries.	A ¹	A ¹						
N12		Exhaust system, rear exit 1 - Not available with (FQT) 141" wheel base.	A ¹	S	S	Ø	A ¹	S	S	S
NPJ		Exhaust system, left side exit ahead of rear wheel 1 - Available on the following wheelbases: (ER2) 189" wheelbase, (ED5) 201" wheelbase, (EQB) 219" wheelbase, (FPN) 231" wheelbase, (FBC) 243" wheelbase. Not available with (NSQ) dual fuel tanks. 2 - Available on the following wheelbases: (EM1) 199" wheelbase, (FNV) 175 wheelbase or (FRP) 235" wheelbase. Not available with (NSQ) dual fuel tanks.	A ¹	A ²						

		ADI	DITIONA	L OPTIC	NS					
Free Flow RPO	Ref. Only RPO	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
Code	Code		1WT	1WT	1WT	1WT	1LT	1LT	1LT	1LT
NPK		Exhaust system, right side exit ahead of rear wheels 1 - Requires one of the following wheelbases: (ER2) 189", (ED5) 201", (EQB) 219", (FPN) 231" or (FBC) 243". 2 - Requires (EM1) 199" wheelbase, (FNV) 175 wheelbase or (FRP) 235" wheelbase.	A ¹	A ²						
K40		Exhaust brake 1 - Included with (YF2) Emergency Service Package.	A ¹	A ¹						
K05		Engine block heater	Α	Α	Α	Α	Α	Α	Α	Α
FPF		DPF, diesel particulate filter, manual regeneration, customer regeneration will not be allowed until the DPF load percentage has reached 100% full and a driver information center (DIC) message has been shown 1 - Requires (K40) exhaust brake.	A ¹	A ¹						
KT0		Heater hose, silicone 1 - Requires (KUD) Heater hose clamps, (Breeze) Belleville washer type.	A ¹	A ¹						
KUD		Heater hose clamps, (Breeze) Belleville washer type	А	А	А	А	А	А	А	А
NVK		Fuel tank, front, 25 gallon	Α	Α	Α	Α	Α	Α	Α	Α
NSQ		Fuel tank, front and rear, 65 gallon total	Α	А	А	А	Α	А	А	А
8E4		Additional fuel, 5 gallons	Α	Α	Α	Α	Α	Α	Α	Α
NXG		Additional fuel, 20 gallons	Α	Α	Α	Α	Α	Α	Α	Α
NXO		Additional fuel, 40 gallons 1 - Requires (NSQ) dual fuel tanks.	A ¹	A ¹						
C5B		GVWR, 15,000 lbs. (6804 kg) 1 - Silverado 4500HD Requires (FTD) 6k front axle/ (F95) suspension and (FN1) 10k rear axle and (GR3) 11k rear suspension. 2 - Silverado 4500HD Requires (FTA) 7k front axle/ (FK6) suspension and (FN1) 10k rear axle and (GR3) 11k rear. 3 - Silverado 4500HD Requires (FTB) 7.5k front axle/(FTV) front suspension and (FN1) 10k rear axle/(GR3) 11k rear suspension.	A ¹	A ²	A ³	A ³	A ¹	A ²	A ³	A ³

		ADI	DITIONA	L OPTIC	NS					
Free Flow RPO Code	Ref. Only RPO Code	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
Coue	Code		1WT	1WT	1WT	1WT	1LT	1LT	1LT	1LT
С7Р		GVWR, 16,000 lbs. (7257 kg) 1 - Silverado 4500HD Requires (FTD) 6k front axle/ (F95) suspension and (FN1) 10k rear axle and (GR3) 11k rear suspension or (G40) 12k rear air suspension. Not available with rear air suspension when ordered with (FQT) 141" wheelbase. 2 - Silverado 4500HD Requires (FTA) 7k front axle/ (FK6) suspension and (FN1) 10k rear axle, (GR3) 11k rear or (G40) 12k rear air suspension. Not available with rear air suspension when ordered with (FQT) 141" wheelbase. 3 - Silverado 4500HD Requires (FTB) 7.5k front axle/(FTV) suspension and (FN1) 10k rear axle/(GR3) 11k rear suspension.	A ¹	A ²	A ³	A ³	A ¹	A ²	A ³	A ³
GZX		GVWR, 17,500 lbs. (7938 kg) 1 - Silverado 5500HD Requires (FTA) 7K front axle/(FK6) suspension and (GL4) 11k rear axle and (GR3) 11k or (GR4) 13.5k rear suspension or (G40) 12k or (GP1) 13.5k rear ir suspension. Not available with rear air suspension when ordered with (FQT) 141" wheelbase. 2 - Silverado 5500HD Requires (FTB) 7.5k front axle/(FTV) suspension and (FN1) 10k rear axle/(GR3) 11k rear suspension.	A ¹	A ¹	A ²	A ²	A ¹	A ¹	A ²	A ²
GZJ		GVWR, 18,000 lbs. (8165 kg) 1 - Silverado 5500HD Requires ((FTA) 7K front axle/(FK6) suspension and (GL4) 11k rear axle and (GR3) 11k or (GR4) 13.5k rear suspension or (G40) 12k or (GP1) 13.5k rear air suspension.) or ((FTA) 7k front axle/(FK6) suspension (HD2) 13.5k and (GR4) 13.5k or (FU7) 15.5k rear suspension or (GP1) 13.5k or (GP8) 15.5k rear air suspension.) Not available with rear air suspension when ordered with (FQT) 141" wheelbase. 2 - Silverado 5500HD Requires (FTB) 7.5k front axle/(FTV) suspension and (GL4) 11k rear axle and (GR3) 11k or (GR4) 13.5k rear suspension.	A ¹	A ¹	A ²	A ²	A ¹	A ¹	A ²	A ²

		ADI	DITIONA	L OPTIC	NS					
Free Flow RPO	Ref. Only RPO	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
Code	Code		1WT	1WT	1WT	1WT	1LT	1LT	1LT	1LT
GZG		GVWR, 19,500 lbs. (8845 kg) 1 - Silverado 5500HD Requires ((FTA) 7K front axle/(FK6) suspension and (HD2) 13.5k rear axle and (GR4) 13.5k or (FU7) 15.5k rear suspension or (GP1) 13.5k or (GP8) 15.5k rear air suspension.) or ((FTL) 8k front axle/(FSN)) suspension (HD2) 13.5k rear axle and (GR4) 13.5k or (FU7) 15.5k rear suspension or (GP1) 13.5k or (GP8) 15.5k rear air suspension.) ((FTL) 8k front axle/(FSN) suspension with (HD1) 15k rear axle and (FU7) 15.5k rear suspension or (GP8) 15.5k rear air suspension or (GP8) 15.5k rear air suspension.) Not available with rear air suspension when ordered with FQT wheelbase. 2 - Silverado 5500HD Requires (FTB) 7.5k front axle/(FTV) suspension and (HD2) 13.5k rear axle and(GR4) 13.5k rear suspension.	A ¹	A ¹	A ²	A ²	A ¹	A ¹	A ²	A ²
DD5		GVWR, 21,000 lbs. (9525kg) 1 - Silverado 6500HD Requires (FTB) 7.5k front axle/(FTV) suspension and (HD1) 15k rear axle and (FU7) 15.5k rear suspension or (HD2) 13.5k rear axle and (GR4) 13.5k rear suspension.			A ¹	A ¹			A ¹	A ¹
GZH		GVWR, 21,500 lbs. (9752 kg) 1 - Silverado 6500HD Requires ((FTA) 7K front axle/(FK6) suspension and (J27) 15.5k rear axle and (FU7) 15.5k rear is suspension or (GP8) 15.5k rear air suspension.) or ((FTL) 8k front axle/(FSN) suspension and (HD2) 13.5k rear axle and (GR4) 13.5k or (FU7) 15.5k rear suspension or (GP1) 13.5k or (GP8) 15.5k rear air suspension.	A ¹	A ¹	-		A ¹	A ¹	-	
C5D		GVWR, 22,500 lbs. (10,206 kg) 1 - Silverado 6500HD Requires (FTB) 7.5k front axle/ (FTV) front suspension and (HD1) 15k rear axle and (FU7) 15.5k rear suspension.			A ¹	A ¹			A ¹	A ¹
C9U		GVWR, 22,940 lbs. (10,387 kg) 1 - Silverado 6500HD Requires (FTL) 8k front axle/ (FSN) front suspension and (J27) 15.5k rear axle and (FU7) 15.5k rear suspension or (GP8) 15.5k rear air suspension.	A ¹	A ¹			A ¹	A ¹		
R6G		26,000 lbs. GCWR (11,793 kg) 1 - Requires 26k GCWR transmission (MWA, MWB, MIU, MIA, MH1, MG0, MIX, MF0).	A ¹	A ¹						

		ADI	DITIONA	L OPTIC	NS					
Free Flow RPO Code	Ref. Only RPO Code	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
Code	Code		1WT	1WT	1WT	1WT	1LT	1LT	1LT	1LT
R6I		30,000 lbs. GCWR (13,607 kg) 1 - Requires 30k GCWR transmission (MJ0, MI0, MHV, ME0).	A ¹	A ¹						
092		Rear axle, 4.30 ratio	Α	Α	S	S	Α	Α	S	S
005		Rear axle, 4.56 ratio	Α	Α			Α	Α		
800		Rear axle, 4.88 ratio	Α	Α			Α	Α		
ED9		Wheelbase, 165" (419.1 cm), 84" CA 1 - Requires (F0C) 49" axle to end of frame or (F0D) 63" axle to end of frame.	A ¹		S ¹		A ¹		S¹	
ER2		Wheelbase, 189" (480.1 cm), 108" CA 1 - Requires (F0C) 49" axle to end of frame, (F0D) 63" axle to end of frame or (F0I) 75" axle to end of frame.	A ¹		A ¹		A ¹		A ¹	
ED5		Wheelbase, 201" (510.5 cm), 120" CA 1 - Requires (F0C) 49" axle to end of frame, (F0D) 63" axle to end of frame or (F0I) 75" axle to end of frame.	A ¹		A ¹		A ¹		A ¹	
EQB		Wheelbase, 219" (556.3 cm), 138" CA 1 - Requires (F0I) 75" axle to end of frame.	A ¹		A ¹		A ¹		A ¹	
FPN		Wheelbase, 231" (586.7 cm), 231" CA 1 - Requires (F0K) 91" axle to end of frame.	A ¹		A ¹		A ¹		A ¹	
FBC		Wheelbase, 243" (617.2 cm), 243" CA 1 - Requires (F0G) 83" axle to end of frame dimension.	A ¹		A ¹		A ¹		A ¹	
EM1		Wheelbase, 199" (505.5 cm), 84" CA 1 - Requires (F0C) 49" axle to end of frame or (F0D) 63" axle to end of frame.		A ¹		A ¹		A ¹		A ¹
FRP		Wheelbase, 235" (596.9 cm), 120" CA 1 - Requires (F0I) 75" axle to end of frame.		A ¹		A ¹		A ¹		A ¹

		ADI	DITIONA	L OPTIC	NS					
Free Flow RPO Code	Ref. Only RPO Code	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
Jour	Jour		1WT	1WT	1WT	1WT	1LT	1LT	1LT	1LT
F0D		Axle to End of Frame, 63" 1 - Requires Wheelbase (ED9) 165", (ER2) 189" or (ED5) 201". 2 - Requires (EM1) 199" wheelbase.	A ¹	A ²						
F0G		Axle to End of Frame, 83" 1 - Requires wheelbase (FBC) 243".	A ¹		A ¹		A ¹		A ¹	
F0I		Axle to End of Frame, 75" 1 - Requires wheelbase (ED5) 201", (EQB) 219" or (ER2) 189". 2 - Requires (FRP) 235" wheelbase.	A ¹	A ²						
F0K		Axle to End of Frame, 91" 1 - Requires wheelbase (FPN) 231".	A ¹		A ¹	1	A ¹		A ¹	
FTD		Front axle, 6,000 lbs, Dana Spicer D800-N, "I"-beam, non-driving 1 - Requires (F95) 6,000 lb. front suspension.	A ¹		1		A ¹		-1	
FTL		Front axle, 8,000 lbs, Dana/Spicer D800-N, "I"-beam, non-driving	А	А			А	А		
F95		Front suspension, 6,000 lbs.(2,722 kg) multi-leaf, includes shock absorbers	Α		1		Α		1	
FSN		Front suspension, 8,000 lbs. (3,629 kg) multi-leaf, includes shock absorbers	Α	А	1		Α	А	1	
F59		Front stabilizer bar	Α	Α			Α	Α		
FF3		Oil seal for front hub, Chicago Rawhide Nitrile for oil lubricated wheel bearings	Α	A	Α	Α	Α	А	Α	A
FG0		Oil filled front hubs, synthetic oil EmGard FE-75W-90	А	А			А	А		
FN1		Rear axle, 10,000 lb. (4,536 kg) Dana Spicer S14-110, single reduction	S	S	Α	Α	S	S	Α	А
GL4		Rear axle, 11,000 lb. (4,999 kg) Dana Spicer S14-110, single reduction	А	А	S	S	А	А	S	S
HD1		Rear axle, 15,000 lb. (6,804 kg) Dana Spicer S16-130, single reduction	Α	A	А	A	Α	A	A	A
HD2		Rear axle, 13,500 lb. (6,124 kg) Dana Spicer S14-110, single reduction	А	А	А	А	А	А	А	А

		ADI	DITIONA	L OPTIC	NS					
Free Flow RPO	Ref. Only RPO	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
Code	Code		1WT	1WT	1WT	1WT	1LT	1LT	1LT	1LT
J27		Rear axle, 15,500 lb. (7,031 kg), Dana Spicer S16-130, single reduction	А	А			Α	А		
GR4		Rear suspension, 13,500 lbs. (6,123 kg) multi-leaf, vari-rate 1 - Not available with air suspension.	A ¹	A ¹	A	А	A ¹	A ¹	А	А
FU7		Rear suspension, 15,500 lbs. (7,031 kg) multi-leaf, vari-rate 1 - Not available with air suspension.	A ¹	A ¹	А	А	A ¹	A ¹	А	А
G40		Rear suspension - Air, 12,000 lbs. (5,443 kg), 6.0" ride height with shock absorbers 1 - Requires (KUT) Air Compressor Accessory Drive and (JPZ) Suspension air control valve.	A ¹	A ¹			A ¹	A ¹	1	-
GP1		Rear suspension - Air, 13,500 lbs. (6,123 kg), 6.0" ride height with shock absorbers 1 - Requires (KUT) Air Compressor Accessory Drive and (JPZ) Suspension air control valve.	A ¹	A ¹			A ¹	A ¹		
GP8		Rear suspension - Air, 15,500 lbs. (7,031 kg), 6.0" ride height with shock absorbers 1 - Requires (KUT) Air Compressor Accessory Drive and (JPZ) Suspension air control valve.	A ¹	A ¹			A ¹	A ¹		
G68		Shock Absorbers, rear 1 - Not available with (G40) 12,000 lbs., (GP1) 13,500 lbs. or (GP8) 15,500 lbs. rear air suspension.	A ¹	A ¹	Α	А	A ¹	A ¹	Α	А
JPZ		Suspension air control valve, air release valve with switch in cab 1 - Requires (G40) 12, 000lbs., (GP1) 13,500 lbs. or (GP8) 15,500 lbs. rear air suspension.	A ¹	A ¹			A ¹	A ¹		
FTO		Axle lubricant, rear, synthetic synthetic oil EmGard FE -75W-90	А	А	Α	А	А	А	А	А
КВК		Transmission shift control calibration, fuel sense Performance	А	А	А	А	Α	А	А	А
JL1		Trailer brake controller, integrated 1 - Requires (UY7) Trailering provisions.	A ¹	A ¹						

	ADDITIONAL OPTIONS											
Free Flow RPO	Ref. Only RPO	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab		
Code	Code		1WT	1WT	1WT	1WT	1LT	1LT	1LT	1LT		
UY7		Trailering provisions, trailering wire harness only, trailer combined (Stop/Tail/Turn) connection socket and harness mounted at rear of frame. 1 - Requires (JL1) Trailer brake controller.	A ¹	A ¹								
PTX		Power Take-Off (PTO) , not installed	А	А	А	А	Α	А	Α	А		
PTO		Power Take Off, engine control provisions	А	А	Α	А	Α	А	А	А		
NZZ		Skid Plate , steel, frame-mounted, protects the transfer case from the ground			А	А			А	А		

PEG STAIRSTEP

S = Standard Equipment A = Available -- (dashes) = Not Available D = ADI Available

■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

No deletions allowed to Equipment Groups. Additional options may be added; check ordering information section for compatibility.

*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow RPO	Ref. Only RPO	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
Code	Code		1WT	1WT	1WT	1WT	1LT	1LT	1LT	1LT
A31		Windows, power with driver express up and down and express down on all other windows								
	IO5	Audio system, Chevrolet Infotainment System with 8" diagonal color touch-screen, AM/FM stereo with seek-and-scan and digital clock, includes Bluetooth streaming audio for music and select phones; USB ports; auxiliary jack; voice-activated technology for radio and phone; and Shop with the ability to browse, select and install apps to your vehicle. Apps include Pandora, iHeartRadio, The Weather Channel and more. 1 - Upgradeable to (IO6) 8" Diagonal Color Touch Navigation with Chevrolet Infotainment.					□ 1	_ 1	_1	1
VV4		Chevrolet 4G LTE and available built-in Wi-Fi hotspot offers a fast and reliable Internet connection for up to 7 devices; includes data trial for 1 month or 3GB (whichever comes first) 1 - Not available with (UE0) OnStar, delete. Available Wi-Fi requires compatible mobile device, active OnStar service and data plan. Data plans provided by AT&T. Visit onstar.com for details and system limitations.					□ 1	_1	□ 1	1

PEG STAIRSTEP

Free Flow RPO Code	Ref. Only RPO Code	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
Code	Code		1WT	1WT	1WT	1WT	1LT	1LT	1LT	1LT
		Chevrolet Connected Access with 10 years of standard connectivity which enables services such as, Vehicle Diagnostics, Dealer Maintenance Notification, Chevrolet Smart Driver, Marketplace and more 1 - Not available with (UE0) OnStar, delete. Limitations apply. Not transferable. Standard connectivity available to original purchaser for ten years from the date of initial vehicle purchase for model year 2018 or newer Chevrolet vehicles. See onstar.com for details and further plan limitations. Connected Access does not include emergency or security services. Availability and additional services enabled by Connected Access are subject to change.					_1	1	_1	_1
	UDD	Driver Information Center, 4.2-inch diagonal color display, includes driver personalization, warning messages and vehicle information					•	•		
	DD8	Mirror , inside rearview auto-dimming								
DPN		Mirrors, outside heated power-adjustable vertical trailering, upper glass, manual-folding and extending, black. Includes integrated turn signal indicators consisting of 51 square inch flat mirror surface positioned over a 24.5 square inch convex mirror surface with a common head and lower convex spotter glass (convex glass is not heated and not power adjustable) and addition of Auxiliary cargo lamp for backing up (helps to see trailer when backing up with a trailer) and amber auxiliary clearance lamp					•		•	•
UE1		OnStar and Chevrolet connected services capable 1 - Includes compass in instrument cluster. Fleet orders receive a 3-month trial. Visit onstar.com for coverage map, details and system limitations. Services vary by model.					□ ¹	□ ¹	□ 1	□ ¹
AQQ		Remote Keyless Entry								
TG5		Single-slot CD/MP3 player								

PEG STAIRSTEP

Free Flow RPO Code	Ref. Only RPO Code	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
			1WT	1WT	1WT	1WT	1LT	1LT	1LT	1LT
U2K		SiriusXM Radio is standard on nearly all 2019 GM models. Enjoy a 3-month All Access trial subscription with over 150 channels including commercial-free music, plus sports, news and entertainment. Plus listening on the app and online is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. 1 - IMPORTANT: The SiriusXM radio trial package is not provided on vehicles that are ordered for Fleet Daily Rental ("FDR") use. If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-866-635-2349. See our Customer Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change.					1	1	■ 1	1
	NP5	Steering wheel, leather-wrapped with audio and cruise controls								
	UK3	Steering wheel audio controls								
	DH6	Visors , driver and front passenger illuminated vanity mirrors								

INTERIOR

S = Standard Equipment A = Available -- (dashes) = Not Available D = ADI Available

■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow RPO Code	Ref. Only RPO Code	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
			1WT	1WT	1WT	1WT	1LT	1LT	1LT	1LT
	AK5	Airbags, frontal, driver and right front passenger 1 - Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.	S ¹	S ¹						
AJ3		Airbag, frontal, driver side only 1 - Requires (APL) passenger seat delete.	A ¹		A ¹		A ¹		A ¹	
	C99	Airbag deactivation switch, frontal passenger-side 1 - Included and only available with (AK5) frontal, driver and right front passenger airbags.	S ¹	S ¹						
	C67	Air conditioning, single-zone	S	S	S	S	S	S	S	S
C42		HVAC system, heater only, outside air, deluxe 1 - Not available with (C49) rear window defogger.	A ¹	A ¹	A ¹	A ¹				
		Assist handle, front passenger and driver on A-pillars	S	S	S	S	S	S	Ø	S
	IO3	Audio system, 4.2" diagonal color display, AM/FM stereo with USB port and auxiliary jack 1 - Requires (AE7) front 40/20/40 split-bench seat. Not available with (UE1) OnStar or (U2K) SiriusXM Radio.	S ¹	S ¹	S ¹	S ¹				
IOB		Audio system, 7" diagonal color touch-screen with Chevrolet Infotainment, AM/FM stereo with seek-and-scan and digital clock, includes Bluetooth streaming audio for music and select phones. 1 - Requires (UQ3) 6-speaker audio system. Not available with (TG5) Single slot CD/MP3 player. 2 - Not available with (TG5) Single slot CD/MP3 player.	A ¹	A ²	A ¹	A ²				

Free Flow RPO	Ref. Only RPO	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
Code	Code		1WT	1WT	1WT	1WT	1LT	1LT	1LT	1LT
	IO5	Audio system, Chevrolet Infotainment System with 8" diagonal color touch-screen, AM/FM stereo with seek-and-scan and digital clock, includes Bluetooth streaming audio for music and select phones; USB ports; auxiliary jack; voice-activated technology for radio and phone; and Shop with the ability to browse, select and install apps to your vehicle. Apps include Pandora, iHeartRadio, The Weather Channel and more. 1 - Upgradeable to (IO6) 8" Diagonal Color Touch Navigation with Chevrolet Infotainment.					□ ¹	_ 1	_1	
106		Audio system, Chevrolet Infotainment System with Navigation and 8" diagonal color touch-screen, AM/FM stereo with seek-and-scan and digital clock, includes Bluetooth streaming audio for music and select phones; USB ports; auxiliary jack; voice-activated technology for radio and phone; and Shop with the ability to browse, select and install apps to your vehicle. Apps include Pandora, iHeartRadio, The Weather Channel and more.					A	A	A	A
TG5		Single-slot CD/MP3 player 1 - Requires (IO3) 4.2" diagonal color display, AM/FM stereo.	A ¹	A ¹	A ¹	A ¹				-
U2J		SiriusXM, delete 1 - Requires Fleet or Government order type and (UE0) OnStar delete.	S	S	S	S	A ¹	A ¹	A ¹	A ¹

Free Flow RPO Code	Ref. Only RPO Code	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
U2K		SiriusXM Radio is standard on nearly all 2019 GM models. Enjoy a 3-month All Access trial subscription with over 150 channels including commercial-free music, plus sports, news and entertainment. Plus listening on the app and online is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. 1 - Requires (UE1) OnStar and (IOB) 7" diagonal color touch-screen with Chevrolet Infotainment. IMPORTANT: The SiriusXM radio trial package is not provided on vehicles that are ordered for Fleet Daily Rental ("FDR") use. If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-866-635-2349. See our Customer Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change. 2 - IMPORTANT: The SiriusXM radio trial package is not provided on vehicles that are ordered for Fleet Daily Rental ("FDR") use. If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-866-635-2349. See our Customer Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change.	A ¹	A ¹	A ¹	A ¹	2	2	2	2
	UQ5	Audio system feature, 4-speaker system	S		S					
	UQ3	6-speaker audio system 1 - Included and only available with (IOB) 7" diagonal color touch-screen with Chevrolet Infotainment.	A ¹	S	A ¹	S	S	S	S	S
		Bluetooth for phone, personal cell phone connectivity to vehicle audio system 1 - Included and only available with (IOB) 7" diagonal color touch-screen with Chevrolet Infotainment.	A ¹	A ¹	A ¹	A ¹	S	S	S	S

Free Flow RPO Code	Ref. Only RPO Code	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
	D07	Console, floor mounted, with cup holders, cell phone storage, power cord management, hanging file holder capability and (K4C) wireless charging 1 - Included and only available with (A95) front bucket seats.	-		1	1	1	A ¹	-	A ¹
	K34	Cruise control, steering wheel-mounted	S	S	S	S	S	S	S	S
		Instrumentation, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure	S	S	S	Ø	S	S	S	S
	UMN	Speedometer, miles/kilometers	S	S	S	S	S	S	S	S
	UDC	Driver Information Center, 3.5-inch diagonal monochromatic display, provides warning messages and basic vehicle information	S	S	S	Ø	1		I	I
	UDD	Driver Information Center, 4.2-inch diagonal color display, includes driver personalization, warning messages and vehicle information					•	•	•	•
C49		Defogger, rear-window electric	Α	Α	Α	Α	Α	Α	Α	Α
	AU3	Door locks, power	S	S	S	S	S	S	S	S
AQQ		Remote Keyless Entry	Α	А	Α	Α				
	BG9	Floor covering, Graphite-colored rubberized-vinyl	S	S	S	S	S	S	S	S
		Interior trim, Jet Black/Dark Ash 1 - See Color and Trim chart for availability.	S ¹	S ¹						
		Interior trim, Jet Black 1 - See Color and Trim chart for availability.	A ¹	A ¹						
5H1		Key system, 2 spare keys	Α	Α	Α	Α	Α	Α	Α	Α
		Mirror, inside rearview manual day/night 1 - Included and only available when Fleet or Government order type, (UE0) OnStar delete and (U2J) SiriusXM delete are ordered.	S	S	S	Ø	A ¹	A ¹	A ¹	A ¹
	DD8	Mirror , inside rearview auto-dimming								

Free Flow RPO Code	Ref. Only RPO Code	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
			1WT	1WT	1WT	1WT	1LT	1LT	1LT	1LT
9D9		Mirror, inside rearview delete 1 - Requires (UEO) OnStar delete. 2 - Requires Fleet or Government order type and (UEO) OnStar delete.	A ¹	A ¹	A ¹	A ¹	A ²	A ²	A ²	A ²
UE0		OnStar, delete 1 - Requires Fleet or Government order type and (U2J) SiriusXM delete or (9D9) inside rearview mirror delete.	S	S	S	S	A ¹	A ¹	A ¹	A ¹
UE1		OnStar and Chevrolet connected services capable 1 - Requires (IOB) 7" diagonal color touch-screen with Chevrolet Infotainment. Includes compass in instrument cluster. Fleet orders receive a 3-month trial. Visit onstar.com for coverage map, details and system limitations. Services vary by model. 2 - Includes compass in instrument cluster. Fleet orders receive a 3-month trial. Visit onstar.com for coverage map, details and system limitations. Services vary by model.	A ¹	A ¹	A ¹	A ¹	□ ²	□ ²	□ ²	□ ²
VV4		Chevrolet 4G LTE and available built-in Wi-Fi hotspot offers a fast and reliable Internet connection for up to 7 devices; includes data trial for 1 month or 3GB (whichever comes first) 1 - Included and only available with (UE1) OnStar. Requires (IOB) 7" diagonal color touch-screen with Chevrolet Infotainment. Available Wi-Fi requires compatible mobile device, active OnStar service and data plan. Data plans provided by AT&T. Visit onstar.com for details and system limitations. 2 - Not available with (UE0) OnStar, delete. Available Wi-Fi requires compatible mobile device, active OnStar service and data plan. Data plans provided by AT&T. Visit onstar.com for details and system limitations.	A ¹	A ¹	A ¹	A ¹	□ ²	_ ²	_ ²	2

Free Flow RPO Code	Ref. Only RPO Code	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
Code	Code		1WT	1WT	1WT	1WT	1LT	1LT	1LT	1LT
		Chevrolet Connected Access with 10 years of standard connectivity which enables services such as, Vehicle Diagnostics, Dealer Maintenance Notification, Chevrolet Smart Driver, Marketplace and more 1 - Included and only available with (UE1) OnStar. Limitations apply. Not transferable. Standard connectivity available to original purchaser for ten years from the date of initial vehicle purchase for model year 2018 or newer Chevrolet vehicles. See onstar.com for details and further plan limitations. Connected Access does not include emergency or security services. Availability and additional services enabled by Connected Access are subject to change. 2 - Not available with (UE0) OnStar, delete. Limitations apply. Not transferable. Standard connectivity available to original purchaser for ten years from the date of initial vehicle purchase for model year 2018 or newer Chevrolet vehicles. See onstar.com for details and further plan limitations. Connected Access does not include emergency or security services. Availability and additional services enabled by Connected Access are subject to change.		A ¹	A ¹	A ¹	□ ²		□ ²	□ ²
KI4		Power outlet, 110-volt AC	Α	Α	Α	Α	Α	Α	Α	Α
UVC		Rear Vision Camera, display integrated into Radio 1 - Shipped loose in cab for upfitter installation.	A ¹	A ¹						
	AE7	Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger recline with outboard head restraints and center fold-down armrest with storage. Vinyl has fixed lumbar and cloth has manually adjustable driver lumbar.	S	S	\$	Ø				

Free Flow RPO Code	Ref. Only RPO Code	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
			1WT	1WT	1WT	1WT	1LT	1LT	1LT	1LT
AZ3		Seats, front 40/20/40 split-bench, cloth 3-passenger. Includes driver and front passenger recline with outboard head restraints and center fold-down armrest with storage. Also includes manually adjustable driver lumbar, lockable storage compartment in seat cushion, and storage pockets. 1 - Requires (IOB) 7" diagonal color touch-screen with Chevrolet Infotainment. Includes (AG1) 10-way power seat.	A ¹	A ¹	A ¹	A ¹	S	\$	\$	S
A95		Seats, front cloth bucket with adjustable head restraints. Includes (KA1) heated seat cushions and seat backs, (D07) floor console, storage pockets and (K4C) wireless charging. Driver seat includes 10-way power adjustable, Passenger seat includes 6-way power adjustable.	-			-	-	Α	-	A
KA1		Seats, heated driver and front passenger 1 - Included with (A95) bucket seat. Available on (AZ3) front 40/20/40 split-bench seat.	-		-	-		A ¹	-	A ¹
	A68	Seat, rear 60/40 folding bench (folds up), 3-passenger, (includes child seat top tether anchor)		S		S		S		S
APL		Passenger seat, delete (removes 20/40 section of passenger and center seat section. All exposed floor area will remain untrimmed) 1 - Requires (AJ3) driver side only airbag. 2 - Requires (AJ3) driver side only airbag and (AZ3) front 40/20/40 split-bench seat.	A ¹		A ¹	-1	A ²	1	A ²	
ATZ		Seat delete, rear		Α		Α		Α		Α
	719	Seat Belt, Black	S	S	S	S	S	S	S	S
379		Seat Belt, Orange (center seat belt will ship loose)	А	А	А	А	А	А	А	А
3F9		Seat Belt, Front, Red (center seat belt will ship loose)	А	А	А	А	А	А	А	А

Free Flow RPO Code	Ref. Only RPO Code	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
			1WT	1WT	1WT	1WT	1LT	1LT	1LT	1LT
	AG1	Seat adjuster, driver 10-way power 1- Included and only available with (AZ3) front 40/20/40 split-bench seat.	A ¹	A ¹	A ¹	A ¹	Ø	S	S	S
	NK5	Steering wheel, urethane	S	S	S	S	1		1	
	NP5	Steering wheel, leather-wrapped with audio and cruise controls								
	UK3	Steering wheel audio controls								
	N33	Steering column, manual Tilt-Wheel	S	S	S	S	S	S	S	S
BTV		Remote Start 1 - Includes (UTJ) Theft-deterrent system.			-		A ¹	A ¹	A ¹	A ¹
	UTJ	Theft-deterrent system 1 - Included and only available with (BTV) remote vehicle starter.			1		A ¹	A ¹	A ¹	A ¹
9L7		Upfitter switches, provides up to 4-30 amp circuits to facilitate installation of aftermarket electrical accessories located on the instrument panel 1 - Included with (YF2) Emergency Service Package.	A ¹	A ¹						
		Visors, driver and front passenger, vinyl	S	S	Ø	S	1		-	
	DH6	Visors, driver and front passenger illuminated vanity mirrors			1				•	
		Windows, manual driver and front passenger	S		Ø					
A31		Windows, power with driver express up and down and express down on all other windows	А		A					
	K4C	Wireless Charging 1 - Included and only available with (A95) front bucket seats.			-		-	A ¹		A ¹

S = Standard Equipment A = Available -- (dashes) = Not Available D = ADI Available

■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow RPO Code	Ref. Only RPO Code	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
Code	Code		1WT	1WT	1WT	1WT	1LT	1LT	1LT	1LT
	ZY1	Paint, solid	S	S	S	S	S	S	S	S
01U		Paint Scheme, Style 1	Α	Α	Α	Α	Α	Α	Α	Α
	U73	Antenna, fixed mast	S	S	S	S	S	S	S	S
	E01	Assist steps	S	S	S	S	S	S	S	S
E0N		Assist Steps, aluminum	Α	Α	Α	Α	Α	Α	Α	Α
	8E8	Bumper, front, Black	S	S	S	S	S	S	S	S
V46		Bumper, front chrome	Α	Α	Α	Α	Α	Α	Α	Α
5D1		Bumper, front, Gray	Α	Α	Α	Α	Α	Α	Α	Α
ТЗА		Bumper, front with 4" extension 1 - Not available with (POD) grille guard screen, insect protection, (V23) grille guard screen, stone protection or (V76) recovery hooks.	A ¹	A ¹						
8H5		Bumper, front, delete 1 - Not available with (T3A). front bumper with 4" extension or (V23) grille guard screen, insect protection.	A ¹	A ¹						
UZF		Backup alarm 1 - Included with (YF2) Emergency Service Package.	A ¹	A ¹						
		Capped Fuel Fill	S	S	S	S	S	S	S	S
		Door handles, Black	S	S	S	S	S	S	S	S
E20		Door handles, outside, chrome					Α	Α	Α	Α
FNP		Front fender extension, painted body color 1 - Not available with (FNX) Black front fender extension.	A ¹	A ¹						
	FNX	Front fender extension, mold-in-color Black 1 - Not available with (FNP) Body color front fender extension.	S ¹	S ¹	S ¹	S ¹	S ¹	S¹	S ¹	S ¹
5DX		Electrical Provisions, rear of cab, upfitter, body builder wiring, includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn	A	А	A	A	A	A	A	A

Free Flow RPO Code	Ref. Only RPO Code	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
5DY		Electrical Provisions, rear of frame, upfitter, body builder wiring, includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn	A ¹	A ¹						
		1 - Included with (YF2) Emergency Service Package.								
T3U		Fog lamps, front, halogen					Α	Α	Α	Α
	VWX	Grille, base, molded in color, Black	S	S	S	S	S	S	S	S
V22		Grille, chrome	А	Α	Α	Α	Α	Α	Α	Α
POD		Grille guard screen, insect protection (mounted behind grille) 1 - Not available with (T3A) front bumper with 4" extension.	A ¹	A ¹						
V23		Grille guard screen, stone protection (mounted to bumper) 1 - Not available with (T3A) front bumper with 4" extension.	A ¹	A ¹						
P0E		Air intake guard screen, Ember (keeps hot embers out of the engine and HVAC air intake system)	А	А	A	A	А	А	А	А
	AKP	Glass, solar absorbing, tinted	S	S	S	S	S	S	S	S
AKO		Glass, deep-tinted	Α	Α	Α	Α	Α	Α	Α	Α
		Daytime Running Lamps , with automatic exterior lamp control	S	S	S	S	S	S	S	S
		Headlamps , halogen projector-beam	S	S	S	S	S	S	S	S
UNL		Auxiliary harness, 3' for headlamps and turn signals, 1 - Included with (VYU) Snow Plow Prep Package.	A ¹	A ¹						
	TR1	Lamps , rear, stop/turn/backup (1-piece assembly) with license plate light	S	S	Ø	Ø	Ø	Ø	S	S
UGE		Lamps , rear, LED stop/turn and license plate, with incandescent backup lamps	А	А	Α	А	Α	A	A	A
JTR		Tail lamp wiring harness provisions, includes wiring for standard left and right taillamps, separate 8 feet of extra cable wiring for left and right body-mounted tail lights	А	А	А	А	A	A	A	A

Free Flow RPO Code	Ref. Only RPO Code	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
Couo	Couc		1WT	1WT	1WT	1WT	1LT	1LT	1LT	1LT
	KL6	Taillamp provisions, located inside of frame 1 - Will be forced with the following frame extension, rear suspension and wheelbase combination less (JL1) trailer brake controller: (F0D) 63" axle to end of frame and wheelbase (ED9, ER2, ED5 reM1) and rear mechanical suspension (FU7, GR3 or GR4). Will be forced with the following frame extension, rear suspension and wheelbase combination less (JL1) trailer brake controller: (F0I) 75" axle to end of frame and wheelbase (ER2, ED5, EQB or FRP). Will be forced with (F0K) 91" axle to end of frame and (FPN) 231" wheelbase less (JL1) trailer brake controller.	S ¹	S ¹						
	MTZ	Tail lamp provisions, located outside of frame 1 - Will be required with (F0C) 49" axle to end of frame and wheelbase (FQT, ED9, ER2, ED5, FNV or EM1) and rear mechanical suspension (FU7, GR3 or GR4). Will be required with (F0D) 63" axle to end of frame and wheelbase (ED9, ER2, ED5 or EM1) and rear air suspension (GP1, GP8 or G40). Will be required with (F0D) 63" axle to end of frame and wheelbase (ED9, ER2, ED5 or EM1) and rear mechanical suspension (FU7, GR3 or GR4) and (JL1) trailer brake controller. Will be required with (F0K) 91" axle to end of frame and (FPN) 231" wheelbase. Will be required with (F0H) 75" axle to end of frame and wheelbase (ED5, EQB, ER2 or FRP) and (JL1) trailer brake controller. Will be required with (F0G) 83" axle to end of frame, (FBC) 243" wheelbase and (JL1) trailer brake controller.	A ¹	A ¹						
	U04	Horn, single-note	S	S	S	S	S	S	S	S
U05		Horn, dual-note	Α	Α	Α	Α	Α	Α	Α	Α
	VXT	Incomplete vehicle	S	S	S	S	S	S	S	S
VK3		License plate kit, front (will be shipped with trucks with ship-to states that require front license plate)	A	A	A	A	A	А	A	A
		Lamps, cargo area, cab mounted with switch on center switch bank	S	S	S	S	S	S	S	S
	U01	Lamps, Smoked Amber roof marker	S	S	S	S	S	S	S	S
	DF2	Mirrors, outside high-visibility vertical camper-style, Black with manual folding and extension and lower convex spotter glass	S	S	S	S				

Free Flow RPO Code	Ref. Only RPO Code	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
			1WT	1WT	1WT	1WT	1LT	1LT	1LT	1LT
DPN		Mirrors, outside heated power-adjustable vertical trailering, upper glass, manual-folding and extending, black. Includes integrated turn signal indicators consisting of 51 square inch flat mirror surface positioned over a 24.5 square inch convex mirror surface with a common head and lower convex spotter glass (convex glass is not heated and not power adjustable) and addition of Auxiliary cargo lamp for backing up (helps to see trailer when backing up with a trailer) and amber auxiliary clearance lamp 1 - Requires (A31) power windows.	A ¹	A	A ¹	A				
DP9		Mirror caps, chrome					Α	Α	Α	Α
TRW		Provision for cab roof-mounted lamp/beacon, provides an overhead console mounted switch and electrical wiring tucked beneath the headliner for a body upfitter to connect a body-mounted warning or emergency lamp 1 - Included with (VYU) Snow Plow Prep Package.	A ¹	A ¹						
V76		Recovery hooks, front, frame-mounted, black 1 - Not available with (T3A) front bumper with 4" extension.	A ¹	A ¹						
	9L3	Spare tire delete	S	S	S	S	S	S	S	S
	XDL	Tires , front 225/70R19.5G highway blackwall Continental	S	S	S	S	S	S	S	S
XDK		Tires , front 225/70R19.5G highway blackwall Goodyear	Α	А	Α	А	Α	Α	Α	Α
	YAM	Tires , rear 225/70R19.5G highway blackwall Continental	S	S	S	S	S	S	S	S
YAL		Tires , rear 225/70R19.5G highway blackwall Goodyear	Α	А	А	А	А	А	Α	А
YAN		Tires, rear 225/70R19.5G traction blackwall Continental	А	А	А	А	А	А	А	А
YAO		Tires , rear 225/70R19.5G traction blackwall Goodyear	А	А	А	А	А	А	А	А

Free Flow RPO Code	Ref. Only RPO Code	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
ZBK		Tire, Spare 225/70R19.5G highway blackwall Goodyear 1 - Requires (XDK) 225/70R19.5G Goodyear highway blackwall front tires or (YAL) 225/70R19.5G Goodyear highway blackwall rear tires. Includes (V33) road emergency tool kit.	A ¹	A ¹						
ZBR		Tire, Spare 225/70R19.5G highway blackwall Continental 1 - Requires (XDL) 225/70R19.5G Continental highway blackwall front tires or (YAM) 225/70R19.5G Continental highway blackwall rear tires. Includes (V33) road emergency tool kit.	A ¹	A ¹						
ZBO		Tire, Spare 225/70R19.5G traction blackwall Continental 1 - Requires (YAN) 225/70R19.5G Continental traction blackwall rear tires. Includes (V33) road emergency tool kit.	A ¹	A ¹						
ZBP		Tire, Spare 225/70R19.5G traction blackwall Goodyear 1 - Requires (YAO) 225/70R19.5G Goodyear traction blackwall rear tires. Includes (V33) road emergency tool kit.	A ¹	A ¹						
	V33	Tool kit, road emergency 1 - Included and only available with (ZBK), (ZBO), (ZBP) and (ZBR) spare tires.	A ¹	A ¹						
	PWQ	Wheels, 19.5" x 6.75", steel, Black painted, 8-holes, hub piloted	S	S	S	S	S	S	S	S
PWR		Wheels, 19.5" x 6.75", steel, Grey painted, 8-holes, hub piloted	Α	А	A	Α	Α	Α	Α	А
PWS		Wheels, 19.5" x 6.75", steel, White painted, 8-holes, hub piloted	A	А	A	Α	Α	А	A	А
PWV		Wheels, 19.5" x 6.75", aluminum, 8-holes, hub piloted	Α	А	Α	А	Α	Α	Α	А
Q91		Tire valve cap, flo-thru	Α	Α	Α	Α	Α	Α	Α	Α
Q92		Tire valve cap , (Alligaro V2B) flo-thru	А	А	Α	А	Α	А	Α	А
	PD7	Wheel, spare delete	S	S	S	S	S	S	S	S
PWY		Wheel, 19.5" x 6.75", spare, steel, Black, 8-holes, temporary mounted on frame, hub piloted	Α	А	Α	Α	Α	А	Α	А

S = Standard Equipment A = Available -- (dashes) = Not Available D = ADI Available

■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow RPO Code	Ref. Only RPO Code	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
VYU		Snow Plow Prep Package, includes (UNL) auxiliary harness for headlamps and turn signals, (KW5) 220-amp alternator, forward lamp wiring harness and (TRW) provision for cab roof mounted lamp/beacon	A	A	A	A	A	A	A	A
PCH		Motorhome Package 1 - Requires Motorhome transmission (ME0), (MIX) or (MF0).	A ¹	A ¹						
YF2		Emergency Service Package, includes (KHB) dual alternators, (9L7) upfitter box switchbank, (K40) exhaust brake, (UZF) backup alarm and (5DY) end of cab wiring provisions 1 - Requires Emergency Service transmission, (MH1), (MHV) or (MG0)	A ¹	A ¹						
WN9		Special processing, Delivery Request, truck can not be used as lead truck when delivered (must be towed or hauled)	А	A	A	А	А	А	A	А
KUT		Air Compressor Accessory Drive, includes 4-pack of solenoids 1 - Required with all models equipped with Rear Air Suspension (G40/GP1/GP8). Available as free flow option on all models without Rear Air Suspension.	A ¹	A ¹	A	A	A ¹	A ¹	A	А
JPY		Air Dryer, heated 1 - Requires (KUT) Air Compressor Accessory Drive.	A ¹	A ¹						
	KG4	Alternator, 150 amps	S	S	S	S	S	S	S	S
KW5		Alternator, 220 amps 1 - Included with (VYU) Snow Plow Prep Package.	A ¹	A ¹						
КНВ		Alternators, dual, 150 amps and 220 amps each 1 - Included with (YF2) Emergency Service Package.	A ¹	A ¹						

Free Flow RPO Code	Ref. Only RPO Code	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
			1WT	1WT	1WT	1WT	1LT	1LT	1LT	1LT
	7Y7	Batteries, heavy-duty dual 1100 cold-cranking amps, includes battery box mounted to left side under cab	S	S	S	S	S	S	S	S
7Y8		Batteries, heavy-duty dual 1300 cold-cranking amps, includes battery box mounted to left side under cab	A	A	A	A	A	Α	Α	A
7Y9		Batteries, heavy-duty triple 2250 cold-cranking amps, temporarily mounted behind cab, no battery box included	A	A	A	A	A	A	A	A
BTN		Battery, top post threaded, battery jump start stud (located on battery box) 1 - Requires (7Y7) 1100 cold-cranking amps batteries or (7Y8) 1300 cold-cranking amps batteries.	A ¹	A ¹						
	J48	Brakes, hydraulic, heavy duty Bosch/Meritor/Wabco system with 4-channel (ABS) 1 - Includes (J69) driveline park brake.	S ¹	S ¹						
	J69	Brake , parking, driveline park brake system	S	S	S	S	S	S	S	S
	N4E	Emissions, USA 50 State certified	S	S	S	S	S	S	S	S
	N4C	Emissions, 50 state certification	S	S	S	S	S	S	S	S
	NPR	Exhaust system, right side exit, behind rear wheel 1 - Requires (FQT) 141" wheelbase.	S ¹				S ¹	-		
N12		Exhaust system, rear exit 1 - Not available with (FQT) 141" wheel base.	A ¹	S	S	S	A ¹	S	S	S
NPJ		Exhaust system, left side exit ahead of rear wheel 1 - Available on the following wheelbases: (ER2) 189" wheelbase, (ED5) 201" wheelbase, (EQB) 219" wheelbase, (FPN) 231" wheelbase, (FBC) 243" wheelbase. Not available with (NSQ) dual fuel tanks. 2 - Available on the following wheelbases: (EM1) 199" wheelbase, (FNV) 175 wheelbase or (FRP) 235" wheelbase. Not available with (NSQ) dual fuel tanks.	A ¹	A ²						

Free Flow RPO Code	Ref. Only RPO Code	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
NPK		Exhaust system, right side exit ahead of rear wheels 1 - Requires one of the following wheelbases: (ER2) 189", (ED5) 201", (EQB) 219", (FPN) 231" or (FBC) 243". 2 - Requires (EM1) 199" wheelbase, (FNV) 175 wheelbase or (FRP) 235" wheelbase.	A ¹	A ²						
K40		Exhaust brake 1 - Included with (YF2) Emergency Service Package.	A ¹	A ¹						
K05		Engine block heater	Α	Α	Α	Α	Α	Α	Α	Α
	L5D	Engine , Duramax 6.6L Turbo-Diesel V8, B20-Diesel compatible, 350 hp @ 2700 rpm, 700 lb-ft torque @ 1600 rpm. 2900 rpm governed speed	S	S	S	S	S	S	S	S
FPF		DPF, diesel particulate filter, manual regeneration, customer regeneration will not be allowed until the DPF load percentage has reached 100% full and a driver information center (DIC) message has been shown 1 - Requires (K40) exhaust brake.	A ¹	A ¹						
	FHX	Fuel, diesel B20	S	S	S	S	S	S	S	S
KT0		Heater hose, silicone 1 - Requires (KUD) Heater hose clamps, (Breeze) Belleville washer type.	A ¹	A ¹						
KUD		Heater hose clamps, (Breeze) Belleville washer type	Α	А	Α	А	Α	А	Α	А
	N2L	Fuel tank, rear only, 40 gallon, mounted between frame side rails and behind rear axle	S	S	S	S	S	S	S	S
NVK		Fuel tank, front, 25 gallon	Α	Α	Α	Α	Α	Α	Α	Α
NSQ		Fuel tank, front and rear, 65 gallon total	А	А	А	А	Α	А	Α	А
8E4		Additional fuel, 5 gallons	Α	Α	Α	Α	Α	Α	Α	Α
NXG		Additional fuel, 20 gallons	А	Α	Α	Α	Α	Α	Α	А
NXO		Additional fuel, 40 gallons 1 - Requires (NSQ) dual fuel tanks.	A ¹	A ¹						

Free Flow RPO Code	Ref. Only RPO Code	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
Oouc	Jour		1WT	1WT	1WT	1WT	1LT	1LT	1LT	1LT
C5B		GVWR, 15,000 lbs. (6804 kg) 1 - Silverado 4500HD Requires (FTD) 6k front axle/ (F95) suspension and (FN1) 10k rear axle and (GR3) 11k rear suspension. 2 - Silverado 4500HD Requires (FTA) 7k front axle/ (FK6) suspension and (FN1) 10k rear axle and (GR3) 11k rear. 3 - Silverado 4500HD Requires (FTB) 7.5k front axle/(FTV) front suspension and (FN1) 10k rear axle/(GR3) 11k rear suspension.	A ¹	A ²	A ³	A ³	A ¹	A ²	A ³	A ³
C7P		GVWR, 16,000 lbs. (7257 kg) 1 - Silverado 4500HD Requires (FTD) 6k front axle/ (F95) suspension and (FN1) 10k rear axle and (GR3) 11k rear suspension or (G40) 12k rear air suspension. Not available with rear air suspension when ordered with (FQT) 141" wheelbase. 2 - Silverado 4500HD Requires (FTA) 7k front axle/ (FK6) suspension and (FN1) 10k rear axle, (GR3) 11k rear or (G40) 12k rear air suspension. Not available with rear air suspension when ordered with (FQT) 141" wheelbase. 3 - Silverado 4500HD Requires (FTB) 7.5k front axle/(FTV) suspension and (FN1) 10k rear axle/(GR3) 11k rear suspension.	A ¹	A ²	A ³	A ³	A ¹	A ²	A ³	A ³
	C7R	GVWR, 16,500 lbs. (7484 kg) 1 - Silverado 4500HD Requires (FTA) 7k front axle/ (FK6) suspension and (FN1) 10k rear axle and (GR3) 11k rear suspension or (FTD) 6k front axle/ (F95) suspension, (GL4) 11k rear axle and (GR3) 11k or (GR4) 13.5k rear suspension, or (G40) 12k rear air suspension. Not available with rear air suspension when ordered with (FQT) 141" wheelbase. 2 - Silverado 4500HD Requires (FTA) 7k front axle/ (FK6) suspension and (FN1) 10k rear axle and (GR3) 11k rear suspension or (G40) 12k rear air suspension or (G40) 12k rear air suspension when ordered with (FQT) 141" wheelbase. 3 - Silverado 4500HD Requires (FTB) 7.5k front axle/(FTV) suspension and (FN1) 10k rear axle or (GL4) 11K rear axle and (GR3) 11k rear suspension.	S ¹	S²	S³	S	S¹	S²	S³	S³

Free Flow RPO Code	Ref. Only RPO Code	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
			1WT	1WT	1WT	1WT	1LT	1LT	1LT	1LT
GZX		GVWR, 17,500 lbs. (7938 kg) 1 - Silverado 5500HD Requires (FTA) 7K front axle/(FK6) suspension and (GL4) 11k rear axle and (GR3) 11k or (GR4) 13.5k rear suspension or (G40) 12k or (GP1) 13.5k rear air suspension. Not available with rear air suspension when ordered with (FQT) 141" wheelbase. 2 - Silverado 5500HD Requires (FTB) 7.5k front axle/(FTV) suspension and (FN1) 10k rear axle/(GR3) 11k rear suspension.	A ¹	A ¹	A ²	A ²	A ¹	A ¹	A ²	A ²
GZJ		GVWR, 18,000 lbs. (8165 kg) 1 - Silverado 5500HD Requires ((FTA) 7K front axle/(FK6) suspension and (GL4) 11k rear axle and (GR3) 11k or (GR4) 13.5k rear suspension or (G40) 12k or (GP1) 13.5k rear air suspension.) or ((FTA) 7k front axle/(FK6) suspension (HD2) 13.5k and (GR4) 13.5k or (FU7) 15.5k rear suspension or (GP1) 13.5k or (GP8) 15.5k rear air suspension.) Not available with rear air suspension when ordered with (FQT) 141" wheelbase. 2 - Silverado 5500HD Requires (FTB) 7.5k front axle/(FTV) suspension and (GL4) 11k rear axle and (GR3) 11k or (GR4) 13.5k rear suspension.	A ¹	A ¹	A ²	A ²	A ¹	A ¹	A ²	A ²
GZG		GVWR, 19,500 lbs. (8845 kg) 1 - Silverado 5500HD Requires ((FTA) 7K front axle/(FK6) suspension and (HD2) 13.5k rear axle and (GR4) 13.5k or (FU7) 15.5k rear suspension or (GP1) 13.5k or (GP8) 15.5k rear air suspension.) or ((FTL) 8k front axle/(FSN) suspension (HD2) 13.5k rear axle and (GR4) 13.5k or (FU7) 15.5k rear suspension or (GP1) 13.5k or (GP8) 15.5k rear air suspension.) ((FTL) 8k front axle/(FSN) suspension with (HD1) 15k rear axle and (FU7) 15.5k rear suspension or (GP8) 15.5k rear air suspension.) Not available with rear air suspension when ordered with FQT wheelbase. 2 - Silverado 5500HD Requires (FTB) 7.5k front axle/(FTV) suspension and (HD2) 13.5k rear axle and(GR4) 13.5k rear suspension.	A ¹	A ¹	A ²	A ²	A ¹	A ¹	A ²	A ²
DD5		GVWR, 21,000 lbs. (9525kg) 1 - Silverado 6500HD Requires (FTB) 7.5k front axle/(FTV) suspension and (HD1) 15k rear axle and (FU7) 15.5k rear suspension or (HD2) 13.5k rear axle and (GR4) 13.5k rear suspension.			A ¹	A ¹			A ¹	A ¹

Free Flow RPO Code	Ref. Only RPO Code	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
			1WT	1WT	1WT	1WT	1LT	1LT	1LT	1LT
GZH		GVWR, 21,500 lbs. (9752 kg) 1 - Silverado 6500HD Requires ((FTA) 7K front axle/(FK6) suspension and (J27) 15.5k rear axle and (FU7) 15.5k rear is suspension or (GP8) 15.5k rear air suspension.) or ((FTL) 8k front axle/(FSN) suspension and (HD2) 13.5k rear axle and (GR4) 13.5k or (FU7) 15.5k rear suspension or (GP1) 13.5k or (GP8) 15.5k rear air suspension.	A ¹	A ¹		1	A ¹	A ¹		
C5D		GVWR, 22,500 lbs. (10,206 kg) 1 - Silverado 6500HD Requires (FTB) 7.5k front axle/ (FTV) front suspension and (HD1) 15k rear axle and (FU7) 15.5k rear suspension.			A ¹	A ¹			A ¹	A ¹
C9U		GVWR, 22,940 lbs. (10,387 kg) 1 - Silverado 6500HD Requires (FTL) 8k front axle/ (FSN) front suspension and (J27) 15.5k rear axle and (FU7) 15.5k rear suspension or (GP8) 15.5k rear air suspension.	A ¹	A ¹	1	1	A ¹	A ¹	-	
R6G		26,000 lbs. GCWR (11,793 kg) 1 - Requires 26k GCWR transmission (MWA, MWB, MIU, MIA, MH1, MG0, MIX, MF0).	A ¹	A ¹						
R6I		30,000 lbs. GCWR (13,607 kg) 1 - Requires 30k GCWR transmission (MJ0, MI0, MHV, ME0).	A ¹	A ¹						
	066	Rear axle, 4.10 ratio 1 - Not available with Allison 1750 transmission with 30,000 GCWR rating (MJ0), (MI0), (MHV), (ME0).	S ¹	S¹	-	1	S ¹	S ¹		
092		Rear axle, 4.30 ratio	Α	Α	S	S	Α	Α	S	S
005		Rear axle, 4.56 ratio	Α	Α	-		Α	Α	-	
800		Rear axle, 4.88 ratio	Α	Α	-		Α	Α	-	
	FQT	Wheelbase, 141" (358.1 cm), 60" CA 1 - Requires (F0C) 49" axle to end of frame and (NPR) exhaust. Not available with rear air suspensions.	S ¹				S ¹			
ED9		Wheelbase, 165" (419.1 cm), 84" CA 1 - Requires (F0C) 49" axle to end of frame or (F0D) 63" axle to end of frame.	A ¹		S ¹	1	A ¹		S ¹	
ER2		Wheelbase, 189" (480.1 cm), 108" CA 1 - Requires (F0C) 49" axle to end of frame, (F0D) 63" axle to end of frame or (F0I) 75" axle to end of frame.	A ¹		A ¹		A ¹		A ¹	

Free Flow RPO Code	Ref. Only RPO Code	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
ED5		Wheelbase, 201" (510.5 cm), 120" CA 1 - Requires (F0C) 49" axle to end of frame, (F0D) 63" axle to end of frame or (F0I) 75" axle to end of	A ¹		A ¹	1WT 	A ¹	1LT 	A ¹	
EQB		frame. Wheelbase, 219" (556.3 cm), 138" CA 1 - Requires (F0I) 75" axle to end of frame.	A ¹		A ¹		A ¹		A ¹	
FPN		Wheelbase, 231" (586.7 cm), 231" CA 1 - Requires (F0K) 91" axle to end of frame.	A ¹		A ¹		A ¹		A ¹	
FBC		Wheelbase, 243" (617.2 cm), 243" CA 1 - Requires (F0G) 83" axle to end of frame dimension.	A ¹		A ¹		A ¹		A ¹	
	FNV	Wheelbase, 175" (444.5 cm), 60" CA 1 - Requires (F0C) 49" axle to end of frame.		S ¹		S ¹		S ¹		S ¹
EM1		Wheelbase, 199" (505.5 cm), 84" CA 1 - Requires (F0C) 49" axle to end of frame or (F0D) 63" axle to end of frame.		A ¹		A ¹		A ¹		A ¹
FRP		Wheelbase, 235" (596.9 cm), 120" CA 1 - Requires (F0I) 75" axle to end of frame.		A ¹		A ¹		A ¹		A ¹
	F0C	Axle to End of Frame, 49" 1 - Requires wheelbase (ED5) 201", (ED9) 165", (ER2) 189" or (FQT) 141". 2 - Requires wheelbase (EM1) 199" or (FNV) 175". 3 - Requires wheelbase (ED5) 201", (ED9) 165" or (ER2) 189".	S ¹	S²	S³	S²	S ¹	S²	S³	S²
F0D		Axle to End of Frame, 63" 1 - Requires Wheelbase (ED9) 165", (ER2) 189" or (ED5) 201". 2 - Requires (EM1) 199" wheelbase.	A ¹	A ²						
F0G		Axle to End of Frame, 83" 1 - Requires wheelbase (FBC) 243".	A ¹		A ¹		A ¹		A ¹	
FOI		Axle to End of Frame, 75" 1 - Requires wheelbase (ED5) 201", (EQB) 219" or (ER2) 189". 2 - Requires (FRP) 235" wheelbase.	A ¹	A ²						

Free Flow RPO Code	Ref. Only RPO Code	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
	5545		1WT	1WT	1WT	1WT	1LT	1LT	1LT	1LT
F0K		Axle to End of Frame, 91" 1 - Requires wheelbase (FPN) 231".	A ¹		A ¹		A ¹		A ¹	
		Steering, power (Bosch S2 8014 Plus)	S	S	S	S	S	S	S	S
FTD		Front axle, 6,000 lbs, Dana Spicer D800-N, "I"-beam, non-driving 1 - Requires (F95) 6,000 lb. front suspension.	A ¹		-	1	A ¹		1	1
	FTA	Front axle, 7,000 lbs, Dana Spicer D800-N, "I"-beam, non-driving 1 - Requires (FK6) 7,000 lb. (3,175 kg) front suspension.	S¹	S ¹			S ¹	S ¹		1
	FTB	Front axle, 7,500 lbs, Dana Spicer 60-256, single-reduction, front driving			S	S			S	S
FTL		Front axle, 8,000 lbs, Dana/Spicer D800-N, "I"-beam, non-driving	А	А			А	А		
	FK6	Front suspension, 7,000 lbs. (3,175 kg) multi-leaf, includes shock absorbers	S	S		-	S	S	-	I
	FTV	Front suspension, 7,500 lbs. (3,402 kg) multi-leaf, includes shock absorbers			S	S			S	S
F95		Front suspension, 6,000 lbs.(2,722 kg) multi-leaf, includes shock absorbers	А				Α			
FSN		Front suspension, 8,000 lbs. (3,629 kg) multi-leaf, includes shock absorbers	Α	А			Α	А		
F59		Front stabilizer bar	Α	Α			Α	Α	-	
	FTN	Axle lubricant, front, synthetic oil EmGard FE-75W-90			S	S			S	S
FF3		Oil seal for front hub, Chicago Rawhide Nitrile for oil lubricated wheel bearings	А	А	А	А	А	А	А	А
FG0		Oil filled front hubs, synthetic oil EmGard FE-75W-90	А	А			А	А		
FN1		Rear axle, 10,000 lb. (4,536 kg) Dana Spicer S14-110, single reduction	S	S	А	А	S	S	А	А
GL4		Rear axle, 11,000 lb. (4,999 kg) Dana Spicer S14-110, single reduction	А	А	S	S	А	А	S	S

Free Flow RPO Code	Ref. Only RPO Code	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
Code	Code		1WT	1WT	1WT	1WT	1LT	1LT	1LT	1LT
HD1		Rear axle, 15,000 lb. (6,804 kg) Dana Spicer S16-130, single reduction	А	А	А	А	A	А	A	А
HD2		Rear axle, 13,500 lb. (6,124 kg) Dana Spicer S14-110, single reduction	A	A	Α	Α	Α	A	Α	A
J27		Rear axle, 15,500 lb. (7,031 kg), Dana Spicer S16-130, single reduction	A	A			Α	A		
	G86	Axle , limited slip, Dana Spicer Truetrac, torque proportioning limited slip	S	S	S	S	S	S	S	S
	GR3	Rear suspension, 11,000 (4,990 kg) multi-leaf, vari-rate 1 - Not available with air suspension.	S ¹	S ¹	S	S	S ¹	S ¹	S	S
GR4		Rear suspension, 13,500 lbs. (6,123 kg) multi-leaf, vari-rate 1 - Not available with air suspension.	A ¹	A ¹	Α	А	A ¹	A ¹	Α	А
FU7		Rear suspension, 15,500 lbs. (7,031 kg) multi-leaf, vari-rate 1 - Not available with air suspension.	A ¹	A ¹	Α	А	A ¹	A ¹	Α	A
G40		Rear suspension - Air, 12,000 lbs. (5,443 kg), 6.0" ride height with shock absorbers 1 - Requires (KUT) Air Compressor Accessory Drive and (JPZ) Suspension air control valve.	A ¹	A ¹			A ¹	A ¹	1	
GP1		Rear suspension - Air, 13,500 lbs. (6,123 kg), 6.0" ride height with shock absorbers 1 - Requires (KUT) Air Compressor Accessory Drive and (JPZ) Suspension air control valve.	A ¹	A ¹			A ¹	A ¹	1	
GP8		Rear suspension - Air, 15,500 lbs. (7,031 kg), 6.0" ride height with shock absorbers 1 - Requires (KUT) Air Compressor Accessory Drive and (JPZ) Suspension air control valve.	A ¹	A ¹			A ¹	A ¹		
G68		Shock Absorbers, rear 1 - Not available with (G40) 12,000 lbs., (GP1) 13,500 lbs. or (GP8) 15,500 lbs. rear air suspension.	A ¹	A ¹	А	А	A ¹	A ¹	А	А

Free Flow RPO Code	Ref. Only RPO Code	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
Code	Code		1WT	1WT	1WT	1WT	1LT	1LT	1LT	1LT
JPZ		Suspension air control valve, air release valve with switch in cab 1 - Requires (G40) 12, 000lbs., (GP1) 13,500 lbs. or (GP8) 15,500 lbs. rear air suspension.	A ¹	A ¹	1		A ¹	A ¹	1	
FTO		Axle lubricant, rear, synthetic synthetic oil EmGard FE -75W-90	Α	А	A	Α	Α	А	A	А
	MWA	Highway Service Transmission, Automatic close-ratio 6 SPD with double overdrive, Allison, A1700HS, ratios: 3.10 1ST, 1.80 2ND, 1.40 3RD, 1.00 4TH, 0.70 5TH, 0.60 6TH Highway Series, 19.5K GVW & 26K GCW Max., requires PTX and park pawl. Available with GVWs less than or equal to 19.5K 1 - Requires (C5B) 15,000 lbs. GVWR, (C7P) 16,000 lbs.GVWR, (C7R) 16,500 lbs. GVWR, (GZX) 17,500 lbs GVWR, (GZJ) 18,000 lbs. GVWR or (GZG) 19,500 lbs. GVWR. Requires (R6G) 26,000 lb GCWR (11,793 kg).	S ¹	S ¹	S ¹	S ¹	S ¹	S	S ¹	S ¹
	MJO	Highway Service Transmission, Automatic close-ratio 6 SPD with double overdrive, Allison, A1750HS, ratios: 3.10 1ST 1.80 2ND, 1.40 3RD, 1.00 4TH, 0.70 5TH, 0.60 6TH Highway Series, 19.5K GVW & 30K GCW Max., requires PTX and park pawl. Available with GVWs less than or equal to 19.5K 1 - Requires (C5B) 15,000 lbs. GVWR, (C7P) 16,000 lbs.GVWR, (C7R) 16,500 lbs.GVWR, (GZX) 17,500 lbs GVWR, (GZJ) 18,000 lbs. GVWR or (GZG) 19,500 lbs. GVWR. Not available with (066) 4.10 rear axle ratio. Requires (R6I) 30,000 lb GCWR (13,607 kg).	A ¹	A ¹						

Free Flow RPO Code	Ref. Only RPO Code	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
			1WT	1WT	1WT	1WT	1LT	1LT	1LT	1LT
	MWB	Highway Service Transmission, Automatic close-ratio 6 SPD with double overdrive, Allison, A2700HS, ratios: 3.10 1ST,1.80 2ND,1.40 3RD,1.00 4TH,0.70 5TH,0.60 6TH Highway Series, 26K GVW & 26K GCW Max., requires PTX and park pawl, Available with GVWs greater than 19.5K 1 - Requires (GZH) 21,500 lbs. GVWR or (C9U) 22,940 lbs. GVWR. Requires (R6G) 26,000 lbs. GCWR (11,793 kg). 2 - Requires (DDS) 21,000 lbs. GVWR or (C5D) 22,500 lbs. GVWR. Requires (R6G) 26,000 lbs. GCWR (11,793 kg).	A ¹	A ¹	A ²	A ²	A ¹	A ¹	A ²	A ²
	MIU	Rugged Duty Service Transmission, Automatic close-ratio 6 SPD with double overdrive, Allison, A1700RDS, ratios: 3.10 1ST 1.80 2ND, 1.40 3RD, 1.00 4TH, 0.70 5TH, 0.60 6TH Rugged Duty Series, 19.5K GVW & 26K GCW Max., requires PTO and park pawl, On/Off Highway. Available with GVWs less than or equal to 19.5K 1 - Requires (C5B) 15,000 lbs. GVWR, (C7P) 16,000 lbs. GVWR, (C7R) 16,500 lbs. GVWR, (GZX) 17,500 lbs GVWR, (GZJ) 18,000 lbs. GVWR or (GZG) 19,500 lbs. GVWR. Requires (R6G) 26,000 lbs. GCWR (11,793 kg).	A ¹	A ¹						
	MIO	Rugged Duty Service Transmission, Automatic close-ratio 6 SPD with double overdrive, Allison, A1750RDS, ratios 3.10 1ST 1.80 2ND, 1.40 3RD, 1.00 4TH, 0.70 5TH, 0.60 Rugged Duty Series, 19.5K GVW & 30K GCW Max., requires PTO and park pawl, On/Off Highway. Available with GVWs less than or equal to 19.5K 1 - Requires (C5B) 15,000 lbs. GVWR, (C7P) 16,000 lbs. GVWR, (C7R) 16,500 lbs. GVWR, (GZX) 17,500 lbs GVWR, (GZJ) 18,000 lbs. GVWR or (GZG) 19,500 lbs. GVWR. Not available with (066) 4.10 rear axle ratio. Requires (R6I) 30,000 lbs. GCWR (13,607 kg).	A ¹	A ¹						

Free Flow RPO Code	Ref. Only RPO Code	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
Code	Code		1WT	1WT	1WT	1WT	1LT	1LT	1LT	1LT
	MIA	Rugged Duty Service Transmission, Automatic close-ratio 6 SPD with double overdrive, Allison, A2700RDS, ratios: 3.10 1ST 1.80 2ND, 1.40 3RD, 1.00 4TH, 0.70 5TH, 0.60 6TH Rugged Duty Series, 26K GVW & 26K GCW Max., requires PTO and park pawl, On/Off Highway. Available with GVWs greater than 19.5K 1 - Requires (GZH) 21,500 lbs. GVWR or (C9U) 22,940 lbs. GVWR. Requires (R6G) 26,000 lbs. GCWR (11,793 kg). 2 - Requires (DD5) 21,000 lbs. GVWR or (C5D) 22,500 lbs. GVWR. Requires (R6G) 26,000 lbs. GCWR (11,793 kg).	A ¹	A ¹	A ²	A ²	A ¹	A ¹	A ²	A ²
	MH1	Emergency Service Transmission, Automatic close-ratio 6 SPD with double overdrive, Allison, A1700EVS, ratios: 3.10 1ST 1.80 2ND, 1.40 3RD, 1.00 4TH, 0.70 5TH, 0.60 6TH Emergency Vehicle Series, 19.5K GVW & 26K GCW Max., requires PTO and park pawl. Available with GVWs less than or equal to 19.5K 1 - Requires (C5B) 15,000 lbs. GVWR, (C7P) 16,000 lbs. GVWR, (C7R) 16,500 lbs. GVWR, (GZX) 17,500 lbs GVWR, (GZJ) 18,000 lbs. GVWR or (GZG) 19,500 lbs. GVWR. Requires (YF2) Emergency Service Package and (R6G) 26,000 lbs. GCWR (11,793 kg).	A ¹	A ¹						

Free Flow RPO Code	Ref. Only RPO Code	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
Code	Code		1WT	1WT	1WT	1WT	1LT	1LT	1LT	1LT
	MHV	Emergency Service Transmission, Automatic close-ratio 6 SPD with double overdrive, Allison, A1750EVS, ratios: 3.10 1ST 1.80 2ND, 1.40 3RD, 1.00 4TH, 0.70 5TH, 0.60 6TH Emergency Vehicle Series, 19.5K GVW & 30K GCW Max., requires PTO and park pawl. Available with GVWs less than or equal to 19.5K 1 - Requires (C5B) 15,000 lbs. GVWR, (C7P) 16,000 lbs. GVWR, (C7R) 16,500 lbs. GVWR, (GZX) 17,500 lbs GVWR, (GZJ) 18,000 lbs. GVWR or (GZG) 19,500 lbs. GVWR. Not available with (066) 4.10 rear axle ratio. Requires (YF2) Emergency Service Package and (R6I) 30,000 lbs. GCWR (13,607 kg).	A ¹	A ¹						
	MGO	Emergency Service Transmission, Automatic close-ratio 6 SPD with double overdrive, Alison, A2700EVS, ratios: 3.10 1ST 1.80 2ND, 1.40 3RD, 1.00 4TH, 0.70 5TH, 0.60 6TH, Emergency Vehicle Series, 26K GVW & 26K GCW Max., requires PTO and park pawl. Available with GVWs greater than 19.5K 1 - Requires (GZH) 21,500 lbs. GVWR or (C9U) 22,940 lbs. GVWR. Requires (YF2) Emergency Service Package and (R6G) 26,000 lbs. GVWR or (C5D) 21,000 lbs. GVWR or (C5D) 22,500 lbs. GVWR. Requires (YF2) Emergency Service Package and (R6G) 26,000 lbs. GCWR (11,793 kg).	A ¹	A ¹	A ²	A ²	A ¹	A ¹	A ²	A ²

Free Flow RPO Code	Ref. Only RPO Code	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
	MEO	Motor Home Transmission, Automatic close-ratio 6 SPD with double overdrive, Allison, A1750MH, ratios: 3.10 1ST 1.80 2ND, 1.40 3RD, 1.00 4TH, 0.70 5TH, 0.60 6TH Motorhome Series, 22K GVW & 30K GCW Max., requires PTO and park pawl. Available with GVWs less than or equal to 22K 1 - Requires (C5B) 15,000 lbs. GVWR, (C7P) 16,000 lbs. GVWR, (C7R) 16,500 lbs. GVWR, (GZX) 17,500 lbs GVWR, (GZX) 18,000 lbs. GVWR, (GZG) 19,500 lbs. GVWR or (GZH) 21,500 lb. GVWR. Not available with (066) 4.10 rear axle ratio. Requires (PCH) Motorhome Package and (R6I) 30,000 lbs. GCWR (13,607 kg). 2 - Requires (C5B) 15,000 lbs. GVWR, (C7P) 16,000 lbs. GVWR, (C7R) 16,500 lbs. GVWR, (GZX) 17,500 lbs GVWR, (GZX) 17,500 lbs GVWR, (GZX)	A ¹	A ¹	A ²	A ²	A ¹	A ¹	A ²	A ²
		GVWR, (GZG) 19,500 lbs. GVWR or (DD5) 21,000 lbs. GVWR. Requires (PCH) Motorhome Package and (R6I) 30,000 lbs. GCWR (13,607 kg).								
	MIX	Motor Home Transmission, Automatic close-ratio 6 SPD with double overdrive, Allison, A1700MH, ratios: 3.10 1ST 1.80 2ND, 1.40 3RD, 1.00 4TH, 0.70 5TH, 0.60 6TH Motorhome Series, 22K GVW & 26,001 GCW Max., requires PTO and park pawl. Available with GVWs less than or equal to 22K 1 - Requires (C5B) 15,000 lbs. GVWR, (C7P) 16,000 lbs. GVWR, (C7R) 16,500 lbs. GVWR, (GZX) 17,500 lbs GVWR, (GZX) 17,500 lbs GVWR, (GZX) 18,000 lbs. GVWR or (GZH) 21,500 lb. GVWR. Requires (PCH) Motorhome Package and (R6G) 26,000 lbs. GVWR, (GZX) 17,500 lbs GVWR, (GZX) 17,500 lbs GVWR, (GZX) 17,500 lbs. GVWR Requires (PCH) Motorhome Package and (R6G) 26,000 lbs. GCWR (11,793 kg).	A ¹	A ¹	A ²	A ²	A ¹	A ¹	A ²	A ²

Free Flow RPO Code	Ref. Only RPO Code	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
Code	Code		1WT	1WT	1WT	1WT	1LT	1LT	1LT	1LT
	MF0	Motor Home Transmission, Automatic close-ratio 6 SPD with double overdrive, Allison, A1750MH, ratios: 3.10 1ST 1.80 2ND, 1.40 3RD, 1.00 4TH, 0.70 5TH, 0.60 6TH Motorhome Series, 26K GVW & 26,001K GCW Max., requires PTO and park pawl. Available with GVWs greater than 22K 1- Requires (PCH) Motorhome Package, (C9U) 22,940 lbs. GVWR and (R6G) 26,000 lbs. GCWR (11,793 kg).	A ¹	A ¹	1		A ¹	A ¹	1	
KBK		Transmission shift control calibration, fuel sense Performance	Α	Α	Α	Α	Α	А	Α	А
JL1		Trailer brake controller, integrated 1 - Requires (UY7) Trailering provisions.	A ¹	A ¹						
UY7		Trailering provisions, trailering wire harness only, trailer combined (Stop/Tail/Turn) connection socket and harness mounted at rear of frame. 1 - Requires (JL1) Trailer brake controller.	A ¹	A ¹						
PTX		Power Take-Off (PTO) , not installed	А	А	Α	А	Α	А	Α	А
PTO		Power Take Off, engine control provisions	А	A	Α	А	Α	А	Α	А
NZZ		Skid Plate , steel, frame-mounted, protects the transfer case from the ground			A	А			Α	A

COLOR AND TRIM - SEO PAINT

 $S = Standard \ Equipment \qquad A = Available \qquad -- \ (dashes) = Not \ Available$ $\blacksquare = Included \ in \ Equipment \ Group \qquad \Box = Included \ in \ Equipment \ Group \ but \ upgradeable$

*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

				Inte	erior
Decor Level	Seat Type	Seat Code	Seat Trim	Jet Black	Dark Ash seats with Jet Black interior accents
1WT	Front 40/20/40 split-bench with fold-down armrest and driver manual adjustable lumbar	AE7	Cloth		H2R
1WT	Front 40/20/40 split-bench with fold-down armrest and fixed driver lumbar	AE7	Vinyl		H2Q
1WT	Front 40/20/40 reclining split-bench with fold-down armrest and lockable storage compartment and manually adjustable driver lumbar	AZ3	Cloth	H0U	H2R
1LT	Front 40/20/40 reclining split-bench with fold-down armrest and lockable storage compartment and manually adjustable driver lumbar	AZ3	Cloth	HOU	H2S ¹
1LT	Front power reclining buckets with heat, driver side has 10-way power and passenger side has 6-way power	A95	Cloth	HOU	H2S

			Inte	erior
Exterior Solid Paint	Color Code	Touch Up Paint Number	Jet Black	Dark Ash seats with Jet Black interior accents
Woodland Green	9V5	WA-9015	Α	Α
Doeskin Tan	519	WA-9403	Α	Α
Wheatland Yellow	9W3	WA-253A	Α	Α
Tangier Orange	9W4	WA-9417	Α	А
Dark Toreador Red	513	WA-334D	Α	А
Indigo Blue	5IW	WA-9792	Α	А
Yellow	5IA	WA-5248	Α	А
Yellow	5IC	WA-5445	Α	А
Yellow	5ID	WA-5456	Α	Α
Yellow	5IT	WA-9414	Α	А
Orange	5JA	WA-770H	А	А

COLOR AND TRIM - SEO PAINT

			Int	erior
Exterior Solid Paint	Color Code	Touch Up Paint Number	Jet Black	Dark Ash seats with Jet Black interior accents
Blue	5JD	WA-454N	А	Α
Unripened Green Metallic	5IR	WA-136X	Α	Α
Dark Ming Blue	5IH	WA-722J	А	Α
Iridium Metallic	5IE	WA-121V	А	Α
Pepperdust Metallic	5II	WA-441B	А	Α
Yellow	5IZ	WA-215D	А	Α
Cyber Gray Metallic	5IU	WA-637R	А	Α
Subterranean Metallic	514	WA-105V	А	Α
Baroque Red Metallic	5IY	WA-142X	А	Α
Green	5IL	WA-7927	А	Α
Inca Gold	5IK	WA-7952	А	Α
1 - Requires (AG1) 10-way power driver seat.			•	•

COLOR AND TRIM - WT and LT

 $S = Standard \ Equipment \qquad A = Available \qquad -- \ (dashes) = Not \ Available$ $\blacksquare = Included \ in \ Equipment \ Group \qquad \Box = Included \ in \ Equipment \ Group \ but \ upgradeable$

*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

				Inte	erior
Decor Level	Seat Type	Seat Code	Seat Trim	Jet Black	Dark Ash seats with Jet Black interior accents
1WT	Front 40/20/40 split-bench with fold-down armrest and driver manual adjustable lumbar	AE7	Cloth		H2R
1WT	Front 40/20/40 split-bench with fold-down armrest and fixed driver lumbar	AE7	Vinyl		H2Q
1WT	Front 40/20/40 reclining split-bench with fold-down armrest and lockable storage compartment and manually adjustable driver lumbar	AZ3	Cloth	H0U	H2R
1LT	Front 40/20/40 reclining split-bench with fold-down armrest and lockable storage compartment and manually adjustable driver lumbar	AZ3	Cloth	H0U	H2S ¹
1LT	Front power reclining buckets with heat, driver side has 10-way power and passenger side has 6-way power	A95	Cloth	HOU	H2S

			Interior		
Exterior Solid Paint	Color Code	Touch Up Paint Number	Jet Black	Dark Ash seats with Jet Black interior accents	
Deep Ocean Blue Metallic	G1K	WA-409Y	А	Α	
Havana Brown Metallic	G2X	WA-439C	А	Α	
Red Hot	G7C	WA-130X	Α	Α	
Silver Ice Metallic	GAN	WA-636R	Α	Α	
Summit White	GAZ	WA-8624	А	Α	
Black	GBA	WA-8555	А	Α	
Graphite Metallic	GPA	WA-457B	А	Α	
1 - Requires (AG1) 10-way power driver seat.					

COLOR AND TRIM -

There is no data available for Silverado 4500HD, 5500HD and 6500HD.

SEO OPTIONS/SHIP THRU CODES

S = Standard Equipment A = Available -- (dashes) = Not Available D = ADI Available

■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow RPO Code	Ref. Only RPO Code	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
			1WT	1WT	1WT	1WT	1LT	1LT	1LT	1LT
		Interior								
5T5		Seat Overide 1 - Requires (H2R) Dark Ash seats with Jet Black interior accents interior trim.	A ¹	A ¹	A ¹	A ¹				
9S1		Trim overide vinyl seat covering 1 - Requires (AE7) front 40/20/40 split bench seat and trim code (H2Q) Dark Ash seats with Jet Black interior accents interior trim.	A ¹	A ¹	A ¹	A ¹				
9U3		Trim overide cloth seat covering 1 - Requires (H2R) Dark Ash seats with Jet Black interior accents interior trim.	A ¹	A ¹	A ¹	A ¹				
		Exterior								
8X1		Label, fasten seat belts "Fasten Seat Belts" reminder label on right hand and left hand front side door glass	Α	А	А	А	Α	А	А	A
8F2		Ornamentation, delete Deletes decals and nameplates on truck exterior	Α	A	А	А	Α	А	Α	А
TGK		Special Paint, Solid, one color All normally body colored non-sheet metal parts will be Black. May require extended lead time. Door handles and mirrors will be grain Black. Deletes standard/packaged body side moldings.	A	A	A	A	A	A	A	A
9V5		Paints, solid, Woodland Green All normally body colored non-sheet metal parts will be flat Black. Bumper top cap will be gloss Black. Door handles and mirrors will be grain Black. Deletes standard/packaged body-side moldings. 1 - Requires (TGK) Special Paint and (01U) Special Paint.	A ¹	A ¹						

SEO OPTIONS/SHIP THRU CODES

Free Flow RPO Code	Ref. Only RPO Code	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
Code	Code		1WT	1WT	1WT	1WT	1LT	1LT	1LT	1LT
9W3		Paints, solid, Wheatland Yellow All normally body colored non-sheet metal parts will be flat Black. Bumper top cap will be gloss Black. Door handles and mirrors will be grain Black. Deletes standard/packaged body-side moldings. 1 - Requires (TGK) Special Paint and (01U) Special Paint.	A ¹	A ¹						
9W4		Paints, solid, Tangier Orange All normally body colored non-sheet metal parts will be flat Black. Bumper top cap will be gloss Black. Door handles and mirrors will be grain Black. Deletes standard/packaged body-side moldings. 1 - Requires (TGK) Special Paint and (01U) Special Paint.	A ¹	A ¹						
6E2		Key, single All keys are coded alike 1 - Requires a Fleet or Government order type.	A ¹	A ¹						
		Mechanical								
VND		Governor, electronic speed sensor set to 50 MPH	Α	А	А	А	Α	А	Α	А
VNE		Governor, electronic speed sensor set to 55 MPH	Α	А	Α	А	А	А	А	А
LVA		Governor, electronic speed sensor set to 60 MPH	Α	A	А	А	А	А	Α	А
9C2		Governor, electronic speed sensor set to 65 MPH	А	А	А	A	А	A	А	А
9B9		Governor, electronic speed sensor set to 70 MPH	А	А	А	А	А	А	А	А
9D7		Governor, electronic speed sensor set to 75 MPH	Α	А	Α	А	Α	А	Α	А
		Ship Thru Codes								
WU2		Ship Thru, Produced at Springfield Assembly and shipped to TSC (Truck Speciality Center), Springfield, OH, and Return to Springfield Assembly for shipment to final destination (Dealer Invoice = \$W/A)	A	A	А	А	A	А	A	A

ONSTAR/SIRIUSXM FLEET OPTIONS

S = Standard Equipment A = Available -- (dashes) = Not Available D = ADI Available

■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow RPO Code	Ref. Only RPO Code	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
			1WT	1WT	1WT	1WT	1LT	1LT	1LT	1LT
POJ		NEW! OnStar Additional 21 months of OnStar Fleet Safety and Security. Provides 21 months of Fleet Safety and Security service in addition to the 3 months of complimentary coverage that is included in the price of the vehicle. Total OnStar Fleet Safety and Security service duration is 24 months. 1 - Requires (UE1) OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with POK or POLL. Not available with a ship-to of Puerto Rico or the Virgin Islands.	A ¹	A ¹						
РОК		NEW! OnStar Additional 33 months of OnStar Fleet Safety and Security. Provides 33 months of Fleet Safety and Security service in addition to the 3 months of complimentary coverage that is included in the price of the vehicle. Total OnStar Fleet Safety and Security service duration is 36 months. 1 - Requires (UE1) OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with POJ or POL. Not available with a ship-to of Puerto Rico or the Virgin Islands.	A ¹	A ¹						

Free Flow RPO Code	Ref. Only RPO Code	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
Code	Code		1WT	1WT	1WT	1WT	1LT	1LT	1LT	1LT
POL		NEW! OnStar Additional 45 months of OnStar Fleet Safety and Security. Provides 45 months of Fleet Safety and Security service in addition to the 3 months of complimentary coverage that is included in the price of the vehicle. Total OnStar Fleet Safety and Security service duration is 48 months. 1 - Requires (UE1) OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with POJ or POK. Not available with a ship-to of Puerto Rico or the Virgin Islands.	A ¹	A ¹						
POM		NEW! OnStar Additional 21 months of OnStar Fleet Remote Access. Provides 21 months of Fleet Remote Access service in addition to the 3 months of complimentary coverage that is included in the price of the vehicle. Total OnStar Fleet Remote Access service duration is 24 months. 1 - Requires (UE1) OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PON or POO. Not available with a ship-to of Puerto Rico or the Virgin Islands.	A ¹	A ¹						
PON		NEW! OnStar Additional 33 months of OnStar Fleet Remote Access. Provides 33 months of Fleet Remote Access service in addition to the 3 months of complimentary coverage that is included in the price of the vehicle. Total OnStar Fleet Remote Access service duration is 36 months. 1 - Requires (UE1) OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with POM or POO. Not available with a ship-to of Puerto Rico or the Virgin Islands.	A ¹	A ¹						

Free Flow RPO Code	Ref. Only RPO Code	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
5545	Jour		1WT	1WT	1WT	1WT	1LT	1LT	1LT	1LT
POO		NEW! OnStar Additional 45 months of OnStar Fleet Remote Access. Provides 45 months of Fleet Remote Access service in addition to the 3 months of complimentary coverage that is included in the price of the vehicle. Total OnStar Fleet Remote Access service duration is 48 months. 1 - Requires (UE1) OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with POM or PON. Not available with a ship-to of Puerto Rico or the Virgin Islands.	A ¹	A ¹						
PR6		SiriusXM Satellite Radio Additional 9 months of the SiriusXM All Access Package. Includes 150 channels of commercial-free music plus every major sport and the biggest names in entertainment, news and comedy in vehicle plus 9 months of listening on the SiriusXM app or online in addition to the 3 months of All Access trial service that is included in the price of the vehicle. Total service duration is 12 months. Non-Transferrable. Non-Refundable. 1 - Requires (U2K) SiriusXM Satellite Radio and a Fleet or Government order type. Not available with FDR order types, PR7 or PR8. Not available in AK, HI, PR and VI.	A ¹	A ¹						

Free Flow RPO Code	Ref. Only RPO Code	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
Code	Code		1WT	1WT	1WT	1WT	1LT	1LT	1LT	1LT
PR7		SiriusXM Satellite Radio Additional 21 months of the SiriusXM All Access Package. Includes 150 channels of commercial-free music plus every major sport and the biggest names in entertainment, news and comedy in vehicle plus 21 months of listening on the SiriusXM app or online in addition to the 3 months of All Access trial service that is included in the price of the vehicle. Total service duration is 24 months. Non-Transferrable. Non-Refundable. 1 - Requires (U2K) SiriusXM Satellite Radio and a Fleet or Government order type. Not available with FDR order types, PR6 or PR8. Not available in AK, HI, PR and VI.	A ¹	A ¹						
PR8		SiriusXM Satellite Radio Additional 33 months of the SiriusXM All Access Package. Includes 150 channels of commercial-free music plus every major sport and the biggest names in entertainment, news and comedy in vehicle plus 33 months of listening on the SiriusXM app or online in addition to the 3 months of All Access trial service that is included in the price of the vehicle. Total service duration is 36 months. Non-Transferrable. Non-Refundable. 1 - Requires (U2K) SiriusXM Satellite Radio and a Fleet or Government order type. Not available with FDR order types, PR6 or PR7. Not available in AK, HI, PR and VI.	A ¹	A ¹						

Free Flow RPO Code	Ref. Only RPO Code	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
oouc	Ocuc		1WT	1WT	1WT	1WT	1LT	1LT	1LT	1LT
POG		GM Commercial Link – 1 year of Service, includes 12 months of GM Commercial Link service. Provides access and reporting for key vehicle information such as speed, location and maintenance through website and mobile application. Eligible customers must sign up for an account at www.gmcommerciallink.com in order take advantage of this 12 month offer. The Commercial Link service is included in the price of the vehicle. Total service duration is 12 months. Non-Transferrable. Non-Refundable. 1 - Requires UE1 OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with (P0H) GM Commercial Link – 2 years of Service or (P0I) GM Commercial Link – 3 years of Service.	A ¹	A ¹						
POH		GM Commercial Link – 2 years of Service, includes 24 months of GM Commercial Link service. Provides access and reporting for key vehicle information such as speed, location and maintenance through website and mobile application. Eligible customers must sign up for an account at www.gmcommerciallink.com in order take advantage of this 24 month offer. The Commercial Link service is included in the price of the vehicle. Total service duration is 24 months. Non-Transferrable. Non-Refundable. 1 - Requires UE1 OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with (POG) GM Commercial Link – 1 year of Service or (POI) GM Commercial Link – 3 years of Service.	A ¹	A ¹						

Free Flow RPO Code	Ref. Only RPO Code	Description	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab	CC56403 2WD Reg Cab	CC56043 2WD Crew Cab	CK56403 4WD Reg Cab	CK56043 4WD Crew Cab
Code	Code		1WT	1WT	1WT	1WT	1LT	1LT	1LT	1LT
POI		GM Commercial Link – 3 years of Service, includes 36 months of GM Commercial Link service. Provides access and reporting for key vehicle information such as speed, location and maintenance through website and mobile application. Eligible customers must sign up for an account at www.gmcommerciallink.com in order take advantage of this 36 month offer. The Commercial Link service is included in the price of the vehicle. Total service duration is 36 months. Non-Transferrable. Non-Refundable. 1 - Requires UE1 OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with (POG) GM Commercial Link – 1 year of Service or (POH) GM Commercial Link – 2 years of Service.	A ¹	A ¹						

Option Code	Description
005	Rear axle, 4.56 ratio
800	Rear axle, 4.88 ratio
01U	Paint Scheme, Style 1
066	Rear axle, 4.10 ratio
092	Rear axle, 4.30 ratio
379	Seat Belt, Orange
3F9	Seat Belt, Front, Red
5D1	Bumper, front, Gray
5DX	Electrical Provisions, rear of cab, upfitter
5DY	Electrical Provisions, rear of frame, upfitter
5H1	Key system
5T5	Seat Overide
6E2	Key, single
719	Seat Belt, Black
7Y7	Batteries, heavy-duty dual 1100 cold-cranking amps
7Y8	Batteries, heavy-duty dual 1300 cold-cranking amps
7Y9	Batteries, heavy-duty triple 2250 cold-cranking amps
8E4	Additional fuel, 5 gallons
8E8	Bumper, front, Black
8F2	Ornamentation, delete
8H5	Bumper, front, delete
8X1	Label, fasten seat belts
9B9	Governor, electronic speed sensor set to 70 MPH
9C2	Governor, electronic speed sensor set to 65 MPH
9D7	Governor, electronic speed sensor set to 75 MPH
9D9	Mirror, inside rearview delete
9L3	Spare tire delete
9L7	Upfitter switches
9S1	Trim overide vinyl seat covering
9U3	Trim overide cloth seat covering
9V5	Paints, solid, Woodland Green
9W3	Paints, solid, Wheatland Yellow
9W4	Paints, solid, Tangier Orange
A31	Windows, power
A68	Seat, rear 60/40 folding bench
A95	Seats, front cloth bucket
AE7	Seats, front 40/20/40 split-bench
AG1	Seat adjuster, driver 10-way power
AJ3	Airbag, frontal, driver side only
AK5	Airbags, frontal, driver and right front passenger
AKO	Glass, deep-tinted
AKP	Glass, solar absorbing
APL	Passenger seat, delete
AQQ	Remote Keyless Entry
ATZ	Seat delete, rear
AU3	Door locks, power
AZ3	Seats, front 40/20/40 split-bench
BG9	Floor covering, Graphite-colored rubberized-vinyl
BTN	Battery, top post threaded

Option Code	Description
BTV	Remote Start
C42	HVAC system, heater only
C49	Defogger, rear-window
C5B	GVWR, 15,000 lbs. (6804 kg)
C5D	GVWR, 22,500 lbs. (10,206 kg)
C67	Air conditioning, single-zone
C7P	GVWR, 16,000 lbs. (7257 kg)
C7R	GVWR, 16,500 lbs. (7484 kg)
C99	Airbag deactivation switch, frontal passenger-side
C9U	GVWR, 22,940 lbs. (10,387 kg)
D07	Console, floor
DD5	GVWR, 21,000 lbs. (9525kg)
DD8	Mirror, inside rearview auto-dimming
DF2	Mirrors, outside high-visibility vertical camper-style, Black
DH6	Visors, driver and front passenger illuminated vanity mirrors
DP9	Mirror caps, chrome
DPN	Mirrors, outside heated power-adjustable vertical trailering, upper glass
E01	Assist steps
E0N	Assist Steps, aluminum
E20	Door handles, outside, chrome
ED5	Wheelbase, 201" (510.5 cm)
ED9	Wheelbase, 165" (419.1 cm)
EM1	Wheelbase, 199" (505.5 cm)
EQB	Wheelbase, 219" (556.3 cm)
ER2	Wheelbase, 189" (480.1 cm)
F0C	Axle to End of Frame, 49"
F0D	Axle to End of Frame, 63"
F0G	Axle to End of Frame, 83"
F0I	Axle to End of Frame, 75"
F0K	Axle to End of Frame, 91"
F59	Front stabilizer bar
F95	Front suspension, 6,000 lbs.(2,722 kg) multi-leaf
FBC	Wheelbase, 243" (617.2 cm)
FF3	Oil seal for front hub, Chicago Rawhide Nitrile for oil lubricated wheel bearings
FG0	Oil filled front hubs, synthetic
FHX	Fuel, diesel B20
FK6	Front suspension, 7,000 lbs. (3,175 kg) multi-leaf
FN1	Rear axle, 10,000 lb. (4,536 kg) Dana Spicer S14-110, single reduction
FNP	Front fender extension, painted body color
FNV	Wheelbase, 175" (444.5 cm)
FNX	Front fender extension, mold-in-color Black
FPF	DPF, diesel particulate filter, manual regeneration
FPN	Wheelbase, 231" (586.7 cm)
FQT	Wheelbase, 141" (358.1 cm)
FRP	Wheelbase, 235" (596.9 cm)
FSN	Front suspension, 8,000 lbs. (3,629 kg) multi-leaf
FTA	Front axle
FTB	Front axle
FTD	Front axle

Option Code	Description
FTL	Front axle
FTN	Axle lubricant, front, synthetic
FTO	Axle lubricant, rear, synthetic synthetic oil EmGard FE -75W-90
FTV	Front suspension, 7,500 lbs. (3,402 kg) multi-leaf
FU7	Rear suspension, 15,500 lbs. (7,031 kg) multi-leaf
G40	Rear suspension - Air, 12,000 lbs. (5,443 kg)
G68	Shock Absorbers, rear
G86	Axle, limited slip
GL4	Rear axle, 11,000 lb. (4,999 kg)
GP1	Rear suspension - Air, 13,500 lbs. (6,123 kg)
GP8	Rear suspension - Air, 15,500 lbs. (7,031 kg)
GR3	Rear suspension, 11,000 (4,990 kg) multi-leaf
GR4	Rear suspension, 13,500 lbs. (6,123 kg) multi-leaf
GZG	GVWR, 19,500 lbs. (8845 kg)
GZH	GVWR, 21,500 lbs. (9752 kg)
GZJ	GVWR, 18,000 lbs. (8165 kg)
GZX	GVWR, 17,500 lbs. (7938 kg)
HD1	Rear axle, 15,000 lb. (6,804 kg) Dana
HD2	Rear axle, 13,500 lb. (6,124 kg) Dana
IO3	Audio system, 4.2" diagonal color display, AM/FM stereo with USB port and auxiliary jack
105	Audio system, Chevrolet Infotainment System with 8" diagonal color touch-screen
106	Audio system, Chevrolet Infotainment System with Navigation and 8" diagonal color
	touch-screen
IOB	Audio system, 7" diagonal color touch-screen with Chevrolet Infotainment
J27	Rear axle, 15,500 lb. (7,031 kg)
J48	Brakes, hydraulic
J69	Brake, parking
JL1	Trailer brake controller, integrated
JPY	Air Dryer, heated
JPZ	Suspension air control valve, air release valve with switch in cab
JTR	Tail lamp wiring harness provisions
K05	Engine block heater
K34	Cruise control
K40	Exhaust brake
K4C	Wireless Charging
KA1	Seats, heated driver and front passenger
KBK	Transmission shift control calibration, fuel sense Performance
KG4	Alternator, 150 amps
KHB	Alternators, dual
KI4	Power outlet, 110-volt
KL6	Taillamp provisions, located inside of frame
KT0	Heater hose, silicone
KUD	Heater hose clamps, (Breeze) Belleville washer type
KUT	Air Compressor Accessory Drive
KW5	Alternator, 220 amps
L5D	Engine , Duramax 6.6L Turbo-Diesel V8, B20-Diesel compatible
LVA	Governor, electronic speed sensor set to 60 MPH
ME0	Motor Home Transmission, Automatic close-ratio 6 SPD with double overdrive, Allison, A1750MH

Option Code	Description
MF0	Motor Home Transmission, Automatic close-ratio 6 SPD with double overdrive, Allison, A1750MH
MG0	Emergency Service Transmission, Automatic close-ratio 6 SPD with double overdrive, Alison, A2700EVS
MH1	Emergency Service Transmission, Automatic close-ratio 6 SPD with double overdrive, Allison, A1700EVS
MHV	Emergency Service Transmission, Automatic close-ratio 6 SPD with double overdrive, Allison, A1750EVS
MIO	Rugged Duty Service Transmission, Automatic close-ratio 6 SPD with double overdrive, Allison, A1750RDS
MIA	Rugged Duty Service Transmission, Automatic close-ratio 6 SPD with double overdrive, Allison, A2700RDS
MIU	Rugged Duty Service Transmission, Automatic close-ratio 6 SPD with double overdrive, Allison, A1700RDS
MIX	Motor Home Transmission, Automatic close-ratio 6 SPD with double overdrive, Allison, A1700MH
MJ0	Highway Service Transmission, Automatic close-ratio 6 SPD with double overdrive, Allison, A1750HS
MTZ	Tail lamp provisions, located outside of frame
MWA	Highway Service Transmission, Automatic close-ratio 6 SPD with double overdrive, Allison, A1700HS
MWB	Highway Service Transmission, Automatic close-ratio 6 SPD with double overdrive, Allison A2700HS
N12	Exhaust system
N2L	Fuel tank, rear only, 40 gallon
N33	Steering column, manual Tilt-Wheel
N4C	Emissions, 50 state certification
N4E	Emissions, USA 50 State certified
NK5	Steering wheel
NP5	Steering wheel, leather-wrapped
NPJ	Exhaust system
NPK	Exhaust system
NPR	Exhaust system
NSQ	Fuel tank, front and rear, 65 gallon total
NVK	Fuel tank, front, 25 gallon
NXG	Additional fuel, 20 gallons
NXO	Additional fuel, 40 gallons
NZZ	Skid Plate
P0D	Grille guard screen, insect protection
P0E	Air intake guard screen, Ember
P0G	GM Commercial Link – 1 year of Service
P0H	GM Commercial Link – 2 years of Service
P0I	GM Commercial Link – 3 years of Service
P0J	OnStar Additional 21 months of OnStar Fleet Safety and Security
P0K	OnStar Additional 33 months of OnStar Fleet Safety and Security
P0L	OnStar Additional 45 months of OnStar Fleet Safety and Security
POM	OnStar Additional 21 months of OnStar Fleet Remote Access
P0N	OnStar Additional 33 months of OnStar Fleet Remote Access
P00	OnStar Additional 45 months of OnStar Fleet Remote Access
PCH	Motorhome Package

Option Code	Description			
PD7	Wheel, spare delete			
PR6	SiriusXM Satellite Radio Additional 9 months of the SiriusXM All Access Package.			
PR7	SiriusXM Satellite Radio Additional 21 months of the SiriusXM All Access Package.			
PR8	SiriusXM Satellite Radio Additional 33 months of the SiriusXM All Access Package.			
PTO	Power Take Off, engine control provisions			
PTX	Power Take-Off (PTO) , not installed			
PWQ	Wheels, 19.5" x 6.75", steel, Black painted			
PWR	Wheels, 19.5" x 6.75", steel, Grey painted			
PWS	Wheels, 19.5" x 6.75", steel, White painted			
PWV	Wheels, 19.5" x 6.75", aluminum			
PWY	Wheel, 19.5" x 6.75", spare, steel			
Q91	Tire valve cap, flo-thru			
Q92	Tire valve cap, (Alligaro V2B) flo-thru			
R6G	26,000 lbs. GCWR (11,793 kg)			
R6I	30,000 lbs. GCWR (13,607 kg)			
T3A	Bumper, front with 4" extension			
T3U	Fog lamps			
TG5	Single-slot CD/MP3 player			
TGK	Special Paint, Solid, one color			
TR1	Lamps			
TRW	Provision for cab roof-mounted lamp/beacon			
U01	Lamps, Smoked Amber roof marker			
U04	Horn, single-note			
U05	Horn, dual-note			
U2J	SiriusXM, delete			
U2K	SiriusXM Radio			
U73	Antenna, fixed			
UDC	Driver Information Center			
UDD	Driver Information Center, 4.2-inch diagonal color display			
UE0	OnStar, delete			
UE1	OnStar and Chevrolet connected services capable			
UGE	Lamps			
UK3	Steering wheel audio controls			
UMN	Speedometer, miles/kilometers			
UNL	Auxiliary harness			
UQ3	6-speaker audio system			
UQ5	Audio system feature, 4-speaker system			
UTJ	Theft-deterrent system			
UVC	Rear Vision Camera			
UY7	Trailering provisions, trailering wire harness only			
UZF	Backup alarm			
V22	Grille, chrome			
V23	Grille guard screen, stone protection (mounted to bumper)			
V33	Tool kit, road emergency			
V46	Bumper, front chrome			
V76	Recovery hooks, front, frame-mounted			
VK3	License plate kit, front			
VND	Governor, electronic speed sensor set to 50 MPH			
	·			

Option Code	Description
VV4	Chevrolet 4G LTE
VWX	Grille
VXT	Incomplete vehicle
VYU	Snow Plow Prep Package
WN9	Special processing, Delivery Request
WU2	Ship Thru, Produced at Springfield Assembly and shipped to TSC (Truck Speciality
	Center), Springfield, OH, and Return to Springfield Assembly for shipment to final destination
XDK	Tires, front 225/70R19.5G highway blackwall Goodyear
XDL	Tires, front 225/70R19.5G highway blackwall Continental
YAL	Tires, rear 225/70R19.5G highway blackwall Goodyear
YAM	Tires, rear 225/70R19.5G highway blackwall Continental
YAN	Tires, rear 225/70R19.5G traction blackwall Continental
YAO	Tires, rear 225/70R19.5G traction blackwall Goodyear
YF2	Emergency Service Package
ZBK	Tire, Spare 225/70R19.5G highway blackwall Goodyear
ZBO	Tire, Spare 225/70R19.5G traction blackwall Continental
ZBP	Tire, Spare 225/70R19.5G traction blackwall Goodyear
ZBR	Tire, Spare 225/70R19.5G highway blackwall Continental
ZY1	Paint, solid

2019	Silverado 4500HD, 5500HD and	DISTRIBUTION UPDATES
6500H	ח	

No Distribution Updates Available for the Selected Time Frame.