

S = Standard Equipment A = Available -- (dashes) = Not Available D = ADI Available

■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

\*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC25743 and TK25743. 2 - Available on Crew Cab models TC35*43 and TK35*43.	Denali	
			Sierra 2500HD 5SA <sup>1</sup>	Sierra 3500HD 5SA <sup>2</sup>
	AY0	<b>Airbags</b> , single-stage frontal and thorax side-impact, driver and front passenger, and roof-rail side-impact, front and rear outboard seating positions 1 - Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.	S <sup>1</sup>	S <sup>1</sup>
		<b>Assist handle</b> , front passenger and driver on A-pillars	S	S
		<b>Bluetooth for phone</b> , personal cell phone connectivity to vehicle audio system	S	S
	K34	<b>Cruise control</b> , steering wheel-mounted	S	S
		<b>Instrumentation</b> , 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure	S	S
	AU3	<b>Door locks</b> , power	S	S
	TDM	<b>Teen Driver</b> , configurable feature that lets you activate customizable vehicle settings associated with a key fob, to encourage safe driving behavior. It can limit certain vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver	S	S
	UJM	<b>Tire Pressure Monitoring System</b> (does not apply to spare tire) 1 - On 3500HD, included and only available with (C7A) 10,000 lb. GVWR.	S	A <sup>1</sup>
	VXH	<b>LPO, Assist steps</b> , chromed tubular, 6" rectangular (dealer-installed) 1 - May be substituted with (VXJ) assist steps, LPO. (VXH) is deleted when (VXJ) assist steps, LPO is specified.	S <sup>1</sup>	S <sup>1</sup>
	BWN	<b>CornerStep</b> , rear bumper	S	S
	CGN	<b>Bed Liner, Spray-on</b> , Pickup box bed liner consisting of high pressure, chemically bonded, sprayed-on polyurea & polyurethane liner formulation. Liner is permanently bonded to the truck bed providing a water tight seal. Includes embossed Denali logo on front bed wall. The textured, non-skid surface is black in color and robotically applied. Spray-on liner covers entire bed interior surface below side rails, including tailgate, front box top rail, gage hole plugs and lower tie down loops. 1 - Not available with (VZX) bed liner, LPO.	S <sup>1</sup>	S <sup>1</sup>
		<b>Capless Fuel Fill</b> 1 - Requires gas engine and (E63) pickup box.	S <sup>1</sup>	S <sup>1</sup>
		<b>Daytime Running Lamps</b> , with automatic exterior lamp control	S	S
	CTD	<b>Cargo tie downs (4)</b> , movable upper	S	S
		<b>Headlamps</b> , High-Intensity Discharge (HID) projector-beam with GMC signature LED lighting	S	S
		<b>Lamps</b> , cargo area, cab mounted with switch on center switch bank	S	S
	UF2	<b>LED Lighting</b> , cargo box with switch on center switch bank	S	S

Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC25743 and TK25743. 2 - Available on Crew Cab models TC35*43 and TK35*43.	Denali	
			Sierra 2500HD 5SA <sup>1</sup>	Sierra 3500HD 5SA <sup>2</sup>
	E63	<b>Pickup box</b>	S	S
		<b>Tailgate and bed rail protection caps, top</b>	S	S
	SAF	<b>Tire carrier lock</b> , keyed cylinder lock that utilizes same key as ignition and door	S	S
	QFC	<b>Tires</b> , LT265/60R20E all-terrain, blackwall	S	--
	K47	<b>Air cleaner</b> , high-capacity	S	S
		<b>Battery</b> , heavy-duty 720 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power	S	S
	J95	<b>Brakes</b> , 4-wheel antilock, 4-wheel disc with DuraLife brake rotors 1 - Requires single rear wheels.	S	S <sup>1</sup>
	J96	<b>Brakes</b> , 4-wheel antilock, 4-wheel disc with dual rear wheel and DuraLife brake rotors	--	S
	SRW	<b>Chassis</b> , single rear wheel	--	S
	KC4	<b>Cooling</b> , external engine oil cooler	S	S
	KNP	<b>Cooling</b> , auxiliary external transmission oil cooler	S	S
	G80	<b>Differential</b> , heavy-duty locking rear	S	S
		<b>Exhaust</b> , aluminized stainless-steel muffler and tailpipe	S	S
	L96	<b>Engine</b> , Vortec 6.0L Variable Valve Timing V8 SFI E85-compatible, FlexFuel, capable of running on unleaded or up to 85% ethanol (360 hp [268.4 kW] @ 5400 rpm, 380 lb-ft of torque [515.0 N-m] @ 4200 rpm)	S	S
		<b>Frame</b> , fully-boxed, hydroformed front section	S	S
	GEH	<b>GVWR</b> , 9500 lbs. (4309 kg) 1 - Requires (L96) Vortec 6.0L V8 SFI engine.	S <sup>1</sup>	--
	GT5	<b>Rear axle</b> , 4.10 ratio 1 - Requires (L96) Vortec 6.0L V8 SFI engine.	S <sup>1</sup>	S <sup>1</sup>
	NZZ	<b>Underbody Shield</b> , frame-mounted shields, includes front underbody shield starting behind front bumper and running to first cross-member, protecting front underbody, oil pan, differential case and transfer case	S	S
		<b>StabiliTrak</b> , stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist	S	S
		<b>Steering</b> , Electric Power Steering (EPS) assist, rack-and-pinion	S	S
	NV8	<b>Steering</b> , Digital Steering Assist	S	S
	Z85	<b>Suspension Package</b> , Standard, includes 51mm twin tube shock absorbers and 33mm front stabilizer bar	S	S
	JL1	<b>Trailer brake controller</b> , integrated	S	S
	MYD	<b>Transmission</b> , 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking 1 - Requires (L96) Vortec 6.0L V8 SFI engine.	S <sup>1</sup>	S <sup>1</sup>

S = Standard Equipment A = Available -- (dashes) = Not Available D = ADI Available  
 ■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

No deletions allowed to Equipment Groups. Additional options may be added; check ordering information section for compatibility.

\*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC25743 and TK25743. 2 - Available on Crew Cab models TC35*43 and TK35*43.	Denali	
			Sierra 2500HD 5SA <sup>1</sup>	Sierra 3500HD 5SA <sup>2</sup>
	Y65	<b>Driver Alert Package</b> , includes (UFL) Lane Departure Warning, (UEU) Forward Collision Alert, and Safety Alert Seat	■	■
	UEU	<b>Forward Collision Alert</b>	■	■
	UFL	<b>Lane Departure Warning</b>	■	■
		<b>Safety Alert Seat</b>	■	■
	CJ2	<b>Air conditioning</b> , dual-zone automatic climate control	■	■
	IO6	<b>Audio system</b> , 8" diagonal Color Touch Screen Navigation with GMC Infotainment System, AM/FM/SiriusXM, HD Radio with USB ports, auxiliary jack, Bluetooth streaming audio for music and most phones, Pandora Internet radio and voice-activated technology for radio and phone	■	■
	TG5	<b>Single-slot CD/MP3 player</b> 1 - Replaced by (U42) rear seat DVD/Blu-Ray Entertainment Package when (U42) is ordered.	■ <sup>1</sup>	■ <sup>1</sup>
	U2K	<b>SiriusXM Radio</b> is standard on nearly all 2019 GM models. Enjoy a 3-month All Access trial subscription with over 150 channels including commercial-free music, plus sports, news and entertainment. Plus listening on the app and online is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. <b>1 - IMPORTANT: The SiriusXM radio trial package is not provided on vehicles that are ordered for Fleet Daily Rental ("FDR") use. If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-866-635-2349. See our Customer Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change.</b>	■ <sup>1</sup>	■ <sup>1</sup>
	UQA	<b>Bose Sound</b> with 6 speaker system, (7 speaker system including subwoofer when ordered with bucket seats).	■	■
	D07	<b>Console</b> , floor mounted, with cup holders, cell phone storage, power cord management, hanging file holder capability and (K4C) wireless charging	■	■
	C49	<b>Defogger</b> , rear-window electric	■	■
	UHS	<b>Display</b> , customizable driver display, 8" multi-color configurable	■	■
	BTV	<b>Remote vehicle starter system</b>	■	■
	AQQ	<b>Remote Keyless Entry</b>	■	■
	A91	<b>Remote Locking Tailgate</b> 1 - Included and only available with (AQQ) Remote Keyless Entry.	■ <sup>1</sup>	■ <sup>1</sup>
	B30	<b>Floor covering</b> , color-keyed carpeting	■	■
	B58	<b>Floor mats</b> , color-keyed carpeted first and second row	■	■

Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC25743 and TK25743. 2 - Available on Crew Cab models TC35*43 and TK35*43.	Denali	
			Sierra 2500HD 5SA <sup>1</sup>	Sierra 3500HD 5SA <sup>2</sup>
	U2L	<b>Radio</b> , HD	■	■
	DD8	<b>Mirror</b> , inside rearview auto-dimming	■	■
	UE1	<b>OnStar and GMC connected services capable</b> 1 - Fleet orders receive a 3-month trial. Visit onstar.com for coverage map, details and system limitations. Services vary by model.	■ <sup>1</sup>	■ <sup>1</sup>
	VV4	<b>GMC 4G LTE</b> and available built-in Wi-Fi hotspot offers a fast and reliable Internet connection for up to 7 devices; includes data trial for 1 month or 3GB (whichever comes first) 1 - Available Wi-Fi requires compatible mobile device, active OnStar service and data plan. Data plans provided by AT&T. Visit onstar.com for details and system limitations.	■ <sup>1</sup>	■ <sup>1</sup>
		<b>GMC Connected Access</b> with 10 years of standard connectivity which enables services such as, Vehicle Diagnostics, Dealer Maintenance Notification, GMC Smart Driver, Marketplace and more 1 - Limitations apply. Not transferable. Standard connectivity available to original purchaser for ten years from the date of initial vehicle purchase for model year 2018 or newer GMC vehicles. See onstar.com for details and further plan limitations. Connected Access does not include emergency or security services. Availability and additional services enabled by Connected Access are subject to change.	■ <sup>1</sup>	■ <sup>1</sup>
	JF4	<b>Pedals</b> , power-adjustable	■	■
	KI4	<b>Power outlet</b> , 110-volt AC	■	■
	UVC	<b>Rear Vision Camera</b> with dynamic guide lines	■	■
	AN3	<b>Seats</b> , front full-feature leather-appointed bucket with (KA1) heated seat cushions and seat backs. Includes 12-way power driver and front passenger seat adjusters, including 4-way power lumbar control, 2-position driver memory, adjustable head restraints, (D07) floor console and storage pockets and (K4C) wireless charging	■	■
	A68	<b>Seat</b> , rear 60/40 folding bench (folds up), 3-passenger, (includes child seat top tether anchor)	■	■
	KQV	<b>Seating</b> , heated and ventilated perforated leather-appointed front bucket	■	■
	UK3	<b>Steering wheel audio controls</b>	■	■
	UVD	<b>Steering wheel</b> , heated, leather wrapped with audio and cruise controls	■	■
	N37	<b>Steering column</b> , manual Tilt-Wheel and telescoping	■	■
	UTJ	<b>Theft-deterrent system</b> , unauthorized entry	■	■
	UG1	<b>Universal Home Remote</b> 1 - Not included when (VYU) Snow Plow Prep Package is ordered.	■ <sup>1</sup>	■ <sup>1</sup>
	DH6	<b>Visors</b> , driver and front passenger illuminated vanity mirrors	■	■
	A48	<b>Window</b> , power, rear sliding with rear defogger 1 - Not included when (VYU) Snow Plow Prep Package is ordered.	■ <sup>1</sup>	■ <sup>1</sup>
	A31	<b>Windows</b> , power with driver express up and down and express down on all other windows	■	■
	K4C	<b>Wireless Charging</b> 1 - Not compatible with all phones. Compliant batteries include Qi and PMA technologies. Reference Mobile devices manual to confirm what type of battery it uses.	■ <sup>1</sup>	■ <sup>1</sup>
	VB5	<b>Bumper</b> , front, body-color	■	■

Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC25743 and TK25743. 2 - Available on Crew Cab models TC35*43 and TK35*43.	Denali	
			Sierra 2500HD 5SA <sup>1</sup>	Sierra 3500HD 5SA <sup>2</sup>
	VT5	<b>Bumper</b> , rear body-color with bumper CornerSteps	■	■
	E20	<b>Door handles</b> , chrome	■	■
	T3U	<b>Fog lamps</b> , front, halogen	■	■
	AKO	<b>Glass</b> , deep-tinted	■	■
	DL3	<b>Mirrors</b> , outside chrome cap, heated power-adjustable, power-folding and driver-side auto-dimming, with integrated turn signal indicators and puddle lamps (includes driver's side spotter mirror)	■	--
DQS		<b>Mirrors</b> , outside heated power-adjustable vertical trailering, memory equipped, upper glass, power-folding and manual extending, chrome. Includes integrated turn signal indicators, consisting of 51 square inch flat mirror surface positioned over a 24.5 square inch convex mirror surface with a common head and lower convex spotter glass (convex glass is not heated and not power-adjustable) and addition of Auxiliary cargo lamp for backing up (helps to see trailer when backing up with a trailer) and amber auxiliary clearance lamp 1 - Included with (PCH) Duramax Plus Package.	A <sup>1</sup>	■
	B85	<b>Moldings</b> , bodyside, chrome	■	■
	UD5	<b>Front and Rear Park Assist</b> , Ultrasonic	■	■
	V76	<b>Recovery hooks</b> , front, frame-mounted, black	■	■
	PPA	<b>Tailgate</b> , EZ-Lift and Lower	■	■
	QQO	<b>Tires</b> , LT235/80R17E all-season highway 1 - Requires (CHX) 13,025 lbs. GVWR with dual rear wheels.	--	■ <sup>1</sup>
	QWF	<b>Tires</b> , LT265/70R18E all-season, blackwall 1 - Requires single rear wheels.	A	■ <sup>1</sup>
	ZQO	<b>Tire</b> , spare LT235/80R17E highway 1 - Requires (CHX) 13,025 lbs. GVWR with dual rear wheels.	--	■ <sup>1</sup>
	ZWF	<b>Tire</b> , spare LT265/70R18E all-season, blackwall 1 - Requires single rear wheels.	■	■ <sup>1</sup>
	RS7	<b>Wheels</b> , 17" (43.2 cm) forged polished aluminum 1 - Requires (CHX) 13,025 lbs. GVWR with dual rear wheels.	--	■ <sup>1</sup>
	PYR	<b>Wheels</b> , 18" (45.7 cm) chromed aluminum, includes 18" x 8" (45.7 cm x 20.3 cm) steel spare wheel 1 - Requires 3500HD single rear wheels.	A	■ <sup>1</sup>
	RQA	<b>Wheels</b> , 20" (50.8 cm) chromed cast aluminum	□	--
	N79	<b>Wheel</b> , 18" x 8" (45.7 cm x 20.3 cm) full-size, steel spare	■	--
	B1J	<b>Wheelhouse liners</b> , rear 1 - Not available with dual rear wheels.	■	■ <sup>1</sup>
	KG4	<b>Alternator</b> , 150 amps	■	■

Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC25743 and TK25743. 2 - Available on Crew Cab models TC35*43 and TK35*43.	Denali	
			Sierra 2500HD 5SA <sup>1</sup>	Sierra 3500HD 5SA <sup>2</sup>
	Z82	<b>Trailer equipment</b> Trailing hitch platform 2.5" with a 2.0" insert for HD, 7-wire harness with independent fused trailering circuits mated to a 7-way sealed connector to hook up parking lamps, backup lamps, right and left turn signals, an electric brake lead, battery and a ground, The trailer connector also includes the 4-way for use on trailers without brakes - park, brake/turn lamps	■	■
	NQF	<b>Transfer case</b> , electronic shift with rotary dial controls 1 - Requires 4WD models.	■ <sup>1</sup>	■ <sup>1</sup>

S = Standard Equipment A = Available -- (dashes) = Not Available D = ADI Available  
 ■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

No deletions allowed to Equipment Groups. Additional options may be added; check ordering information section for compatibility.

\*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC25743 and TK25743. 2 - Available on Crew Cab models TC35*43 and TK35*43.	Denali	
			Sierra 2500HD 5SA <sup>1</sup>	Sierra 3500HD 5SA <sup>2</sup>
	Y65	<b>Driver Alert Package</b> , includes (UFL) Lane Departure Warning, (UEU) Forward Collision Alert, and Safety Alert Seat	■	■
	UEU	<b>Forward Collision Alert</b>	■	■
	UFL	<b>Lane Departure Warning</b>	■	■
		<b>Safety Alert Seat</b>	■	■
	CJ2	<b>Air conditioning</b> , dual-zone automatic climate control	■	■
	IO6	<b>Audio system</b> , 8" diagonal Color Touch Screen Navigation with GMC Infotainment System, AM/FM/SiriusXM, HD Radio with USB ports, auxiliary jack, Bluetooth streaming audio for music and most phones, Pandora Internet radio and voice-activated technology for radio and phone	■	■
	TG5	<b>Single-slot CD/MP3 player</b> 1 - Replaced by (U42) rear seat DVD/Blu-Ray Entertainment Package when (U42) is ordered.	■ <sup>1</sup>	■ <sup>1</sup>
	U2K	<b>SiriusXM Radio</b> is standard on nearly all 2019 GM models. Enjoy a 3-month All Access trial subscription with over 150 channels including commercial-free music, plus sports, news and entertainment. Plus listening on the app and online is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. <b>1 - IMPORTANT: The SiriusXM radio trial package is not provided on vehicles that are ordered for Fleet Daily Rental ("FDR") use. If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-866-635-2349. See our Customer Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change.</b>	■ <sup>1</sup>	■ <sup>1</sup>
	UQA	<b>Bose Sound</b> with 6 speaker system, (7 speaker system including subwoofer when ordered with bucket seats).	■	■
	D07	<b>Console</b> , floor mounted, with cup holders, cell phone storage, power cord management, hanging file holder capability and (K4C) wireless charging	■	■
	C49	<b>Defogger</b> , rear-window electric	■	■
	UHS	<b>Display</b> , customizable driver display, 8" multi-color configurable	■	■
	BTV	<b>Remote vehicle starter system</b>	■	■
	AQQ	<b>Remote Keyless Entry</b>	■	■
	A91	<b>Remote Locking Tailgate</b> 1 - Included and only available with (AQQ) Remote Keyless Entry.	■ <sup>1</sup>	■ <sup>1</sup>
	B30	<b>Floor covering</b> , color-keyed carpeting	■	■
	B58	<b>Floor mats</b> , color-keyed carpeted first and second row	■	■

Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC25743 and TK25743. 2 - Available on Crew Cab models TC35*43 and TK35*43.	Denali	
			Sierra 2500HD 5SA <sup>1</sup>	Sierra 3500HD 5SA <sup>2</sup>
	U2L	<b>Radio</b> , HD	■	■
	DD8	<b>Mirror</b> , inside rearview auto-dimming	■	■
	UE1	<b>OnStar and GMC connected services capable</b> 1 - Fleet orders receive a 3-month trial. Visit onstar.com for coverage map, details and system limitations. Services vary by model.	■ <sup>1</sup>	■ <sup>1</sup>
	VV4	<b>GMC 4G LTE</b> and available built-in Wi-Fi hotspot offers a fast and reliable Internet connection for up to 7 devices; includes data trial for 1 month or 3GB (whichever comes first) 1 - Available Wi-Fi requires compatible mobile device, active OnStar service and data plan. Data plans provided by AT&T. Visit onstar.com for details and system limitations.	■ <sup>1</sup>	■ <sup>1</sup>
		<b>GMC Connected Access</b> with 10 years of standard connectivity which enables services such as, Vehicle Diagnostics, Dealer Maintenance Notification, GMC Smart Driver, Marketplace and more 1 - Limitations apply. Not transferable. Standard connectivity available to original purchaser for ten years from the date of initial vehicle purchase for model year 2018 or newer GMC vehicles. See onstar.com for details and further plan limitations. Connected Access does not include emergency or security services. Availability and additional services enabled by Connected Access are subject to change.	■ <sup>1</sup>	■ <sup>1</sup>
	JF4	<b>Pedals</b> , power-adjustable	■	■
	KI4	<b>Power outlet</b> , 110-volt AC	■	■
	UVC	<b>Rear Vision Camera</b> with dynamic guide lines	■	■
	AN3	<b>Seats</b> , front full-feature leather-appointed bucket with (KA1) heated seat cushions and seat backs. Includes 12-way power driver and front passenger seat adjusters, including 4-way power lumbar control, 2-position driver memory, adjustable head restraints, (D07) floor console and storage pockets and (K4C) wireless charging	■	■
	A68	<b>Seat</b> , rear 60/40 folding bench (folds up), 3-passenger, (includes child seat top tether anchor)	■	■
	KQV	<b>Seating</b> , heated and ventilated perforated leather-appointed front bucket	■	■
	UK3	<b>Steering wheel audio controls</b>	■	■
	UVD	<b>Steering wheel</b> , heated, leather wrapped with audio and cruise controls	■	■
	N37	<b>Steering column</b> , manual Tilt-Wheel and telescoping	■	■
	UTJ	<b>Theft-deterrent system</b> , unauthorized entry	■	■
	UG1	<b>Universal Home Remote</b> 1 - Not included when (VYU) Snow Plow Prep Package is ordered.	■ <sup>1</sup>	■ <sup>1</sup>
	DH6	<b>Visors</b> , driver and front passenger illuminated vanity mirrors	■	■
	A48	<b>Window</b> , power, rear sliding with rear defogger 1 - Not included when (VYU) Snow Plow Prep Package is ordered.	■ <sup>1</sup>	■ <sup>1</sup>
	A31	<b>Windows</b> , power with driver express up and down and express down on all other windows	■	■
	K4C	<b>Wireless Charging</b> 1 - Not compatible with all phones. Compliant batteries include Qi and PMA technologies. Reference Mobile devices manual to confirm what type of battery it uses.	■ <sup>1</sup>	■ <sup>1</sup>
	VB5	<b>Bumper</b> , front, body-color	■	■

Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC25743 and TK25743. 2 - Available on Crew Cab models TC35*43 and TK35*43.	Denali	
			Sierra 2500HD 5SA <sup>1</sup>	Sierra 3500HD 5SA <sup>2</sup>
	VT5	<b>Bumper</b> , rear body-color with bumper CornerSteps	■	■
	E20	<b>Door handles</b> , chrome	■	■
	T3U	<b>Fog lamps</b> , front, halogen	■	■
	AKO	<b>Glass</b> , deep-tinted	■	■
	DL3	<b>Mirrors</b> , outside chrome cap, heated power-adjustable, power-folding and driver-side auto-dimming, with integrated turn signal indicators and puddle lamps (includes driver's side spotter mirror)	■	--
DQS		<b>Mirrors</b> , outside heated power-adjustable vertical trailering, memory equipped, upper glass, power-folding and manual extending, chrome. Includes integrated turn signal indicators, consisting of 51 square inch flat mirror surface positioned over a 24.5 square inch convex mirror surface with a common head and lower convex spotter glass (convex glass is not heated and not power-adjustable) and addition of Auxiliary cargo lamp for backing up (helps to see trailer when backing up with a trailer) and amber auxiliary clearance lamp 1 - Included with (PCH) Duramax Plus Package.	A <sup>1</sup>	■
	B85	<b>Moldings</b> , bodyside, chrome	■	■
	UD5	<b>Front and Rear Park Assist</b> , Ultrasonic	■	■
	V76	<b>Recovery hooks</b> , front, frame-mounted, black	■	■
	PPA	<b>Tailgate</b> , EZ-Lift and Lower	■	■
	QQO	<b>Tires</b> , LT235/80R17E all-season highway 1 - Requires (CHX) 13,025 lbs. GVWR with dual rear wheels.	--	■ <sup>1</sup>
	QWF	<b>Tires</b> , LT265/70R18E all-season, blackwall 1 - Requires single rear wheels.	A	■ <sup>1</sup>
	ZQO	<b>Tire</b> , spare LT235/80R17E highway 1 - Requires (CHX) 13,025 lbs. GVWR with dual rear wheels.	--	■ <sup>1</sup>
	ZWF	<b>Tire</b> , spare LT265/70R18E all-season, blackwall 1 - Requires single rear wheels.	■	■ <sup>1</sup>
	RS7	<b>Wheels</b> , 17" (43.2 cm) forged polished aluminum 1 - Requires (CHX) 13,025 lbs. GVWR with dual rear wheels.	--	■ <sup>1</sup>
	PYR	<b>Wheels</b> , 18" (45.7 cm) chromed aluminum, includes 18" x 8" (45.7 cm x 20.3 cm) steel spare wheel 1 - Requires 3500HD single rear wheels.	A	■ <sup>1</sup>
	RQA	<b>Wheels</b> , 20" (50.8 cm) chromed cast aluminum	□	--
	N79	<b>Wheel</b> , 18" x 8" (45.7 cm x 20.3 cm) full-size, steel spare	■	--
	B1J	<b>Wheelhouse liners</b> , rear 1 - Not available with dual rear wheels.	■	■ <sup>1</sup>
	KG4	<b>Alternator</b> , 150 amps	■	■

Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC25743 and TK25743. 2 - Available on Crew Cab models TC35*43 and TK35*43.	Denali	
			Sierra 2500HD 5SA <sup>1</sup>	Sierra 3500HD 5SA <sup>2</sup>
	Z82	<b>Trailer equipment</b> Trailering hitch platform 2.5" with a 2.0" insert for HD, 7-wire harness with independent fused trailering circuits mated to a 7-way sealed connector to hook up parking lamps, backup lamps, right and left turn signals, an electric brake lead, battery and a ground, The trailer connector also includes the 4-way for use on trailers without brakes - park, brake/turn lamps	■	■
	NQF	<b>Transfer case</b> , electronic shift with rotary dial controls 1 - Requires 4WD models.	■ <sup>1</sup>	■ <sup>1</sup>
ADDITIONAL OPTIONS				
Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC25743 and TK25743. 2 - Available on Crew Cab models TC35*43 and TK35*43.	Denali	
			Sierra 2500HD 5SA <sup>1</sup>	Sierra 3500HD 5SA <sup>2</sup>
U42		<b>Entertainment Package</b> , rear seat DVD/Blu-Ray player with 9.2 inch LCD display, 2 sets of wireless headphones and A/V remote control 1 - Replaces (TG5) single-slot CD/MP3 player.	A <sup>1</sup>	A <sup>1</sup>
CF5		<b>Sunroof</b> , power 1 - Not available with (VYU) Snow Plow Prep Package.	A <sup>1</sup>	A <sup>1</sup>
PDO		<b>LPO, Protection Package</b> , includes (RIA) all-weather floor liner, LPO and (VQK) front and rear Black molded splash guards, LPO, (dealer-installed) 1 - Not available with (VRV) Body Color Molded Splash Guards, LPO or (VAV) all-weather floor mats, LPO.	A/D <sup>1</sup>	A/D <sup>1</sup>
PDL		<b>LPO, Cargo Convenience Package</b> , includes (VAV) all-weather floor mats, LPO, (VKW) front console organizer, LPO and (VBJ) rear under seat storage, LPO, (dealer-installed) 1 - Not available with (PDO) Protection Package, LPO.	A/D <sup>1</sup>	A/D <sup>1</sup>
RIA		<b>LPO, All-weather floor liner</b> , (dealer-installed) 1 - Included with (PDO) Protection Package, LPO. Not available with (VAV) all-weather floor mats.	A/D <sup>1</sup>	A/D <sup>1</sup>
VAV		<b>LPO, All-weather floor mats</b> , front and rear (dealer-installed) 1 - Included with (PDL) Cargo Convenience Package, LPO. Not available with (PDO) Protection Package, LPO.	A/D <sup>1</sup>	A/D <sup>1</sup>
SOP		<b>LPO, Console insert organizer tray</b> , (dealer-installed) 1 - Not available with (VKW) front console organizer, LPO.	A/D <sup>1</sup>	A/D <sup>1</sup>
VKW		<b>LPO, Console insert expandable folder tote</b> , (dealer-installed) 1 - Included with (PDL) Cargo Convenience Package, LPO. Requires (AN3) front bucket seats. Not available with (SOP) console insert, LPO.	A/D <sup>1</sup>	A/D <sup>1</sup>
UJ5		<b>LPO, Rear seat DVD entertainment system</b> , dual independent 7" monitors located in the headrest, includes cable kit, remote control, 2-wireless infrared headphones, vehicle wire harness jumper, control box, owners manual and 6-AAA batteries for headphones and remote (dealer installed) 1 - Not available with (U42) rear seat DVD/Blu-Ray Entertainment Package.	A/D <sup>1</sup>	A/D <sup>1</sup>
VBJ		<b>LPO, Rear underseat storage</b> , composite storage bin (dealer-installed) 1 - Included with (PDL) Cargo Convenience Package, LPO.	A/D <sup>1</sup>	A/D <sup>1</sup>

ADDITIONAL OPTIONS				
Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC25743 and TK25743. 2 - Available on Crew Cab models TC35*43 and TK35*43.	Denali	
			Sierra 2500HD 5SA <sup>1</sup>	Sierra 3500HD 5SA <sup>2</sup>
R8M		<b>Alternate Assist Step Desired</b> 1 - Deletes standard (VXH) 6" rectangular chrome tubular assist step, LPO and is required and only available with (VXJ) 4" round chrome tubular assist steps, LPO.	A <sup>1</sup>	A <sup>1</sup>
R8R		<b>Delete: Spray-on bedliner</b> 1 - Required with (VBR) rubber bed mat, LPO or (VZX) bed liner, LPO.	A <sup>1</sup>	A <sup>1</sup>
VK3		<b>License plate kit</b> , front (will be forced on orders with ship-to states that require front license plate) Note: (VK3) deletes center lower bumper filler panel.	A	A
U01		<b>Lamps</b> , Smoked Amber roof marker (required with dual rear wheels) 1 - Not available with (YF5) California state emissions requirements. 2 - Standard with dual rear wheels. Not available with (YF5) California state emissions requirements on single rear wheels.	A <sup>1</sup>	A <sup>2</sup>
DQS		<b>Mirrors</b> , outside heated power-adjustable vertical trailering, memory equipped, upper glass, power-folding and manual extending, chrome. Includes integrated turn signal indicators, consisting of 51 square inch flat mirror surface positioned over a 24.5 square inch convex mirror surface with a common head and lower convex spotter glass (convex glass is not heated and not power-adjustable) and addition of Auxiliary cargo lamp for backing up (helps to see trailer when backing up with a trailer) and amber auxiliary clearance lamp 1 - Included with (PCH) Duramax Plus Package.	A <sup>1</sup>	■
TRW		<b>Provision for cab roof-mounted lamp/beacon</b> , provides an instrument panel-mounted switch and electrical wiring tucked beneath the headliner for a body upfitter to connect a body-mounted warning or emergency lamp 1 - Included with (VYU) Snow Plow Prep Package.	A <sup>1</sup>	A <sup>1</sup>
QZT		<b>Tires</b> , LT235/80R17E all-terrain, blackwall 1 - Requires (CHX) 13,025 lbs. GVWR with dual rear wheels.	--	A <sup>1</sup>
QGM		<b>Tires</b> , LT265/70R18E all-terrain, blackwall 1 - Requires single rear wheels.	A	A <sup>1</sup>
QWF		<b>Tires</b> , LT265/70R18E all-season, blackwall 1 - Requires single rear wheels.	A	■ <sup>1</sup>
ZZT		<b>Tires</b> , spare LT235/80R17E all-terrain 1 - Requires (CHX) 13,025 lbs. GVWR with dual rear wheels and (QZT) LT235/80R17E all-terrain, blackwall tires.	--	A <sup>1</sup>
PYR		<b>Wheels</b> , 18" (45.7 cm) chromed aluminum, includes 18" x 8" (45.7 cm x 20.3 cm) steel spare wheel 1 - Requires 3500HD single rear wheels.	A	■ <sup>1</sup>
Q7R		<b>Wheels</b> , 20" (50.8 cm) 6-spoke polished aluminum	A	--
VXJ		<b>LPO, Assist steps</b> , chromed tubular, 4" round (dealer-installed) 1 - Not available with (S6V) cargo box retractable side assist step, LPO or (VXH) 6" rectangular chrome tubular assist steps, LPO.	A/D <sup>1</sup>	A/D <sup>1</sup>
S6V		<b>LPO, Cargo box retractable driver side only side assist step</b> , (dealer-installed) 1 - Not available with (VXJ) assist steps, chromed tubular, 4" round, LPO.	A/D <sup>1</sup>	A/D <sup>1</sup>

ADDITIONAL OPTIONS				
Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC25743 and TK25743. 2 - Available on Crew Cab models TC35*43 and TK35*43.	Denali	
			Sierra 2500HD 5SA <sup>1</sup>	Sierra 3500HD 5SA <sup>2</sup>
VQY		<b>LPO, Chrome recovery hooks</b> 1 - Included with (PCH) Duramax Plus Package.	A/D <sup>1</sup>	A/D <sup>1</sup>
VQZ		<b>LPO, Polished exhaust tip</b> , (dealer installed) 1 - Not available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.	A/D <sup>1</sup>	A/D <sup>1</sup>
VQK		<b>LPO, Front and Rear Molded Splash Guards</b> , Black, (dealer-installed) 1 - Included with (PDO) Protection Package, LPO. Not available with (VRV) body color molded splash guards, LPO.	A/D <sup>1</sup>	A/D <sup>1</sup>
VRV		<b>LPO, Body Color Molded Splash Guards</b> , (dealer-installed) 1 - Requires (GAZ) Summit White or (GBA) Onyx Black. Not available with (VQK) Front and Rear Molded Splash Guards, LPO. Not available with (PDO) Protection Package, LPO.	A/D <sup>1</sup>	A/D <sup>1</sup>
SF6		<b>LPO, Body color wheel arch moldings</b> , (dealer-installed) 1 - Requires (GAZ) Summit White or (GBA) Onyx Black. 2 - Requires (GAZ) Summit White or (GBA) Onyx Black. Not available with dual rear wheels.	A/D <sup>1</sup>	A/D <sup>2</sup>
5JY		<b>LPO, Soft folding tonneau cover</b> , (dealer-installed) 1 - Not available with (VPB) vinyl tonneau cover with integrated support bows, LPO or (VQT) hard tri-folding tonneau cover, LPO . 2 - Not available with (VPB) vinyl tonneau cover with integrated support bows, LPO, (VQT) hard tri-folding tonneau cover, LPO or with dual rear wheels.	A/D <sup>1</sup>	A/D <sup>2</sup>
VPB		<b>LPO, Vinyl tonneau cover</b> with integrated support bows, (dealer-installed) 1 - Not available with (5JY) soft folding tonneau cover, LPO or (VQT) hard tri-folding tonneau cover, LPO.	A/D <sup>1</sup>	A/D <sup>1</sup>
VQT		<b>LPO, Tonneau cover</b> , Hard tri-folding with vinyl cover, (dealer-installed) 1 - Not available with (VPB) soft tonneau cover, LPO or (5JY) soft-folding tonneau cover, LPO. 2 - Not available with (VPB) soft tonneau cover, LPO, (5JY) soft-folding tonneau cover, LPO or with dual rear wheels.	A/D <sup>1</sup>	A/D <sup>2</sup>
VZX		<b>LPO, Bed liner</b> , (dealer-installed) 1 - Not available with (CGN) spray-on bed liner.	A/D <sup>1</sup>	A/D <sup>1</sup>
VBR		<b>LPO, Rubber bed mat</b> , (dealer-installed) 1 - Not available with (VZX) bed liner, LPO.	A/D <sup>1</sup>	A/D <sup>1</sup>
SCZ		<b>LPO, Tailgate handle</b> , chrome, (dealer-installed)	A/D	A/D
SFE		<b>LPO, Wheel locks</b> , set of 4 (dealer-installed)	A/D	A/D
PCH		<b>Duramax Plus Package</b> , includes (L5P) Duramax 6.6L Turbo-Diesel V8 engine and (VQY) chrome recovery hooks, LPO, (MW7) Allison 1000 6-speed automatic transmission 1 - Includes (DQS) outside memory equipped heated power-adjustable vertical trailing mirrors.	A <sup>1</sup>	A

ADDITIONAL OPTIONS				
Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC25743 and TK25743. 2 - Available on Crew Cab models TC35*43 and TK35*43.	Denali	
			Sierra 2500HD 5SA <sup>1</sup>	Sierra 3500HD 5SA <sup>2</sup>
VYU		<b>Snow Plow Prep Package</b> , includes power feed for backup and roof emergency light, (KW5) 220-amp alternator with gas or diesel engine, forward lamp wiring harness, (TRW) provision for cab roof mounted lamp/beacon, (NZZ) underbody shields and Heavy-Duty front-springs <b>1 - Only available on 4WD models. Not available with (CF5) power sunroof. When (VYU) is ordered (UG1) Universal Home Remote and (A48) power sliding rear window is deleted. Upgradeable to (KHB) dual, 150 amps and 220 amps each alternators with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.</b>	A <sup>1</sup>	A <sup>1</sup>
KW5		<b>Alternator</b> , 220 amps <b>1 - Included with (VYU) Snow Plow Prep Package when ordered with gas or diesel engines.</b>	A <sup>1</sup>	A <sup>1</sup>
KHB		<b>Alternators</b> , dual, 150 amps and 220 amps each <b>1 - Requires (L5P) Duramax 6.6L Turbo-Diesel V8 engine.</b>	A <sup>1</sup>	A <sup>1</sup>
K4B		<b>Battery</b> , 730 cold-cranking amps, auxiliary <b>1 - Not available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.</b>	A <sup>1</sup>	A <sup>1</sup>
V10		<b>Cover</b> , 1-piece, covers radiator grille and front bumper openings for diesel engines in winter weather <b>1 - Requires (L5P) Duramax 6.6L Turbo-Diesel V8 engine and is required on orders with "Ship To" locations within the following states: Maine, New Hampshire, Vermont, Minnesota, North Dakota, South Dakota, Montana, Alaska, Idaho, Wisconsin, Wyoming, Michigan, Colorado and New York.</b>	A <sup>1</sup>	A <sup>1</sup>
FE9		<b>Emissions</b> , Federal requirements	A	A
NE1		<b>Emissions</b> , Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington state requirements	A	A
NC7		<b>Emissions override</b> , Federal (for vehicles ordered by dealers in Federal emission states with (YF5) or (NE1) emissions - Not required for vehicles being shipped to California, Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont or Washington) <b>1 - Requires (YF5) California state emissions requirements or (NE1) Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont or Washington state emissions requirements.</b>	A <sup>1</sup>	A <sup>1</sup>
NB9		<b>Emissions override</b> , state-specific (for dealers ordering vehicles in (YF5) or (NE1) emission states - California, Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington) <b>1 - Allows a California dealer (YF5 emissions) to order (NE1) emissions with (NB9) emissions override code for registration in (NE1) states; or, a Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington dealer (NE1 emissions) to order (YF5) emissions with (NB9) emissions override code for registration in California.</b>	A <sup>1</sup>	A <sup>1</sup>

ADDITIONAL OPTIONS				
Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC25743 and TK25743. 2 - Available on Crew Cab models TC35*43 and TK35*43.	Denali	
			Sierra 2500HD 5SA <sup>1</sup>	Sierra 3500HD 5SA <sup>2</sup>
NB8		<b>Emissions override</b> , California (allows a dealer in states that require California emissions - California, Connecticut, Delaware, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island or Washington - to order Federal emissions for a vehicle that will be registered in a state that has Federal emission requirements). Do not use for vehicles that will be registered in California, Connecticut, Delaware, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island or Washington. 1 - Requires (FE9) Federal emissions requirements. Not available in Maine or Vermont.	A <sup>1</sup>	A <sup>1</sup>
YF5		<b>Emissions</b> , California state requirements	A	A
K05		<b>Engine block heater</b> 1 - Included with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.	A <sup>1</sup>	A <sup>1</sup>
C7A		<b>GVWR</b> , 10,000 lbs. (4536 kg) 1 - Requires (L5P) Duramax 6.6L Turbo-Diesel V8 engine. 2 - Requires TC35743 model and (L96) Vortec 6.0L V8 SFI engine.	A <sup>1</sup>	A <sup>2</sup>
C7G		<b>GVWR</b> , 10,500 lbs. (4763 kg) with single rear wheels 1 - Requires (L96) Vortec 6.0L V8 SFI engine and model TC35743.	--	A <sup>1</sup>
JFL		<b>GVWR</b> , 10,800 lbs. (4899 kg) with single rear wheels 1 - Requires (L96) Vortec 6.0L V8 SFI engine or and model TK35743.	--	A <sup>1</sup>
C7E		<b>GVWR</b> , 11,000 lbs. (4990 kg) with single rear wheels 1 - Requires K35943 model and (L96) Vortec 6.0L V8 SFI engine.	--	A <sup>1</sup>
JFK		<b>GVWR</b> , 10,700 lbs. (4854 kg) with single rear wheels 1 - Requires C35943 and (L96) Vortec 6.0L V8 SFI engine.	--	A <sup>1</sup>
JFN		<b>GVWR</b> , 11,100 lbs. (5035 kg) with single rear wheels 1 - Requires (L5P) Duramax 6.6L Turbo-Diesel V8 engine and model TC35743.	--	A <sup>1</sup>
C7W		<b>GVWR</b> , 11,400 lbs. (5171 kg) with single rear wheels 1 - Requires C35943 with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.	--	A <sup>1</sup>
G1Y		<b>GVWR</b> , 11,500 lbs. (5216 kg) with single rear wheels 1 - Requires (L5P) Duramax 6.6L Turbo-Diesel V8 engine and model TK35743.	--	A <sup>1</sup>
C7V		<b>GVWR</b> , 11,600 lbs. (5262 kg) with single rear wheels 1 - Requires K35943 with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.	--	A <sup>1</sup>
CHX		<b>GVWR</b> , 13,025 lbs. (5908 kg) with dual rear wheels 1 - Requires model T*35943.	--	A <sup>1</sup>
Z71		<b>Suspension Package</b> , Off-Road, requires 4WD models, includes twin tube Rancho brand shocks and (JHD) Hill Descent Control 1 - Requires all-terrain tires. Z71 chrome front fender emblem not included on Denali models. 2 - Requires All-Terrain tires. Z71 chrome front fender emblem not included on Denali models. Not available with dual rear wheels.	A <sup>1</sup>	A <sup>2</sup>
UF3		<b>Switch, High Idle</b>	A	A
UY2		<b>Trailer wiring provisions</b> , for camper, fifth wheel and gooseneck trailer, includes additional 7-way wiring harness is located at the rear of the pickup box attached to the rear frame cross member	A	A

ADDITIONAL OPTIONS				
Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC25743 and TK25743. 2 - Available on Crew Cab models TC35*43 and TK35*43.	Denali	
			Sierra 2500HD 5SA <sup>1</sup>	Sierra 3500HD 5SA <sup>2</sup>
Z6A		<p><b>Gooseneck / 5th Wheel Prep Package</b> -- Hitch platform to accept Gooseneck or Fifth wheel hitch. Includes Hitch platform with tray to accept ball and drilled box holes with removable caps installed, box mounted 7-pin trailer harness (similar to (UY2) harness).</p> <p>1 - Requires model T*25**3, (Z82) trailering equipment, (CGN) spray-on bedliner and trailering mirrors (DF2), (DPN) or (DQS) . Not available with (UY2) Trailering wiring provisions, (9J4) rear bumper delete, (VBR) rubber bed mat, LPO, (VZX) bed liner, LPO, (VUK) tailgate liner, LPO, (VBN) bed rug, LPO or any ship thru code.</p> <p>2 - Requires model T*35**3, (Z82) trailering equipment, (CGN) spray-on bedliner and trailering mirrors (DF2), (DPN) or (DQS) . Not available with (UY2) Trailering wiring provisions, (9J4) rear bumper delete, (VBR) rubber bed mat, LPO, (VZX) bed liner, LPO, (VUK) tailgate liner, LPO or any ship thru code.</p>	A <sup>1</sup>	A <sup>2</sup>
SNO		<p><b>LPO, Hitch Package</b>, Gooseneck ball and chain tiedown kit with case, (dealer-installed)</p> <p>1 - Requires (Z6A) Gooseneck / 5th Wheel Prep Package. Not available with (VBR) rubber bed mat, LPO or (VZX) bed liner, LPO.</p>	A/D <sup>1</sup>	A/D <sup>1</sup>
MW7		<p><b>Transmission</b>, Allison 1000 6-speed automatic, electronically controlled with overdrive, electronic engine grade braking and tow/haul mode</p> <p>1 - Requires (L5P) Duramax 6.6L Turbo-Diesel V8 engine.</p>	A <sup>1</sup>	A <sup>1</sup>

S = Standard Equipment A = Available -- (dashes) = Not Available D = ADI Available  
 ■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

No deletions allowed to Equipment Groups. Additional options may be added; check ordering information section for compatibility.

\*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC25743 and TK25743. 2 - Available on Crew Cab models TC35*43 and TK35*43.	Denali	
			Sierra 2500HD 5SA <sup>1</sup>	Sierra 3500HD 5SA <sup>2</sup>
	CJ2	<b>Air conditioning</b> , dual-zone automatic climate control	■	■
	KG4	<b>Alternator</b> , 150 amps	■	■
	IO6	<b>Audio system</b> , 8" diagonal Color Touch Screen Navigation with GMC Infotainment System, AM/FM/SiriusXM, HD Radio with USB ports, auxiliary jack, Bluetooth streaming audio for music and most phones, Pandora Internet radio and voice-activated technology for radio and phone	■	■
	UQA	<b>Bose Sound</b> with 6 speaker system, (7 speaker system including subwoofer when ordered with bucket seats).	■	■
	VB5	<b>Bumper</b> , front, body-color	■	■
	VT5	<b>Bumper</b> , rear body-color with bumper CornerSteps	■	■
	D07	<b>Console</b> , floor mounted, with cup holders, cell phone storage, power cord management, hanging file holder capability and (K4C) wireless charging	■	■
	C49	<b>Defogger</b> , rear-window electric	■	■
	UHS	<b>Display</b> , customizable driver display, 8" multi-color configurable	■	■
	E20	<b>Door handles</b> , chrome	■	■
	Y65	<b>Driver Alert Package</b> , includes (UFL) Lane Departure Warning, (UEU) Forward Collision Alert, and Safety Alert Seat	■	■
	B30	<b>Floor covering</b> , color-keyed carpeting	■	■
	B58	<b>Floor mats</b> , color-keyed carpeted first and second row	■	■
	T3U	<b>Fog lamps</b> , front, halogen	■	■
	UEU	<b>Forward Collision Alert</b>	■	■
	UD5	<b>Front and Rear Park Assist</b> , Ultrasonic	■	■
	AKO	<b>Glass</b> , deep-tinted	■	■
	VV4	<b>GMC 4G LTE</b> and available built-in Wi-Fi hotspot offers a fast and reliable Internet connection for up to 7 devices; includes data trial for 1 month or 3GB (whichever comes first) 1 - Available Wi-Fi requires compatible mobile device, active OnStar service and data plan. Data plans provided by AT&T. Visit onstar.com for details and system limitations.	■ <sup>1</sup>	■ <sup>1</sup>

Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC25743 and TK25743. 2 - Available on Crew Cab models TC35*43 and TK35*43.	Denali	
			Sierra 2500HD 5SA <sup>1</sup>	Sierra 3500HD 5SA <sup>2</sup>
		<b>GMC Connected Access</b> with 10 years of standard connectivity which enables services such as, Vehicle Diagnostics, Dealer Maintenance Notification, GMC Smart Driver, Marketplace and more 1 - Limitations apply. Not transferable. Standard connectivity available to original purchaser for ten years from the date of initial vehicle purchase for model year 2018 or newer GMC vehicles. See onstar.com for details and further plan limitations. Connected Access does not include emergency or security services. Availability and additional services enabled by Connected Access are subject to change.	■ <sup>1</sup>	■ <sup>1</sup>
	UFL	<b>Lane Departure Warning</b>	■	■
	DD8	<b>Mirror</b> , inside rearview auto-dimming	■	■
	B85	<b>Moldings</b> , bodyside, chrome	■	■
	UE1	<b>OnStar and GMC connected services capable</b> 1 - Fleet orders receive a 3-month trial. Visit onstar.com for coverage map, details and system limitations. Services vary by model.	■ <sup>1</sup>	■ <sup>1</sup>
	JF4	<b>Pedals</b> , power-adjustable	■	■
	KI4	<b>Power outlet</b> , 110-volt AC	■	■
	U2L	<b>Radio</b> , HD	■	■
	UVC	<b>Rear Vision Camera</b> with dynamic guide lines	■	■
	V76	<b>Recovery hooks</b> , front, frame-mounted, black	■	■
	AQQ	<b>Remote Keyless Entry</b>	■	■
	A91	<b>Remote Locking Tailgate</b> 1 - Included and only available with (AQQ) Remote Keyless Entry.	■ <sup>1</sup>	■ <sup>1</sup>
	BTV	<b>Remote vehicle starter system</b>	■	■
		<b>Safety Alert Seat</b>	■	■
	A68	<b>Seat</b> , rear 60/40 folding bench (folds up), 3-passenger, (includes child seat top tether anchor)	■	■
	KQV	<b>Seating</b> , heated and ventilated perforated leather-appointed front bucket	■	■
	AN3	<b>Seats</b> , front full-feature leather-appointed bucket with (KA1) heated seat cushions and seat backs. Includes 12-way power driver and front passenger seat adjusters, including 4-way power lumbar control, 2-position driver memory, adjustable head restraints, (D07) floor console and storage pockets and (K4C) wireless charging	■	■
	TG5	<b>Single-slot CD/MP3 player</b> 1 - Replaced by (U42) rear seat DVD/Blu-Ray Entertainment Package when (U42) is ordered.	■ <sup>1</sup>	■ <sup>1</sup>
	U2K	<b>SiriusXM Radio</b> is standard on nearly all 2019 GM models. Enjoy a 3-month All Access trial subscription with over 150 channels including commercial-free music, plus sports, news and entertainment. Plus listening on the app and online is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. 1 - IMPORTANT: The SiriusXM radio trial package is not provided on vehicles that are ordered for Fleet Daily Rental ("FDR") use. If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-866-635-2349. See our Customer Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change.	■ <sup>1</sup>	■ <sup>1</sup>

Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC25743 and TK25743. 2 - Available on Crew Cab models TC35*43 and TK35*43.	Denali	
			Sierra 2500HD 5SA <sup>1</sup>	Sierra 3500HD 5SA <sup>2</sup>
	N37	<b>Steering column</b> , manual Tilt-Wheel and telescoping	■	■
	UVD	<b>Steering wheel</b> , heated, leather wrapped with audio and cruise controls	■	■
	UK3	<b>Steering wheel audio controls</b>	■	■
	PPA	<b>Tailgate</b> , EZ-Lift and Lower	■	■
	UTJ	<b>Theft-deterrent system</b> , unauthorized entry	■	■
	ZWF	<b>Tire</b> , spare LT265/70R18E all-season, blackwall 1 - Requires single rear wheels.	■	■ <sup>1</sup>
	Z82	<b>Trailer equipment</b> Trailing hitch platform 2.5" with a 2.0" insert for HD, 7-wire harness with independent fused trailing circuits mated to a 7-way sealed connector to hook up parking lamps, backup lamps, right and left turn signals, an electric brake lead, battery and a ground, The trailer connector also includes the 4-way for use on trailers without brakes - park, brake/turn lamps	■	■
	NQF	<b>Transfer case</b> , electronic shift with rotary dial controls 1 - Requires 4WD models.	■ <sup>1</sup>	■ <sup>1</sup>
	UG1	<b>Universal Home Remote</b> 1 - Not included when (VYU) Snow Plow Prep Package is ordered.	■ <sup>1</sup>	■ <sup>1</sup>
	DH6	<b>Visors</b> , driver and front passenger illuminated vanity mirrors	■	■
	B1J	<b>Wheelhouse liners</b> , rear 1 - Not available with dual rear wheels.	■	■ <sup>1</sup>
	A48	<b>Window</b> , power, rear sliding with rear defogger 1 - Not included when (VYU) Snow Plow Prep Package is ordered.	■ <sup>1</sup>	■ <sup>1</sup>
	A31	<b>Windows</b> , power with driver express up and down and express down on all other windows	■	■
	K4C	<b>Wireless Charging</b> 1 - Not compatible with all phones. Compliant batteries include Qi and PMA technologies. Reference Mobile devices manual to confirm what type of battery it uses.	■ <sup>1</sup>	■ <sup>1</sup>
	DL3	<b>Mirrors</b> , outside chrome cap, heated power-adjustable, power-folding and driver-side auto-dimming, with integrated turn signal indicators and puddle lamps (includes driver's side spotter mirror)	■	
	N79	<b>Wheel</b> , 18" x 8" (45.7 cm x 20.3 cm) full-size, steel spare	■	
	RQA	<b>Wheels</b> , 20" (50.8 cm) chromed cast aluminum	□	
DQS		<b>Mirrors</b> , outside heated power-adjustable vertical trailing, memory equipped, upper glass, power-folding and manual extending, chrome. Includes integrated turn signal indicators, consisting of 51 square inch flat mirror surface positioned over a 24.5 square inch convex mirror surface with a common head and lower convex spotter glass (convex glass is not heated and not power-adjustable) and addition of Auxiliary cargo lamp for backing up (helps to see trailer when backing up with a trailer) and amber auxiliary clearance lamp		■
	ZQO	<b>Tire</b> , spare LT235/80R17E highway 1 - Requires (CHX) 13,025 lbs. GVWR with dual rear wheels.		■ <sup>1</sup>

Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC25743 and TK25743. 2 - Available on Crew Cab models TC35*43 and TK35*43.	Denali	
			Sierra 2500HD 5SA <sup>1</sup>	Sierra 3500HD 5SA <sup>2</sup>
	QQO	<b>Tires</b> , LT235/80R17E all-season highway 1 - Requires (CHX) 13,025 lbs. GVWR with dual rear wheels.		■ <sup>1</sup>
QWF		<b>Tires</b> , LT265/70R18E all-season, blackwall 1 - Requires single rear wheels.		■ <sup>1</sup>
	RS7	<b>Wheels</b> , 17" (43.2 cm) forged polished aluminum 1 - Requires (CHX) 13,025 lbs. GVWR with dual rear wheels.		■ <sup>1</sup>
PYR		<b>Wheels</b> , 18" (45.7 cm) chromed aluminum, includes 18" x 8" (45.7 cm x 20.3 cm) steel spare wheel 1 - Requires 3500HD single rear wheels.		■ <sup>1</sup>

S = Standard Equipment A = Available -- (dashes) = Not Available D = ADI Available  
 ■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

\*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC25743 and TK25743. 2 - Available on Crew Cab models TC35*43 and TK35*43.	Denali	
			Sierra 2500HD 5SA <sup>1</sup>	Sierra 3500HD 5SA <sup>2</sup>
	Y65	<b>Driver Alert Package</b> , includes (UFL) Lane Departure Warning, (UEU) Forward Collision Alert, and Safety Alert Seat	■	■
	UEU	<b>Forward Collision Alert</b>	■	■
	UFL	<b>Lane Departure Warning</b>	■	■
		<b>Safety Alert Seat</b>	■	■
	AY0	<b>Airbags</b> , single-stage frontal and thorax side-impact, driver and front passenger, and roof-rail side-impact, front and rear outboard seating positions 1 - Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.	S <sup>1</sup>	S <sup>1</sup>
	CJ2	<b>Air conditioning</b> , dual-zone automatic climate control	■	■
		<b>Assist handle</b> , front passenger and driver on A-pillars	S	S
	IO6	<b>Audio system</b> , 8" diagonal Color Touch Screen Navigation with GMC Infotainment System, AM/FM/SiriusXM, HD Radio with USB ports, auxiliary jack, Bluetooth streaming audio for music and most phones, Pandora Internet radio and voice-activated technology for radio and phone	■	■
	TG5	<b>Single-slot CD/MP3 player</b> 1 - Replaced by (U42) rear seat DVD/Blu-Ray Entertainment Package when (U42) is ordered.	■ <sup>1</sup>	■ <sup>1</sup>
	U2K	<b>SiriusXM Radio</b> is standard on nearly all 2019 GM models. Enjoy a 3-month All Access trial subscription with over 150 channels including commercial-free music, plus sports, news and entertainment. Plus listening on the app and online is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. 1 - IMPORTANT: The SiriusXM radio trial package is not provided on vehicles that are ordered for Fleet Daily Rental ("FDR") use. If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-866-635-2349. See our Customer Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change.	■ <sup>1</sup>	■ <sup>1</sup>
	UQA	<b>Bose Sound</b> with 6 speaker system, (7 speaker system including subwoofer when ordered with bucket seats).	■	■
		<b>Bluetooth for phone</b> , personal cell phone connectivity to vehicle audio system	S	S
	D07	<b>Console</b> , floor mounted, with cup holders, cell phone storage, power cord management, hanging file holder capability and (K4C) wireless charging	■	■
	K34	<b>Cruise control</b> , steering wheel-mounted	S	S
		<b>Instrumentation</b> , 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure	S	S
	C49	<b>Defogger</b> , rear-window electric	■	■

Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC25743 and TK25743. 2 - Available on Crew Cab models TC35*43 and TK35*43.	Denali	
			Sierra 2500HD 5SA <sup>1</sup>	Sierra 3500HD 5SA <sup>2</sup>
	UHS	<b>Display</b> , customizable driver display, 8" multi-color configurable	■	■
	AU3	<b>Door locks</b> , power	S	S
U42		<b>Entertainment Package</b> , rear seat DVD/Blu-Ray player with 9.2 inch LCD display, 2 sets of wireless headphones and A/V remote control 1 - Replaces (TG5) single-slot CD/MP3 player.	A <sup>1</sup>	A <sup>1</sup>
	BTV	<b>Remote vehicle starter system</b>	■	■
	AQQ	<b>Remote Keyless Entry</b>	■	■
	A91	<b>Remote Locking Tailgate</b> 1 - Included and only available with (AQQ) Remote Keyless Entry.	■ <sup>1</sup>	■ <sup>1</sup>
	B30	<b>Floor covering</b> , color-keyed carpeting	■	■
	B58	<b>Floor mats</b> , color-keyed carpeted first and second row	■	■
	U2L	<b>Radio</b> , HD	■	■
	DD8	<b>Mirror</b> , inside rearview auto-dimming	■	■
	UE1	<b>OnStar and GMC connected services capable</b> 1 - Fleet orders receive a 3-month trial. Visit onstar.com for coverage map, details and system limitations. Services vary by model.	■ <sup>1</sup>	■ <sup>1</sup>
	VV4	<b>GMC 4G LTE</b> and available built-in Wi-Fi hotspot offers a fast and reliable Internet connection for up to 7 devices; includes data trial for 1 month or 3GB (whichever comes first) 1 - Available Wi-Fi requires compatible mobile device, active OnStar service and data plan. Data plans provided by AT&T. Visit onstar.com for details and system limitations.	■ <sup>1</sup>	■ <sup>1</sup>
		<b>GMC Connected Access</b> with 10 years of standard connectivity which enables services such as, Vehicle Diagnostics, Dealer Maintenance Notification, GMC Smart Driver, Marketplace and more 1 - Limitations apply. Not transferable. Standard connectivity available to original purchaser for ten years from the date of initial vehicle purchase for model year 2018 or newer GMC vehicles. See onstar.com for details and further plan limitations. Connected Access does not include emergency or security services. Availability and additional services enabled by Connected Access are subject to change.	■ <sup>1</sup>	■ <sup>1</sup>
	JF4	<b>Pedals</b> , power-adjustable	■	■
	KI4	<b>Power outlet</b> , 110-volt AC	■	■
	UVC	<b>Rear Vision Camera</b> with dynamic guide lines	■	■
	AN3	<b>Seats</b> , front full-feature leather-appointed bucket with (KA1) heated seat cushions and seat backs. Includes 12-way power driver and front passenger seat adjusters, including 4-way power lumbar control, 2-position driver memory, adjustable head restraints, (D07) floor console and storage pockets and (K4C) wireless charging	■	■
	A68	<b>Seat</b> , rear 60/40 folding bench (folds up), 3-passenger, (includes child seat top tether anchor)	■	■
	KQV	<b>Seating</b> , heated and ventilated perforated leather-appointed front bucket	■	■
	UK3	<b>Steering wheel audio controls</b>	■	■
	UVD	<b>Steering wheel</b> , heated, leather wrapped with audio and cruise controls	■	■
	N37	<b>Steering column</b> , manual Tilt-Wheel and telescoping	■	■

Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC25743 and TK25743. 2 - Available on Crew Cab models TC35*43 and TK35*43.	Denali	
			Sierra 2500HD 5SA <sup>1</sup>	Sierra 3500HD 5SA <sup>2</sup>
CF5		<b>Sunroof, power</b> 1 - Not available with (VYU) Snow Plow Prep Package.	A <sup>1</sup>	A <sup>1</sup>
	TDM	<b>Teen Driver</b> , configurable feature that lets you activate customizable vehicle settings associated with a key fob, to encourage safe driving behavior. It can limit certain vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver	S	S
	UTJ	<b>Theft-deterrent system</b> , unauthorized entry	■	■
	UJM	<b>Tire Pressure Monitoring System</b> (does not apply to spare tire) 1 - On 3500HD, included and only available with (C7A) 10,000 lb. GVWR.	S	A <sup>1</sup>
	UG1	<b>Universal Home Remote</b> 1 - Not included when (VYU) Snow Plow Prep Package is ordered.	■ <sup>1</sup>	■ <sup>1</sup>
	DH6	<b>Visors</b> , driver and front passenger illuminated vanity mirrors	■	■
	A48	<b>Window</b> , power, rear sliding with rear defogger 1 - Not included when (VYU) Snow Plow Prep Package is ordered.	■ <sup>1</sup>	■ <sup>1</sup>
	A31	<b>Windows</b> , power with driver express up and down and express down on all other windows	■	■
	K4C	<b>Wireless Charging</b> 1 - Not compatible with all phones. Compliant batteries include Qi and PMA technologies. Reference Mobile devices manual to confirm what type of battery it uses.	■ <sup>1</sup>	■ <sup>1</sup>
PDO		<b>LPO, Protection Package</b> , includes (RIA) all-weather floor liner, LPO and (VQK) front and rear Black molded splash guards, LPO, (dealer-installed) 1 - Not available with (VRV) Body Color Molded Splash Guards, LPO or (VAV) all-weather floor mats, LPO.	A/D <sup>1</sup>	A/D <sup>1</sup>
PDL		<b>LPO, Cargo Convenience Package</b> , includes (VAV) all-weather floor mats, LPO, (VKW) front console organizer, LPO and (VBJ) rear under seat storage, LPO, (dealer-installed) 1 - Not available with (PDO) Protection Package, LPO.	A/D <sup>1</sup>	A/D <sup>1</sup>
RIA		<b>LPO, All-weather floor liner</b> , (dealer-installed) 1 - Included with (PDO) Protection Package, LPO. Not available with (VAV) all-weather floor mats.	A/D <sup>1</sup>	A/D <sup>1</sup>
VAV		<b>LPO, All-weather floor mats</b> , front and rear (dealer-installed) 1 - Included with (PDL) Cargo Convenience Package, LPO. Not available with (PDO) Protection Package, LPO.	A/D <sup>1</sup>	A/D <sup>1</sup>
S0P		<b>LPO, Console insert organizer tray</b> , (dealer-installed) 1 - Not available with (VKW) front console organizer, LPO.	A/D <sup>1</sup>	A/D <sup>1</sup>
VKW		<b>LPO, Console insert expandable folder tote</b> , (dealer-installed) 1 - Included with (PDL) Cargo Convenience Package, LPO. Requires (AN3) front bucket seats. Not available with (S0P) console insert, LPO.	A/D <sup>1</sup>	A/D <sup>1</sup>
UJ5		<b>LPO, Rear seat DVD entertainment system</b> , dual independent 7" monitors located in the headrest, includes cable kit, remote control, 2-wireless infrared headphones, vehicle wire harness jumper, control box, owners manual and 6-AAA batteries for headphones and remote (dealer installed) 1 - Not available with (U42) rear seat DVD/Blu-Ray Entertainment Package.	A/D <sup>1</sup>	A/D <sup>1</sup>

Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC25743 and TK25743. 2 - Available on Crew Cab models TC35*43 and TK35*43.	Denali	
			Sierra 2500HD 5SA <sup>1</sup>	Sierra 3500HD 5SA <sup>2</sup>
VBJ		<b>LPO, Rear underseat storage</b> , composite storage bin (dealer-installed) 1 - Included with (PDL) Cargo Convenience Package, LPO.	A/D <sup>1</sup>	A/D <sup>1</sup>

S = Standard Equipment A = Available -- (dashes) = Not Available D = ADI Available

■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

\*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC25743 and TK25743. 2 - Available on Crew Cab models TC35*43 and TK35*43.	Denali	
			Sierra 2500HD 5SA <sup>1</sup>	Sierra 3500HD 5SA <sup>2</sup>
	VXH	<b>LPO, Assist steps</b> , chromed tubular, 6" rectangular (dealer-installed) 1 - May be substituted with (VXJ) assist steps, LPO. (VXH) is deleted when (VXJ) assist steps, LPO is specified.	S <sup>1</sup>	S <sup>1</sup>
R8M		<b>Alternate Assist Step Desired</b> 1 - Deletes standard (VXH) 6" rectangular chrome tubular assist step, LPO and is required and only available with (VXJ) 4" round chrome tubular assist steps, LPO.	A <sup>1</sup>	A <sup>1</sup>
	BWN	<b>CornerStep</b> , rear bumper	S	S
	CGN	<b>Bed Liner, Spray-on</b> , Pickup box bed liner consisting of high pressure, chemically bonded, sprayed-on polyurea & polyurethane liner formulation. Liner is permanently bonded to the truck bed providing a water tight seal. Includes embossed Denali logo on front bed wall. The textured, non-skid surface is black in color and robotically applied. Spray-on liner covers entire bed interior surface below side rails, including tailgate, front box top rail, gage hole plugs and lower tie down loops. 1 - Not available with (VZX) bed liner, LPO.	S <sup>1</sup>	S <sup>1</sup>
R8R		<b>Delete: Spray-on bedliner</b> 1 - Required with (VBR) rubber bed mat, LPO or (VZX) bed liner, LPO.	A <sup>1</sup>	A <sup>1</sup>
	VB5	<b>Bumper</b> , front, body-color	■	■
	VT5	<b>Bumper</b> , rear body-color with bumper CornerSteps	■	■
		<b>Capped Fuel Fill</b> 1 - Included and only available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.	A <sup>1</sup>	A <sup>1</sup>
		<b>Capless Fuel Fill</b> 1 - Requires gas engine and (E63) pickup box.	S <sup>1</sup>	S <sup>1</sup>
		<b>Daytime Running Lamps</b> , with automatic exterior lamp control	S	S
	E20	<b>Door handles</b> , chrome	■	■
	T3U	<b>Fog lamps</b> , front, halogen	■	■
	CTD	<b>Cargo tie downs (4)</b> , movable upper	S	S
	AKO	<b>Glass</b> , deep-tinted	■	■
		<b>Headlamps</b> , High-Intensity Discharge (HID) projector-beam with GMC signature LED lighting	S	S
VK3		<b>License plate kit</b> , front (will be forced on orders with ship-to states that require front license plate) Note: (VK3) deletes center lower bumper filler panel.	A	A
		<b>Lamps</b> , cargo area, cab mounted with switch on center switch bank	S	S
U01		<b>Lamps</b> , Smoked Amber roof marker (required with dual rear wheels) 1 - Not available with (YF5) California state emissions requirements. 2 - Standard with dual rear wheels. Not available with (YF5) California state emissions requirements on single rear wheels.	A <sup>1</sup>	A <sup>2</sup>

Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC25743 and TK25743. 2 - Available on Crew Cab models TC35*43 and TK35*43.	Denali	
			Sierra 2500HD 5SA <sup>1</sup>	Sierra 3500HD 5SA <sup>2</sup>
	UF2	<b>LED Lighting</b> , cargo box with switch on center switch bank	S	S
	DL3	<b>Mirrors</b> , outside chrome cap, heated power-adjustable, power-folding and driver-side auto-dimming, with integrated turn signal indicators and puddle lamps (includes driver's side spotter mirror)	■	--
DQS		<b>Mirrors</b> , outside heated power-adjustable vertical trailing, memory equipped, upper glass, power-folding and manual extending, chrome. Includes integrated turn signal indicators, consisting of 51 square inch flat mirror surface positioned over a 24.5 square inch convex mirror surface with a common head and lower convex spotter glass (convex glass is not heated and not power-adjustable) and addition of Auxiliary cargo lamp for backing up (helps to see trailer when backing up with a trailer) and amber auxiliary clearance lamp 1 - Included with (PCH) Duramax Plus Package.	A <sup>1</sup>	■
	B85	<b>Moldings</b> , bodyside, chrome	■	■
	E63	<b>Pickup box</b>	S	S
TRW		<b>Provision for cab roof-mounted lamp/beacon</b> , provides an instrument panel-mounted switch and electrical wiring tucked beneath the headliner for a body upfitter to connect a body-mounted warning or emergency lamp 1 - Included with (VYU) Snow Plow Prep Package.	A <sup>1</sup>	A <sup>1</sup>
	UD5	<b>Front and Rear Park Assist</b> , Ultrasonic	■	■
	V76	<b>Recovery hooks</b> , front, frame-mounted, black	■	■
		<b>Tailgate and bed rail protection caps</b> , top	S	S
	PPA	<b>Tailgate</b> , EZ-Lift and Lower	■	■
	SAF	<b>Tire carrier lock</b> , keyed cylinder lock that utilizes same key as ignition and door	S	S
	QQO	<b>Tires</b> , LT235/80R17E all-season highway 1 - Requires (CHX) 13,025 lbs. GVWR with dual rear wheels.	--	■ <sup>1</sup>
	QZT	<b>Tires</b> , LT235/80R17E all-terrain, blackwall 1 - Requires (CHX) 13,025 lbs. GVWR with dual rear wheels.	--	A <sup>1</sup>
	QGM	<b>Tires</b> , LT265/70R18E all-terrain, blackwall 1 - Requires single rear wheels.	A	A <sup>1</sup>
	QWF	<b>Tires</b> , LT265/70R18E all-season, blackwall 1 - Requires single rear wheels.	A	■ <sup>1</sup>
	QFC	<b>Tires</b> , LT265/60R20E all-terrain, blackwall	S	--
	ZZT	<b>Tires</b> , spare LT235/80R17E all-terrain 1 - Requires (CHX) 13,025 lbs. GVWR with dual rear wheels and (QZT) LT235/80R17E all-terrain, blackwall tires.	--	A <sup>1</sup>
	ZQO	<b>Tire</b> , spare LT235/80R17E highway 1 - Requires (CHX) 13,025 lbs. GVWR with dual rear wheels.	--	■ <sup>1</sup>
	ZWF	<b>Tire</b> , spare LT265/70R18E all-season, blackwall 1 - Requires single rear wheels.	■	■ <sup>1</sup>
	RS7	<b>Wheels</b> , 17" (43.2 cm) forged polished aluminum 1 - Requires (CHX) 13,025 lbs. GVWR with dual rear wheels.	--	■ <sup>1</sup>

Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC25743 and TK25743. 2 - Available on Crew Cab models TC35*43 and TK35*43.	Denali	
			Sierra 2500HD 5SA <sup>1</sup>	Sierra 3500HD 5SA <sup>2</sup>
PYR		<b>Wheels</b> , 18" (45.7 cm) chromed aluminum, includes 18" x 8" (45.7 cm x 20.3 cm) steel spare wheel 1 - Requires 3500HD single rear wheels.	A	■ <sup>1</sup>
Q7R		<b>Wheels</b> , 20" (50.8 cm) 6-spoke polished aluminum	A	--
	RQA	<b>Wheels</b> , 20" (50.8 cm) chromed cast aluminum	□	--
	N79	<b>Wheel</b> , 18" x 8" (45.7 cm x 20.3 cm) full-size, steel spare	■	--
	B1J	<b>Wheelhouse liners</b> , rear 1 - Not available with dual rear wheels.	■	■ <sup>1</sup>
VXJ		<b>LPO, Assist steps</b> , chromed tubular, 4" round (dealer-installed) 1 - Not available with (S6V) cargo box retractable side assist step, LPO or (VXH) 6" rectangular chrome tubular assist steps, LPO.	A/D <sup>1</sup>	A/D <sup>1</sup>
S6V		<b>LPO, Cargo box retractable driver side only side assist step</b> , (dealer-installed) 1 - Not available with (VXJ) assist steps, chromed tubular, 4" round, LPO.	A/D <sup>1</sup>	A/D <sup>1</sup>
VQY		<b>LPO, Chrome recovery hooks</b> 1 - Included with (PCH) Duramax Plus Package.	A/D <sup>1</sup>	A/D <sup>1</sup>
VQZ		<b>LPO, Polished exhaust tip</b> , (dealer installed) 1 - Not available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.	A/D <sup>1</sup>	A/D <sup>1</sup>
VQK		<b>LPO, Front and Rear Molded Splash Guards</b> , Black, (dealer-installed) 1 - Included with (PDO) Protection Package, LPO. Not available with (VRV) body color molded splash guards, LPO.	A/D <sup>1</sup>	A/D <sup>1</sup>
VRV		<b>LPO, Body Color Molded Splash Guards</b> , (dealer-installed) 1 - Requires (GAZ) Summit White or (GBA) Onyx Black. Not available with (VQK) Front and Rear Molded Splash Guards, LPO. Not available with (PDO) Protection Package, LPO.	A/D <sup>1</sup>	A/D <sup>1</sup>
SF6		<b>LPO, Body color wheel arch moldings</b> , (dealer-installed) 1 - Requires (GAZ) Summit White or (GBA) Onyx Black. 2 - Requires (GAZ) Summit White or (GBA) Onyx Black. Not available with dual rear wheels.	A/D <sup>1</sup>	A/D <sup>2</sup>
5JY		<b>LPO, Soft folding tonneau cover</b> , (dealer-installed) 1 - Not available with (VPB) vinyl tonneau cover with integrated support bows, LPO or (VQT) hard tri-folding tonneau cover, LPO. 2 - Not available with (VPB) vinyl tonneau cover with integrated support bows, LPO, (VQT) hard tri-folding tonneau cover, LPO or with dual rear wheels.	A/D <sup>1</sup>	A/D <sup>2</sup>
VPB		<b>LPO, Vinyl tonneau cover</b> with integrated support bows, (dealer-installed) 1 - Not available with (5JY) soft folding tonneau cover, LPO or (VQT) hard tri-folding tonneau cover, LPO.	A/D <sup>1</sup>	A/D <sup>1</sup>
VQT		<b>LPO, Tonneau cover</b> , Hard tri-folding with vinyl cover, (dealer-installed) 1 - Not available with (VPB) soft tonneau cover, LPO or (5JY) soft-folding tonneau cover, LPO. 2 - Not available with (VPB) soft tonneau cover, LPO, (5JY) soft-folding tonneau cover, LPO or with dual rear wheels.	A/D <sup>1</sup>	A/D <sup>2</sup>
VZX		<b>LPO, Bed liner</b> , (dealer-installed) 1 - Not available with (CGN) spray-on bed liner.	A/D <sup>1</sup>	A/D <sup>1</sup>
VBR		<b>LPO, Rubber bed mat</b> , (dealer-installed) 1 - Not available with (VZX) bed liner, LPO.	A/D <sup>1</sup>	A/D <sup>1</sup>
SCZ		<b>LPO, Tailgate handle</b> , chrome, (dealer-installed)	A/D	A/D

Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC25743 and TK25743. 2 - Available on Crew Cab models TC35*43 and TK35*43.	Denali	
			Sierra 2500HD 5SA <sup>1</sup>	Sierra 3500HD 5SA <sup>2</sup>
SFE		LPO, Wheel locks, set of 4 (dealer-installed)	A/D	A/D

S = Standard Equipment A = Available -- (dashes) = Not Available D = ADI Available

■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

\*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC25743 and TK25743. 2 - Available on Crew Cab models TC35*43 and TK35*43.	Denali	
			Sierra 2500HD 5SA <sup>1</sup>	Sierra 3500HD 5SA <sup>2</sup>
PCH		<b>Duramax Plus Package</b> , includes (L5P) Duramax 6.6L Turbo-Diesel V8 engine and (VQY) chrome recovery hooks, LPO, (MW7) Allison 1000 6-speed automatic transmission 1 - Includes (DQS) outside memory equipped heated power-adjustable vertical trailing mirrors.	A <sup>1</sup>	A
VYU		<b>Snow Plow Prep Package</b> , includes power feed for backup and roof emergency light, (KW5) 220-amp alternator with gas or diesel engine, forward lamp wiring harness, (TRW) provision for cab roof mounted lamp/beacon, (NZZ) underbody shields and Heavy-Duty front-springs 1 - Only available on 4WD models. Not available with (CF5) power sunroof. When (VYU) is ordered (UG1) Universal Home Remote and (A48) power sliding rear window is deleted. Upgradeable to (KHB) dual, 150 amps and 220 amps each alternators with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.	A <sup>1</sup>	A <sup>1</sup>
	KG4	<b>Alternator</b> , 150 amps	■	■
KW5		<b>Alternator</b> , 220 amps 1 - Included with (VYU) Snow Plow Prep Package when ordered with gas or diesel engines.	A <sup>1</sup>	A <sup>1</sup>
KHB		<b>Alternators</b> , dual, 150 amps and 220 amps each 1 - Requires (L5P) Duramax 6.6L Turbo-Diesel V8 engine.	A <sup>1</sup>	A <sup>1</sup>
	K47	<b>Air cleaner</b> , high-capacity	S	S
		<b>Battery</b> , heavy-duty 720 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power	S	S
		<b>Battery</b> , heavy-duty dual 730 cold-cranking amps/70 Amp-hr, maintenance-free with rundown protection and retained accessory power 1 - Included and only available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.	A <sup>1</sup>	A <sup>1</sup>
K4B		<b>Battery</b> , 730 cold-cranking amps, auxiliary 1 - Not available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.	A <sup>1</sup>	A <sup>1</sup>
	J95	<b>Brakes</b> , 4-wheel antilock, 4-wheel disc with DuraLife brake rotors 1 - Requires single rear wheels.	S	S <sup>1</sup>
	J96	<b>Brakes</b> , 4-wheel antilock, 4-wheel disc with dual rear wheel and DuraLife brake rotors	--	S
	SRW	<b>Chassis</b> , single rear wheel	--	S
	KC4	<b>Cooling</b> , external engine oil cooler	S	S
	KNP	<b>Cooling</b> , auxiliary external transmission oil cooler	S	S
V10		<b>Cover</b> , 1-piece, covers radiator grille and front bumper openings for diesel engines in winter weather 1 - Requires (L5P) Duramax 6.6L Turbo-Diesel V8 engine and is required on orders with "Ship To" locations within the following states: Maine, New Hampshire, Vermont, Minnesota, North Dakota, South Dakota, Montana, Alaska, Idaho, Wisconsin, Wyoming, Michigan, Colorado and New York.	A <sup>1</sup>	A <sup>1</sup>

Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC25743 and TK25743. 2 - Available on Crew Cab models TC35*43 and TK35*43.	Denali	
			Sierra 2500HD 5SA <sup>1</sup>	Sierra 3500HD 5SA <sup>2</sup>
	G80	<b>Differential</b> , heavy-duty locking rear	S	S
FE9		<b>Emissions</b> , Federal requirements	A	A
NE1		<b>Emissions</b> , Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington state requirements	A	A
NC7		<b>Emissions override</b> , Federal (for vehicles ordered by dealers in Federal emission states with (YF5) or (NE1) emissions - Not required for vehicles being shipped to California, Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont or Washington) <b>1 - Requires (YF5) California state emissions requirements or (NE1) Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont or Washington state emissions requirements.</b>	A <sup>1</sup>	A <sup>1</sup>
NB9		<b>Emissions override</b> , state-specific (for dealers ordering vehicles in (YF5) or (NE1) emission states - California, Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington) <b>1 - Allows a California dealer (YF5 emissions) to order (NE1) emissions with (NB9) emissions override code for registration in (NE1) states; or, a Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington dealer (NE1 emissions) to order (YF5) emissions with (NB9) emissions override code for registration in California.</b>	A <sup>1</sup>	A <sup>1</sup>
NB8		<b>Emissions override</b> , California (allows a dealer in states that require California emissions - California, Connecticut, Delaware, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island or Washington - to order Federal emissions for a vehicle that will be registered in a state that has Federal emission requirements). Do not use for vehicles that will be registered in California, Connecticut, Delaware, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island or Washington. <b>1 - Requires (FE9) Federal emissions requirements. Not available in Maine or Vermont.</b>	A <sup>1</sup>	A <sup>1</sup>
YF5		<b>Emissions</b> , California state requirements	A	A
		<b>Exhaust</b> , aluminized stainless-steel muffler and tailpipe	S	S
	K40	<b>Exhaust brake</b> <b>1 - Included and only available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.</b>	A <sup>1</sup>	A <sup>1</sup>
	K05	<b>Engine block heater</b> <b>1 - Included with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.</b>	A <sup>1</sup>	A <sup>1</sup>
	L96	<b>Engine</b> , Vortec 6.0L Variable Valve Timing V8 SFI E85-compatible, FlexFuel, capable of running on unleaded or up to 85% ethanol (360 hp [268.4 kW] @ 5400 rpm, 380 lb-ft of torque [515.0 N-m] @ 4200 rpm)	S	S
	L5P	<b>Engine</b> , Duramax 6.6L Turbo-Diesel V8, B20-Diesel compatible (445 hp [332 kW] @ 2800 rpm, 910 lb-ft of torque [1220 Nm] @ 1600 rpm) <b>1 - Included and only available with (PCH) Duramax Plus Package. Includes capped fuel fill, (K40) exhaust brake, and (K05) engine block heater. Requires (GT4) 3.73 rear axle ratio.</b>	A <sup>1</sup>	A <sup>1</sup>
		<b>Frame</b> , fully-boxed, hydroformed front section	S	S
	JHD	<b>Hill Descent Control</b> <b>1 - Included and only available with (Z71) Off-Road Suspension Package.</b>	A <sup>1</sup>	A <sup>1</sup>

Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC25743 and TK25743. 2 - Available on Crew Cab models TC35*43 and TK35*43.	Denali	
			Sierra 2500HD 5SA <sup>1</sup>	Sierra 3500HD 5SA <sup>2</sup>
	GEH	<b>GVWR</b> , 9500 lbs. (4309 kg) 1 - Requires (L96) Vortec 6.0L V8 SFI engine.	S <sup>1</sup>	--
C7A		<b>GVWR</b> , 10,000 lbs. (4536 kg) 1 - Requires (L5P) Duramax 6.6L Turbo-Diesel V8 engine. 2 - Requires TC35743 model and (L96) Vortec 6.0L V8 SFI engine.	A <sup>1</sup>	A <sup>2</sup>
C7G		<b>GVWR</b> , 10,500 lbs. (4763 kg) with single rear wheels 1 - Requires (L96) Vortec 6.0L V8 SFI engine and model TC35743.	--	A <sup>1</sup>
JFL		<b>GVWR</b> , 10,800 lbs. (4899 kg) with single rear wheels 1 - Requires (L96) Vortec 6.0L V8 SFI engine or and model TK35743.	--	A <sup>1</sup>
C7E		<b>GVWR</b> , 11,000 lbs. (4990 kg) with single rear wheels 1 - Requires K35943 model and (L96) Vortec 6.0L V8 SFI engine.	--	A <sup>1</sup>
JFK		<b>GVWR</b> , 10,700 lbs. (4854 kg) with single rear wheels 1 - Requires C35943 and (L96) Vortec 6.0L V8 SFI engine.	--	A <sup>1</sup>
JFN		<b>GVWR</b> , 11,100 lbs. (5035 kg) with single rear wheels 1 - Requires (L5P) Duramax 6.6L Turbo-Diesel V8 engine and model TC35743.	--	A <sup>1</sup>
C7W		<b>GVWR</b> , 11,400 lbs. (5171 kg) with single rear wheels 1 - Requires C35943 with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.	--	A <sup>1</sup>
G1Y		<b>GVWR</b> , 11,500 lbs. (5216 kg) with single rear wheels 1 - Requires (L5P) Duramax 6.6L Turbo-Diesel V8 engine and model TK35743.	--	A <sup>1</sup>
C7V		<b>GVWR</b> , 11,600 lbs. (5262 kg) with single rear wheels 1 - Requires K35943 with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.	--	A <sup>1</sup>
CHX		<b>GVWR</b> , 13,025 lbs. (5908 kg) with dual rear wheels 1 - Requires model T*35943.	--	A <sup>1</sup>
	GT4	<b>Rear axle</b> , 3.73 ratio 1 - Standard and only available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.	A <sup>1</sup>	A <sup>1</sup>
	GT5	<b>Rear axle</b> , 4.10 ratio 1 - Requires (L96) Vortec 6.0L V8 SFI engine.	S <sup>1</sup>	S <sup>1</sup>
	NZZ	<b>Underbody Shield</b> , frame-mounted shields, includes front underbody shield starting behind front bumper and running to first cross-member, protecting front underbody, oil pan, differential case and transfer case	S	S
		<b>StabiliTrak</b> , stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist	S	S
		<b>Steering</b> , Electric Power Steering (EPS) assist, rack-and-pinion	S	S
	NV8	<b>Steering</b> , Digital Steering Assist	S	S
Z71		<b>Suspension Package</b> , Off-Road, requires 4WD models, includes twin tube Rancho brand shocks and (JHD) Hill Descent Control 1 - Requires all-terrain tires. Z71 chrome front fender emblem not included on Denali models. 2 - Requires All-Terrain tires. Z71 chrome front fender emblem not included on Denali models. Not available with dual rear wheels.	A <sup>1</sup>	A <sup>2</sup>
	Z85	<b>Suspension Package</b> , Standard, includes 51mm twin tube shock absorbers and 33mm front stabilizer bar	S	S
UF3		<b>Switch</b> , High Idle	A	A

Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC25743 and TK25743. 2 - Available on Crew Cab models TC35*43 and TK35*43.	Denali	
			Sierra 2500HD 5SA <sup>1</sup>	Sierra 3500HD 5SA <sup>2</sup>
	Z82	<b>Trailer equipment</b> Trailering hitch platform 2.5" with a 2.0" insert for HD, 7-wire harness with independent fused trailering circuits mated to a 7-way sealed connector to hook up parking lamps, backup lamps, right and left turn signals, an electric brake lead, battery and a ground, The trailer connector also includes the 4-way for use on trailers without brakes - park, brake/turn lamps	■	■
	JL1	<b>Trailer brake controller</b> , integrated	S	S
UY2		<b>Trailer wiring provisions</b> , for camper, fifth wheel and gooseneck trailer, includes additional 7-way wiring harness is located at the rear of the pickup box attached to the rear frame cross member	A	A
Z6A		<b>Gooseneck / 5th Wheel Prep Package</b> -- Hitch platform to accept Gooseneck or Fifth wheel hitch. Includes Hitch platform with tray to accept ball and drilled box holes with removable caps installed, box mounted 7-pin trailer harness (similar to (UY2) harness). <b>1 - Requires model T*25**3, (Z82) trailering equipment, (CGN) spray-on bedliner and trailering mirrors (DF2), (DPN) or (DQS) . Not available with (UY2) Trailering wiring provisions, (9J4) rear bumper delete, (VBR) rubber bed mat, LPO, (VZX) bed liner, LPO, (VUK) tailgate liner, LPO, (VBN) bed rug, LPO or any ship thru code.</b> <b>2 - Requires model T*35**3, (Z82) trailering equipment, (CGN) spray-on bedliner and trailering mirrors (DF2), (DPN) or (DQS) . Not available with (UY2) Trailering wiring provisions, (9J4) rear bumper delete, (VBR) rubber bed mat, LPO, (VZX) bed liner, LPO, (VUK) tailgate liner, LPO or any ship thru code.</b>	A <sup>1</sup>	A <sup>2</sup>
SNO		<b>LPO, Hitch Package</b> , Gooseneck ball and chain tiedown kit with case, (dealer-installed) <b>1 - Requires (Z6A) Gooseneck / 5th Wheel Prep Package. Not available with (VBR) rubber bed mat, LPO or (VZX) bed liner, LPO.</b>	A/D <sup>1</sup>	A/D <sup>1</sup>
	MYD	<b>Transmission</b> , 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking <b>1 - Requires (L96) Vortec 6.0L V8 SFI engine.</b>	S <sup>1</sup>	S <sup>1</sup>
MW7		<b>Transmission</b> , Allison 1000 6-speed automatic, electronically controlled with overdrive, electronic engine grade braking and tow/haul mode <b>1 - Requires (L5P) Duramax 6.6L Turbo-Diesel V8 engine.</b>	A <sup>1</sup>	A <sup>1</sup>
	NQF	<b>Transfer case</b> , electronic shift with rotary dial controls <b>1 - Requires 4WD models.</b>	■ <sup>1</sup>	■ <sup>1</sup>

S = Standard Equipment    A = Available    -- (dashes) = Not Available  
 ■ = Included in Equipment Group    □ = Included in Equipment Group but upgradeable

\*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

		Transmissions		Axles		GVWR lbs. (kg)		
Model	Engine	MYD 6-Speed Automatic Heavy-Duty	MW7 Allison 1000 6-Speed Automatic	GT4 3.73	GT5 4.10	C4M 9900 (4490)	GEH 9500 (4309)	C7A 10,000 (4536)
<b>Crew Cab</b>								
<b>TC25743</b>	L96 Vortec 6.0L Variable Valve Timing V8 SFI	S	--	--	S	--	S	--
	L5P Duramax 6.6L Turbo-Diesel V8	--	A	A	--	--	--	A
<b>TK25743</b>	L96 Vortec 6.0L Variable Valve Timing V8 SFI	S	--	--	S	--	S	--
	L5P Duramax 6.6L Turbo-Diesel V8	--	A	A	--	A	--	A

There is no data available for Sierra Denali HD.

S = Standard Equipment    A = Available    -- (dashes) = Not Available  
 ■ = Included in Equipment Group    □ = Included in Equipment Group but upgradeable

\*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Model	Engine	Transmissions		Axles		GVWR lbs. (kg)								
		MYD 6-Speed Automatic Heavy-Duty	MW7 Allison 1000 6-Speed Automatic	GT4 3.73	GT5 4.10	C7G 10,500 (4763)	JFK 10,700 (4854)	JFL 10,800 (4899)	C7E 11,000 (4990)	JFN 11,100 (5035)	C7W 11,400 (5171)	G1Y 11,500 (5216)	C7V 11,600 (5262)	CHX 13,025 (5908)
<b>Crew Cab</b>														
<b>TC35743</b>	L96 Vortec 6.0L Variable Valve Timing V8 SFI	S	--	--	S	S <sup>1</sup>	--	--	--	--	--	--	--	--
	L5P Duramax 6.6L Turbo-Diesel V8	--	A	A	--	--	--	--	--	A <sup>1</sup>	--	--	--	--
<b>TK35743</b>	L96 Vortec 6.0L Variable Valve Timing V8 SFI	S	--	--	S	--	--	S <sup>1</sup>	--	--	--	--	--	--
	L5P Duramax 6.6L Turbo-Diesel V8	--	A	A	--	--	--	--	--	--	--	A <sup>1</sup>	--	--
<b>TC35943</b>	L96 Vortec 6.0L Variable Valve Timing V8 SFI	S	--	--	S	--	S <sup>1</sup>	--	--	--	--	--	--	A <sup>2</sup>
	L5P Duramax 6.6L Turbo-Diesel V8	--	A	A	--	--	--	--	--	--	A <sup>1</sup>	--	--	A <sup>2</sup>

		Transmissions		Axles		GVWR lbs. (kg)								
Model	Engine	MYD 6-Speed Automatic Heavy-Duty	MW7 Allison 1000 6-Speed Automatic	GT4 3.73	GT5 4.10	C7G 10,500 (4763)	JFK 10,700 (4854)	JFL 10,800 (4899)	C7E 11,000 (4990)	JFN 11,100 (5035)	C7W 11,400 (5171)	G1Y 11,500 (5216)	C7V 11,600 (5262)	CHX 13,025 (5908)
TK35943	L96 Vortec 6.0L Variable Valve Timing V8 SFI	S	--	--	S	--	--	--	S <sup>1</sup>	--	--	--	--	A <sup>2</sup>
	L5P Duramax 6.6L Turbo-Diesel V8	--	A	A	--	--	--	--	--	--	--	--	A <sup>1</sup>	A <sup>2</sup>
1 - Requires single rear wheels. 2 - Requires dual rear wheels.														

S = Standard Equipment    A = Available    -- (dashes) = Not Available  
 ■ = Included in Equipment Group    □ = Included in Equipment Group but upgradeable

\*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Decor Level	Seat Type	Seat Code	Seat Trim	Interior	
				Jet Black	Cocoa / Dark Sand
5SA	Front power full-feature reclining heated and ventilated buckets, 12-way power driver and passenger seat with 4-way power lumbar, driver seat includes 2-position memory	AN3	Perforated Leather-appointed	H2X	HDQ

Exterior Solid Paint	Color Code	Touch Up Paint Number	Interior	
			Jet Black	Cocoa / Dark Sand
White Frost Tricoat <sup>1</sup>	G1W	WA-140X	A	A
Quicksilver Metallic <sup>1</sup>	GAN	WA-636R	A	A
Summit White	GAZ	WA-8624	A	A
<b>NEW!</b> Ebony Twilight Metallic <sup>1</sup>	GB8	WA-384A	A	A
Onyx Black	GBA	WA-8555	A	A
Dark Slate Metallic <sup>1</sup>	GPA	WA-457B	A	A
Red Quartz Tintcoat <sup>1</sup>	GPJ	WA-434B	A	A

1 - Available at extra charge.

There is no data available for Sierra Denali HD.

S = Standard Equipment A = Available -- (dashes) = Not Available D = ADI Available  
 ■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

\*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC25743 and TK25743. 2 - Available on Crew Cab models TC35*43 and TK35*43.	Denali	
			Sierra 2500HD 5SA <sup>1</sup>	Sierra 3500HD 5SA <sup>2</sup>
P0J		<b>NEW! OnStar Additional 21 months of OnStar Fleet Safety and Security.</b> Provides 21 months of Fleet Safety and Security service in addition to the 3 months of complimentary coverage that is included in the price of the vehicle. Total OnStar Fleet Safety and Security service duration is 24 months. <b>1 - Requires (UE1) OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with P0K or P0L. Not available with a ship-to of Puerto Rico or the Virgin Islands.</b>	A <sup>1</sup>	A <sup>1</sup>
P0K		<b>NEW! OnStar Additional 33 months of OnStar Fleet Safety and Security.</b> Provides 33 months of Fleet Safety and Security service in addition to the 3 months of complimentary coverage that is included in the price of the vehicle. Total OnStar Fleet Safety and Security service duration is 36 months. <b>1 - Requires (UE1) OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with P0J or P0L. Not available with a ship-to of Puerto Rico or the Virgin Islands.</b>	A <sup>1</sup>	A <sup>1</sup>
P0M		<b>NEW! OnStar Additional 21 months of OnStar Fleet Remote Access.</b> Provides 21 months of Fleet Remote Access service in addition to the 3 months of complimentary coverage that is included in the price of the vehicle. Total OnStar Fleet Remote Access service duration is 24 months. <b>1 - Requires (UE1) OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with P0N or P0O. Not available with a ship-to of Puerto Rico or the Virgin Islands.</b>	A <sup>1</sup>	A <sup>1</sup>
P0L		<b>NEW! OnStar Additional 45 months of OnStar Fleet Safety and Security.</b> Provides 45 months of Fleet Safety and Security service in addition to the 3 months of complimentary coverage that is included in the price of the vehicle. Total OnStar Fleet Safety and Security service duration is 48 months. <b>1 - Requires (UE1) OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with P0J or P0K. Not available with a ship-to of Puerto Rico or the Virgin Islands.</b>	A <sup>1</sup>	A <sup>1</sup>
P0N		<b>NEW! OnStar Additional 33 months of OnStar Fleet Remote Access.</b> Provides 33 months of Fleet Remote Access service in addition to the 3 months of complimentary coverage that is included in the price of the vehicle. Total OnStar Fleet Remote Access service duration is 36 months. <b>1 - Requires (UE1) OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with P0M or P0O. Not available with a ship-to of Puerto Rico or the Virgin Islands.</b>	A <sup>1</sup>	A <sup>1</sup>
P0O		<b>NEW! OnStar Additional 45 months of OnStar Fleet Remote Access.</b> Provides 45 months of Fleet Remote Access service in addition to the 3 months of complimentary coverage that is included in the price of the vehicle. Total OnStar Fleet Remote Access service duration is 48 months. <b>1 - Requires (UE1) OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with P0M or P0N. Not available with a ship-to of Puerto Rico or the Virgin Islands.</b>	A <sup>1</sup>	A <sup>1</sup>

Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC25743 and TK25743. 2 - Available on Crew Cab models TC35*43 and TK35*43.	Denali	
			Sierra 2500HD 5SA <sup>1</sup>	Sierra 3500HD 5SA <sup>2</sup>
PR6		<p><b>SiriusXM Satellite Radio Additional 9 months of the SiriusXM All Access Package.</b> Includes 150 channels of commercial-free music plus every major sport and the biggest names in entertainment, news and comedy in vehicle plus 9 months of listening on the SiriusXM app or online in addition to the 3 months of All Access trial service that is included in the price of the vehicle. Total service duration is 12 months. Non-Transferrable. Non-Refundable.</p> <p>1 - Requires (U2K) SiriusXM Satellite Radio and a Fleet or Government order type. Not available with FDR order types, PR7 or PR8. Not available in AK, HI, PR and VI.</p>	A <sup>1</sup>	A <sup>1</sup>
PR7		<p><b>SiriusXM Satellite Radio Additional 21 months of the SiriusXM All Access Package.</b> Includes 150 channels of commercial-free music plus every major sport and the biggest names in entertainment, news and comedy in vehicle plus 21 months of listening on the SiriusXM app or online in addition to the 3 months of All Access trial service that is included in the price of the vehicle. Total service duration is 24 months. Non-Transferrable. Non-Refundable.</p> <p>1 - Requires (U2K) SiriusXM Satellite Radio and a Fleet or Government order type. Not available with FDR order types, PR6 or PR8. Not available in AK, HI, PR and VI.</p>	A <sup>1</sup>	A <sup>1</sup>
PR8		<p><b>SiriusXM Satellite Radio Additional 33 months of the SiriusXM All Access Package.</b> Includes 150 channels of commercial-free music plus every major sport and the biggest names in entertainment, news and comedy in vehicle plus 33 months of listening on the SiriusXM app or online in addition to the 3 months of All Access trial service that is included in the price of the vehicle. Total service duration is 36 months. Non-Transferrable. Non-Refundable.</p> <p>1 - Requires (U2K) SiriusXM Satellite Radio and a Fleet or Government order type. Not available with FDR order types, PR6 or PR7. Not available in AK, HI, PR and VI.</p>	A <sup>1</sup>	A <sup>1</sup>
P0G		<p><b>GM Commercial Link – 1 year of Service</b>, includes 12 months of GM Commercial Link service. Provides access and reporting for key vehicle information such as speed, location and maintenance through website and mobile application. Eligible customers must sign up for an account at <a href="http://www.gmcommerciallink.com">www.gmcommerciallink.com</a> in order take advantage of this 12 month offer. The Commercial Link service is included in the price of the vehicle. Total service duration is 12 months. Non-Transferrable. Non-Refundable.</p> <p>1 - Requires UE1 OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with (P0H) GM Commercial Link – 2 years of Service or (P0I) GM Commercial Link – 3 years of Service.</p>	A <sup>1</sup>	A <sup>1</sup>
P0H		<p><b>GM Commercial Link – 2 years of Service</b>, includes 24 months of GM Commercial Link service. Provides access and reporting for key vehicle information such as speed, location and maintenance through website and mobile application. Eligible customers must sign up for an account at <a href="http://www.gmcommerciallink.com">www.gmcommerciallink.com</a> in order take advantage of this 24 month offer. The Commercial Link service is included in the price of the vehicle. Total service duration is 24 months. Non-Transferrable. Non-Refundable.</p> <p>1 - Requires UE1 OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with (P0G) GM Commercial Link – 1 year of Service or (P0I) GM Commercial Link – 3 years of Service.</p>	A <sup>1</sup>	A <sup>1</sup>

Free Flow RPO Code	Ref. Only RPO Code	Description 1 - Available on Crew Cab models TC25743 and TK25743. 2 - Available on Crew Cab models TC35*43 and TK35*43.	Denali	
			Sierra 2500HD 5SA <sup>1</sup>	Sierra 3500HD 5SA <sup>2</sup>
P0I		<p><b>GM Commercial Link – 3 years of Service</b>, includes 36 months of GM Commercial Link service. Provides access and reporting for key vehicle information such as speed, location and maintenance through website and mobile application. Eligible customers must sign up for an account at <a href="http://www.gmcommerciallink.com">www.gmcommerciallink.com</a> in order take advantage of this 36 month offer. The Commercial Link service is included in the price of the vehicle. Total service duration is 36 months. Non-Transferrable. Non-Refundable.</p> <p><b>1 - Requires UE1 OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with (P0G) GM Commercial Link – 1 year of Service or (P0H) GM Commercial Link – 2 years of Service.</b></p>	A <sup>1</sup>	A <sup>1</sup>



All dimensions in inches (mm) unless otherwise stated.

	Specifications	TC25743	TK25743	TC35743	TK35743	TC35943	TK35943		
		2WD Standard Box Crew Cab	4WD Standard Box Crew Cab	2WD Standard Box Crew Cab with Single Rear Wheel	4WD Standard Box Crew Cab with Single Rear Wheel	2WD Long Box Crew Cab Single and Dual Rear Wheel	4WD Long Box Crew Cab Single and Dual Rear Wheel		
	A	Wheelbase	153.70 (3904)	153.70 (3904)	153.70 (3904)	153.70 (3904)	167.70 (4260)	167.70 (4260)	
	B	Overall length	239.50 (6083)	239.50 (6083)	239.50 (6083)	239.50 (6083)	258.40 (6563)	258.40 (6563)	
	C	Body width	80.51 (2045)	80.51 (2045)	80.51 (2045)	80.51 (2045)	80.51 (2045)	80.51 (2045)	
	C	Body width, DRW	--	--	--	--	95.98 (2438)	95.98 (2438)	
			Overall height, SRW	78.27 (1988)	78.23 (1987)	78.35 (1990)	78.15 (1985)	77.91 (1979)	78.07 (1983)
			Overall height, DRW	--	--	--	--	TBD	TBD
			Head room, front	42.80 (1087)	42.80 (1087)	42.80 (1087)	42.80 (1087)	42.80 (1087)	42.80 (1087)
			Head room, rear	40.50 (1029)	40.50 (1029)	40.50 (1029)	40.50 (1029)	40.50 (1029)	40.50 (1029)
			Shoulder room, front	64.84 (1647)	64.84 (1647)	66.30 (1684)	66.30 (1684)	64.84 (1647)	64.84 (1647)
			Shoulder room, rear	64.33 (1634)	64.33 (1634)	65.73 (1670)	65.73 (1670)	64.33 (1634)	64.33 (1634)
			Hip room, front	60.73 (1543)	60.73 (1543)	60.73 (1543)	60.73 (1543)	60.73 (1543)	60.73 (1543)
			Hip room, rear	60.24 (1530)	60.24 (1530)	60.27 (1531)	60.27 (1531)	60.24 (1530)	60.24 (1530)
			Leg room, front	45.27 (1150)	45.27 (1150)	45.27 (1150)	45.27 (1150)	45.27 (1150)	45.27 (1150)
			Leg room, rear	40.93 (1040)	40.93 (1040)	40.93 (1040)	40.93 (1040)	40.93 (1040)	40.93 (1040)
	CA		Cab to axle	41.26 (1048)	41.26 (1048)	41.26 (1048)	41.26 (1048)	55.24 (1403)	55.24 (1403)
	ILF		Inside length, at floor	78.86 (2003)	78.86 (2003)	78.86 (2003)	78.86 (2003)	97.76 (2483)	97.76 (2483)
			Inside height	21.10 (536)	21.10 (536)	21.22 (539)	21.22 (539)	21.22 (539)	21.22 (539)
	BBC		Front bumper to back of cab	150.10 (3813)	150.10 (3813)	151.10 (3838)	151.10 (3838)	151.10 (3838)	151.10 (3838)

All dimensions in inches (mm) unless otherwise stated.

	Specifications	TC25743	TK25743	TC35743	TK35743	TC35943	TK35943
		2WD Standard Box Crew Cab	4WD Standard Box Crew Cab	2WD Standard Box Crew Cab with Single Rear Wheel	4WD Standard Box Crew Cab with Single Rear Wheel	2WD Long Box Crew Cab Single and Dual Rear Wheel	4WD Long Box Crew Cab Single and Dual Rear Wheel
	<b>Ground to top of rear load floor, SRW</b>	--	--	--	--	39.09 (993)	39.41 (1001)
	<b>Ground to top of rear load floor, DRW</b>	--	--	--	--	38.86 (987)	38.86 (987)
IWW	<b>Inside width, between wheelhousing, Fleetside</b>	51.02 (1296)	51.02 (1296)	51.02 (1296)	51.02 (1296)	51.02 (1296)	51.02 (1296)
	<b>Ground clearance, rear SRW</b>	9.68 (246)	9.65 (245)	8.58 (218)	8.42 (214)	8.42 (214)	8.53 (217)
	<b>Ground clearance, rear DRW</b>	--	--	--	--	8.27 (210)	8.27 (210)

Published dimensions indicated are without optional equipment or accessories. Additional accessories or equipment ordered at the customer's request can result in a minor change in these dimensions.

	TC25743 2WD Standard Box Crew Cab	TK25743 4WD Standard Box Crew Cab	TC35743 2WD Standard Box Crew Cab with Single Rear Wheel	TK35743 4WD Standard Box Crew Cab with Single Rear Wheel	TC35943 2WD Long Box Crew Cab Single and Dual Rear Wheel	TK35943 4WD Long Box Crew Cab Single and Dual Rear Wheel
Turning diameter, curb-to-curb, ft. (m)	51.5 (15.7)	51.5 (15.7)	51.8 (15.8)	51.8 (15.8)	--	--
Turning diameter, curb-to-curb (with Single Rear Wheels), ft. (m)	--	--	--	--	56.1 (17.1)	56.1 (17.1)
Turning diameter, curb-to-curb (with Dual Rear Wheels), ft. (m)	--	--	--	--	55.7 (17.0)	55.7 (17.0)
<b>Capacities</b>						
Front axle <sup>1</sup> , lbs. (kg)	4400 (1996)	4800 (2177)	4400 (1996)	4800 (2177)	--	--
Front axle (with Single Rear Wheels), L96, lbs. (kg)	--	--	--	--	4400 (1996)	4800 (2177)
Front axle (with Single Rear Wheels), L5P, lbs. (kg)	--	--	--	--	5200 (2359)	5600 (2540)
Front axle (with Dual Rear Wheels), L96, lbs. (kg)	--	--	--	--	4800 (2177)	4800 (2177)
Front axle (with Dual Rear Wheels), L5P, lbs. (kg)	--	--	--	--	5600 (2540)	5600 (2540)
Front spring capacity, lbs. (kg)	4400 (1996)	4800 (2177)	4400 (1996)	4800 (2177)	--	--
Front spring capacity (with Single Rear Wheels), L96, lbs. (kg)	--	--	--	--	4400 (1996)	4800 (2177)
Front spring capacity (with Single Rear Wheels), L5P, lbs. (kg)	--	--	--	--	5200 (2359)	5600 (2540)
Front spring capacity (with Dual Rear Wheels), L96, lbs. (kg)	--	--	--	--	4800 (2177)	4800 (2177)
Front spring capacity (with Dual Rear Wheels), L5P, lbs. (kg)	--	--	--	--	5600 (2540)	5600 (2540)
Rear axle <sup>2</sup> , lbs. (kg)	6200 (2812)	6200 (2812)	7050 (3198)	7050 (3198)	--	--
Rear axle (with Single Rear Wheels), lbs. (kg)	--	--	--	--	7050 (3198)	7050 (3198)
Rear axle (with Dual Rear Wheels), lbs. (kg)	--	--	--	--	9375 (4252)	9375 (4252)
Rear spring capacity, lbs. (kg)	6200 (2812)	6200 (2812)	7050 (3198)	7050 (3198)	--	--
Rear spring capacity (with Single Rear Wheels), lbs. (kg)	--	--	--	--	7050 (3198)	7050 (3198)
Rear spring capacity (with Dual Rear Wheels), lbs. (kg)	--	--	--	--	9375 (4252)	9375 (4252)
Curb weight (with Single Rear Wheels), L96, lbs. (kg)	6242 (2831)	6532 (2963)	6423 (2913)	6717 (3047)	6551 (2972)	6901 (3130)
Curb weight (with Single Rear Wheels), L5P, lbs. (kg)	7172 (3253)	7462 (3385)	7254 (3290)	7548 (3424)	7382 (3348)	7732 (3507)

	TC25743 2WD Standard Box Crew Cab	TK25743 4WD Standard Box Crew Cab	TC35743 2WD Standard Box Crew Cab with Single Rear Wheel	TK35743 4WD Standard Box Crew Cab with Single Rear Wheel	TC35943 2WD Long Box Crew Cab Single and Dual Rear Wheel	TK35943 4WD Long Box Crew Cab Single and Dual Rear Wheel
lbs. (kg)						
Curb weight (with Dual Rear Wheels), L96, lbs. (kg)	--	--	--	--	6888 (3124)	7239 (3284)
Curb weight (with Dual Rear Wheels), L5P, lbs. (kg)	--	--	--	--	7719 (3501)	8070 (3661)
Cargo volume, cargo box, cu. ft. (liters)	61.0 (1727.5)	61.0 (1727.5)	61.0 (1727.5)	61.0 (1727.5)	76.3 (2160.8)	76.3 (2160.8)
Payload (with Single Rear Wheels), L96 <sup>4</sup> , lbs. (kg)	3233 (1466)	2943 (1335)	4052 (1838)	4058 (1841)	4124 (1871)	4074 (1848)
Payload (with Single Rear Wheels), L5P, lbs. (kg)	2803 (1271)	2513 (1140)	3821 (1733)	3927 (1781)	3993 (1811)	3843 (1743)
Payload (with Dual Rear Wheels), L96 <sup>5</sup> , lbs. (kg)	--	--	--	--	6112 (2772)	5761 (2613)
Payload (with Dual Rear Wheels), L5P, lbs. (kg)	--	--	--	--	5281 (2395)	4930 (2236)
Gross Vehicle Weight Rating (GVWR) (with Single Rear Wheels), L96, lbs. (kg)	--	--	--	--	10700 (4854)	11000 (4990)
Gross Vehicle Weight Rating (GVWR) (with Single Rear Wheels), L5P, lbs. (kg)	--	--	--	--	11400 (5171)	11600 (5262)
Gross Vehicle Weight Rating (GVWR) (with Dual Rear Wheels), L96, lbs. (kg)	--	--	--	--	13025 (5908)	13025 (5908)
Gross Vehicle Weight Rating (GVWR) (with Dual Rear Wheels), L5P, lbs. (kg)	--	--	--	--	13025 (5908)	13025 (5908)
Gross Vehicle Weight Rating (GVWR), lbs. (kg)	9500 (4309)	9500 (4309)	10500 (4763)	10800 (4899)	--	--
Front Gross Axle Weight Rating (GAWR), lbs. (kg)	4400 (1996)	4800 (2177)	4400 (1996)	4800 (2177)	--	--
Front Gross Axle Weight Rating (GAWR) (with Single Rear Wheels), L96, lbs. (kg)	--	--	--	--	4400 (1996)	4800 (2177)
Front Gross Axle Weight Rating (GAWR) (with Single Rear Wheels), L5P, lbs. (kg)	--	--	--	--	5200 (2359)	5600 (2540)
Front Gross Axle Weight Rating (GAWR) (with Dual Rear Wheels), L96, lbs. (kg)	--	--	--	--	4800 (2177)	4800 (2177)
Front Gross Axle Weight Rating (GAWR) (with Dual Rear Wheels), L5P, lbs. (kg)	--	--	--	--	5600 (2540)	5600 (2540)
Rear Gross Axle Weight Rating (GAWR) (with Single Rear Wheels), L96, lbs. (kg)	--	--	--	--	7050 (3198)	7050 (3198)
Rear Gross Axle Weight Rating (GAWR)	--	--	--	--	7050 (3198)	7050 (3198)

	TC25743 2WD Standard Box Crew Cab	TK25743 4WD Standard Box Crew Cab	TC35743 2WD Standard Box Crew Cab with Single Rear Wheel	TK35743 4WD Standard Box Crew Cab with Single Rear Wheel	TC35943 2WD Long Box Crew Cab Single and Dual Rear Wheel	TK35943 4WD Long Box Crew Cab Single and Dual Rear Wheel
(with Single Rear Wheels), L5P, lbs. (kg)						
Rear Gross Axle Weight Rating (GAWR) (with Dual Rear Wheels), L96, lbs. (kg)	--	--	--	--	9375 (4252)	9375 (4252)
Rear Gross Axle Weight Rating (GAWR) (with Dual Rear Wheels), L5P, lbs. (kg)	--	--	--	--	9375 (4252)	9375 (4252)
Rear Gross Axle Weight Rating (GAWR), lbs. (kg)	6200 (2812)	6200 (2812)	7050 (3198)	7050 (3198)	--	--
Fuel capacity, approximate, U.S., gallon (liters)	36 (136)	36 (136)	36 (136)	36 (136)	36 (136)	36 (136)
Seating capacity	5	5	5	5	5	5
<ol style="list-style-type: none"> <li>1. Mass values are calculated assuming nominal equipment. Actual values may vary due to equipment loading.</li> <li>2. Mass values are calculated assuming nominal equipment. Actual values may vary due to equipment loading.</li> <li>3. Maximum payload capacity includes weight of driver, passengers, optional equipment and cargo.</li> <li>4. Maximum payload capacity includes weight of driver, passengers, optional equipment and cargo.</li> <li>5. Maximum payload capacity includes weight of driver, passengers, optional equipment and cargo.</li> </ol>						

 A 18-inch chromed aluminum wheel with a multi-spoke design, featuring a central hub with a GMC logo.	<p>PYR <b>Wheels</b>, 18" (45.7 cm) chromed aluminum, includes 18" x 8" (45.7 cm x 20.3 cm) steel spare wheel</p>
 A 20-inch chromed cast aluminum wheel with a multi-spoke design, featuring a central hub with a GMC logo.	<p>RQA <b>Wheels</b>, 20" (50.8 cm) chromed cast aluminum</p>
 A 20-inch 6-spoke polished aluminum wheel with a central hub featuring the GMC logo.	<p>Q7R <b>Wheels</b>, 20" (50.8 cm) 6-spoke polished aluminum</p>
 A 17-inch forged polished aluminum wheel with a multi-spoke design, featuring a central hub with a GMC logo.	<p>RS7 <b>Wheels</b>, 17" (43.2 cm) forged polished aluminum</p>

Maximum trailer ratings are calculated assuming standard equipped vehicle, driver and required trailering equipment. The weight of optional equipment, passengers and cargo will reduce the maximum trailer weight your vehicle can tow. 10 to 15% of the trailer weight is the recommended trailer tongue load.

Automatic Transmission Ratings with Ball Hitch				
Model	(L96) Vortec 6.0L V8 SFI		(L5P) Duramax 6.6L Turbo-Diesel V8	
	Axle Ratio	Maximum Trailer Weight lbs. (kg)	Axle Ratio	Maximum Trailer Weight lbs. (kg)
TC25743	4.10	13000 (5897)	3.73	13000 (5897)
TK25743	4.10	13000 (5897)	3.73	13000 (5897)
TC35743	4.10	13000 (5897)	3.73	13000 (5897)
TK35743	4.10	13000 (5897)	3.73	13000 (5897)
TC35943 w/ SRW	4.10	14100 (6396)	3.73	14500 (6577)
TC35943 w/ DRW	4.10	13700 (6214)	3.73	20000 (9072)
TK35943 w/ SRW	4.10	13700 (6214)	3.73	15000 (6804)
TK35943 w/ DRW	4.10	13400 (6078)	3.73	20000 (9072)

GCWR For Engine/Rear Axle Ratio Combination with Automatic Transmission			
Engine	(GCWR) Gross Combination Weight Ratings lbs. (kg)		
	21100 (9571)	25300 (11476)	31300 (14198)
(L96) Vortec 6.0L V8 SFI	4.10		
(L5P) Duramax 6.6L Turbo-Diesel V8		3.73	3.73

1 - Requires dual rear wheels.

Maximum trailer ratings are calculated assuming standard equipped vehicle, driver and required trailering equipment. The weight of optional equipment, passengers and cargo will reduce the maximum trailer weight your vehicle can tow. 15 to 25% of the trailer weight is the recommended 5th Wheel or Gooseneck kingpin load.

Automatic Transmission Ratings with 5th Wheel or Gooseneck Hitch				
Model	(L96) Vortec 6.0L V8 SFI		(L5P) Duramax 6.6L Turbo-Diesel V8	
	Axle Ratio	Maximum Trailer Weight lbs. (kg)	Axle Ratio	Maximum Trailer Weight lbs. (kg)
TC25743	4.10	14300 (6486)	3.73	15400 (6985)
TK25743	4.10	14000 (6350)	3.73	13500 (6124)
TC35743	4.10	14200 (6441)	3.73	17500 (7938)
TK35743	4.10	13900 (6305)	3.73	17200 (7802)
TC35943 w/ SRW	4.10	14000 (6350)	3.73	17400 (7893)
TC35943 w/ DRW	4.10	13700 (6214)	3.73	23100 (10478)
TK35943 w/ SRW	4.10	13700 (6214)	3.73	17000 (7711)
TK35943 w/ DRW	4.10	13300 (6033)	3.73	22700 (10297)

GCWR For Engine/Rear Axle Ratio Combination with Automatic Transmission			
Engine	(GCWR) Gross Combination Weight Ratings lbs. (kg)		
	21100 (9571)	25300 (11476)	31300 (14198)
(L96) Vortec 6.0L V8 SFI	4.10		
(L5P) Duramax 6.6L Turbo-Diesel V8		3.73	3.73

1 - Requires dual rear wheels.

Option Code	Description
4GM	TireSpare LT265/70R18E all-terrain
5JY	LPO, Soft folding tonneau cover
5L5	Theft deterrent system fleet immobilizer modifications
5M7	Speedometer calibration
8S3	Backup alarm, 97 decibels
8W9	Increased front GAWR
8X1	Label, fasten safety belts
9B9	Governor, electronic speed sensor set to 70 MPH
9L3	Spare tire delete
9U5	Tail lamp, single bulb
A31	Windows, power
A48	Window, power, rear sliding
A68	Seat, rear 60/40 folding bench
A91	Remote Locking Tailgate
AKO	Glass, deep-tinted
AN3	Seats, front full-feature leather-appointed bucket
AQQ	Remote Keyless Entry
AU3	Door locks, power
AY0	Airbags
B1J	Wheelhouse liners, rear
B30	Floor covering, color-keyed carpeting
B58	Floor mats, color-keyed carpeted first and second row
B85	Moldings, bodyside
BTV	Remote vehicle starter system
BWN	CornerStep, rear bumper
C49	Defogger, rear-window
C7A	GVWR, 10,000 lbs. (4536 kg)
C7E	GVWR, 11,000 lbs. (4990 kg)
C7G	GVWR, 10,500 lbs. (4763 kg)
C7V	GVWR, 11,600 lbs. (5262 kg)
C7W	GVWR, 11,400 lbs. (5171 kg)
CF5	Sunroof, power
CGN	Bed Liner, Spray-on
CHX	GVWR, 13,025 lbs. (5908 kg) with dual rear wheels
CJ2	Air conditioning, dual-zone automatic climate control
CTD	Cargo tie downs (4), movable upper
D07	Console, floor
DD8	Mirror, inside rearview auto-dimming
DH6	Visors, driver and front passenger illuminated vanity mirrors
DL3	Mirrors, outside chrome cap
DQS	Mirrors
E20	Door handles, chrome
E63	Pickup box
FE9	Emissions, Federal requirements
G1Y	GVWR, 11,500 lbs. (5216 kg)
G80	Differential, heavy-duty locking rear
GEH	GVWR, 9500 lbs. (4309 kg)
GT4	Rear axle, 3.73 ratio
GT5	Rear axle, 4.10 ratio

Option Code	Description
IO6	Audio system, 8" diagonal Color Touch Screen Navigation with GMC Infotainment System
J95	Brakes, 4-wheel antilock, 4-wheel disc
J96	Brakes, 4-wheel antilock, 4-wheel disc
JF4	Pedals, power-adjustable
JFK	GVWR, 10,700 lbs. (4854 kg)
JFL	GVWR, 10,800 lbs. (4899 kg)
JFN	GVWR, 11,100 lbs. (5035 kg)
JHD	Hill Descent Control
JL1	Trailer brake controller, integrated
K05	Engine block heater
K34	Cruise control
K40	Exhaust brake
K47	Air cleaner, high-capacity
K4B	Battery, 730 cold-cranking amps
K4C	Wireless Charging
KC4	Cooling, external engine oil cooler
KG4	Alternator, 150 amps
KHB	Alternators, dual
KI4	Power outlet, 110-volt
KNP	Cooling, auxiliary external transmission oil cooler
KQV	Seating, heated and ventilated perforated leather-appointed front bucket
KW5	Alternator, 220 amps
L5P	Engine, Duramax 6.6L Turbo-Diesel V8, B20-Diesel compatible
L96	Engine, Vortec 6.0L Variable Valve Timing V8 SFI
MW7	Transmission, Allison 1000 6-speed automatic
MYD	Transmission, 6-speed automatic, heavy-duty
N37	Steering column, manual Tilt-Wheel
N79	Wheel, 18" x 8" (45.7 cm x 20.3 cm) full-size, steel spare
NB8	Emissions override, California
NB9	Emissions override, state-specific
NC7	Emissions override, Federal
NE1	Emissions, Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington state requirements
NQF	Transfer case, electronic shift with rotary dial controls
NV8	Steering, Digital Steering Assist
NZZ	Underbody Shield
P0G	GM Commercial Link – 1 year of Service
P0H	GM Commercial Link – 2 years of Service
P0I	GM Commercial Link – 3 years of Service
P0J	OnStar Additional 21 months of OnStar Fleet Safety and Security
P0K	OnStar Additional 33 months of OnStar Fleet Safety and Security
P0L	OnStar Additional 45 months of OnStar Fleet Safety and Security
P0M	OnStar Additional 21 months of OnStar Fleet Remote Access
P0N	OnStar Additional 33 months of OnStar Fleet Remote Access
P0O	OnStar Additional 45 months of OnStar Fleet Remote Access
PCH	Duramax Plus Package
PDL	LPO, Cargo Convenience Package
PDO	LPO, Protection Package
PPA	Tailgate, EZ-Lift

Option Code	Description
PR6	SiriusXM Satellite Radio Additional 9 months of the SiriusXM All Access Package.
PR7	SiriusXM Satellite Radio Additional 21 months of the SiriusXM All Access Package.
PR8	SiriusXM Satellite Radio Additional 33 months of the SiriusXM All Access Package.
PYR	Wheels, 18" (45.7 cm) chromed aluminum
Q7R	Wheels, 20" (50.8 cm) 6-spoke polished aluminum
QFC	Tires, LT265/60R20E all-terrain, blackwall
QGM	Tires, LT265/70R18E all-terrain, blackwall
QQO	Tires, LT235/80R17E all-season highway
QWF	Tires, LT265/70R18E all-season, blackwall
QZT	Tires, LT235/80R17E all-terrain
R8M	Alternate Assist Step Desired
R8R	Delete: Spray-on bedliner
RIA	LPO, All-weather floor liner
RQA	Wheels, 20" (50.8 cm) chromed cast aluminum
RS7	Wheels, 17" (43.2 cm) forged polished aluminum
S0P	LPO, Console insert organizer tray
S6V	LPO, Cargo box retractable driver side only side assist step
SAF	Tire carrier lock
SCZ	LPO, Tailgate handle
SF6	LPO, Body color wheel arch moldings
SFE	LPO, Wheel locks
SFW	Back-up alarm calibration
SNO	LPO, Hitch Package, Gooseneck ball and chain tiedown kit with case
SRW	Chassis, single rear wheel
T3U	Fog lamps
TDM	Teen Driver
TG5	Single-slot CD/MP3 player
TRW	Provision for cab roof-mounted lamp/beacon
TVY	Ship Thru, Produced and shipped to Anchorage VDC then to TK Services and returned to Anchorage VDC for shipping to final destination
TW4	Ship Thru, Produced in Flint Assembly and shipped to Manheim Carleton, MI and returned to Flint Assembly Returned to Flint Assembly for shipping to final destination.
TZU	Ship Thru, Produced in Flint Assembly and shipped to Leggett and Platt CVP Taylor, MI. Returned to Flint Assembly for shipping to final destination.
U01	Lamps, Smoked Amber roof marker
U2K	SiriusXM Radio
U2L	Radio, HD
U42	Entertainment Package
UD5	Front and Rear Park Assist
UE1	OnStar and GMC connected services capable
UEU	Forward Collision Alert
UF2	LED Lighting, cargo box
UF3	Switch, High Idle
UFL	Lane Departure Warning
UG1	Universal Home Remote
UHS	Display
UJ5	LPO, Rear seat DVD entertainment system
UJM	Tire Pressure Monitoring System
UK3	Steering wheel audio controls

Option Code	Description
UQA	Bose Sound with 6 speaker system
UTJ	Theft-deterrent system
UVC	Rear Vision Camera
UVD	Steering wheel, heated
UY2	Trailer wiring provisions, for camper, fifth wheel and gooseneck trailer
V10	Cover, 1-piece
V76	Recovery hooks, front, frame-mounted
VAV	LPO, All-weather floor mats
VB5	Bumper, front, body-color
VBJ	LPO, Rear underseat storage, composite storage bin
VBR	LPO, Rubber bed mat
VCB	Ship Thru, Produced in Flint Assembly and shipped to Monroe Truck Equipment in Flint. Returned to Flint Assembly for shipping to final destination.
VFW	Ship Thru, Produced in Flint Assembly and shipped to NBC Truck Equipment Roseville, MI. Returned to Flint Assembly for shipping to final destination.
VHR	Ship Thru, Produced in Flint Assembly and shipped to Reading Equipment and Distribution Pontiac, MI. Returned to Lansing Delta for shipping to final destination.
VK3	License plate kit, front
VKW	LPO, Console insert expandable folder tote
VPB	LPO, Vinyl tonneau cover with integrated support bows
VQK	LPO, Front and Rear Molded Splash Guards
VQT	LPO, Tonneau cover, Hard tri-folding with vinyl cover
VQY	LPO, Chrome recovery hooks
VQZ	LPO, Polished exhaust tip
VRV	LPO, Body Color Molded Splash Guards
VT5	Bumper, rear body-color
VUD	Ship Thru, Produced in Flint Assembly and shipped to Knapheide Truck Equipment in Flint, MI. Returned to Flint Assembly for shipping to final destination.
VUI	Ship Thru, Produced in Flint Assembly and shipped to Auto Truck Group, Roanoke, IN and Returned to Ft. Wayne Assembly for shipping to final destination
VV4	GMC 4G LTE
VXH	LPO, Assist steps, chromed tubular
VXJ	LPO, Assist steps, chromed tubular
VYU	Snow Plow Prep Package
VZX	LPO, Bed liner
Y65	Driver Alert Package
YF5	Emissions, California state requirements
Z6A	Gooseneck / 5th Wheel Prep Package
Z71	Suspension Package, Off-Road
Z82	Trailer equipment
Z85	Suspension Package, Standard
ZQO	Tire, spare LT235/80R17E highway
ZWF	Tire, spare LT265/70R18E all-season, blackwall
ZZT	Tires, spare LT235/80R17E all-terrain

## Updates for Sierra Denali HD

### Week of 4/16/2018

Effective 4/16/2018, the following changes will be made to the Vehicle Order Guide:

- All sections updated (U2K) SiriusXM Satellite Radio description to "SiriusXM Radio"
- Interior section-(U2K) SiriusXM Satellite Radio, updated description to "SiriusXM Radio is standard on nearly all 2019 GM models. Enjoy a 3-month All Access trial subscription with over 150 channels including commercial-free music, plus sports, news and entertainment. Plus listening on the app and online is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM." . Updated footnote 1 to read "IMPORTANT: The SiriusXM radio trial package is not provided on vehicles that are ordered for Fleet Daily Rental ("FDR") use. If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-866-635-2349. See our Customer Agreement for complete terms at [www.siriusxm.com](http://www.siriusxm.com). All fees and programming subject to change."

### Week of 4/2/2018

Effective 4/2/2018, the following changes will be made to the Vehicle Order Guide:

- Exterior section-(R8R) Delete: Spray-on bedliner, updated footnote to read "Required with (VBR) rubber bed mat, LPO or (VZX) bed liner, LPO."
- Exterior section-(SF6) LPO, Body color wheel arch moldings, updated both footnotes by removing "Not available with (ZW9) pickup box delete."
- Mechanical section-(Z6A) Gooseneck / 5th Wheel Prep Package, updated footnote 1 to read "Requires model T\*25\*\*3, (Z82) trailering equipment, (CGN) spray-on bedliner and trailering mirrors (DF2), (DPN) or (DQS) . Not available with (UY2) Trailering wiring provisions, (9J4) rear bumper delete, (VBR) rubber bed mat, LPO, (VZX) bed liner, LPO, (VUK) tailgate liner, LPO, (VBN) bed rug, LPO or any ship thru code." . Updated footnote 2 to read "Requires model T\*35\*\*3, (Z82) trailering equipment, (CGN) spray-on bedliner and trailering mirrors (DF2), (DPN) or (DQS) . Not available with (UY2) Trailering wiring provisions, (9J4) rear bumper delete, (VBR) rubber bed mat, LPO, (VZX) bed liner, LPO, (VUK) tailgate liner, LPO or any ship thru code."