*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Codes listed in the shaded column titled Ref. Only	v PPO Codo aro for internal uso only a	nd should not be ordered
Codes listed in the shaded column titled Ref. On	y REO Code are for internal use only al	na snoula not be ordered.

Free Flow	Ref.	Description		Work Van		4500	Van
RPO Code	Only RPO Code	Description	CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
	AK5	Airbags, frontal, driver and front passenger 1 - Included and only available with (ZX2) driver and front passenger high-back bucket seats or (ZP0) driver and passenger temporary seats. Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.	S1	S1	S1	S1	S1
	ASF	 Airbags, driver and right-front passenger, seat-mounted side-impact and roof-rail side-impact 1 - Included and only available with (C4M) 9900 lb. (4490 kg) GVWR or (C7A) 10,000 lb. (4536 kg) GVWR. Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information. 	s S	s ¹			
	C99	Airbag deactivation switch, frontal passenger-side 1 - Not available with (AJ3) frontal, driver-side only airbag. Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.	S ¹	S ¹	S1	S ¹	S1
	C60	Air conditioning, single-zone manual 1 - Not available with (R6G) air conditioning delete.	S1	S1	S1	S1	S1
		Assist handles, driver and right-front passenger	S	S	S	S	S
	U0F	 Audio system, AM/FM stereo with MP3 player, seek-and-scan, digital clock, TheftLock, random select, auxiliary jack and 2 front door speakers 1 - Not available with (U2K) SiriusXM Radio or (YF1) RV Package. 2 - Not available with (U2K) SiriusXM Radio. 	S1	S1	S1	S1	S ²
		Cup holders, 3 on the engine console cover	S	S	S	S	S
		Driver Information Center , includes fuel range, average speed, oil life, fuel used, ice warning, engine hours, average fuel economy, tachometer and maintenance reminders	S	S	S	S	S
	B31	Floor covering, Black rubberized-vinyl front	S	S	S	S	S
		Headliner, cloth, over driver and passenger	S	S	S	S	S
		Heater and defogger with front and side window defoggers	S	S	S	S	S
		Instrumentation , analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature and oil pressure	S	S	S	S	S
		Lighting, interior with dome light and door handle-activated switches	S	S	S	S	S

STANDARD EQUIPMENT

7			

Free	Ref.	Description		Work Van		4500	Van
Flow RPO Code	Only RPO Code	Description	CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
D31		Mirror, inside rearview manual day/night 1 - Not available with (UVC) rear vision camera. Requires (C7N) 12,300 lb. (5579 kg) GVWR or (JFF) 10,100 lb. (4581 kg) GVWR. 2 - Not available with (UVC) rear vision camera. Requires (C7N) 12,300 lb. (5579 kg) GVWR. 3 - Not available with (UVC) rear vision camera.	A ¹	A ²	S³	S	S³
	DRJ	Mirror, inside rearview, includes Rear Vision Camera display 1 - Included and only available with (UVC) Rear Vision Camera.	S1	S1	A ¹	A ¹	A ¹
	KI4	Power outlet, 120-volt	S	s	S	S	S
		Power outlets , 2 auxiliary on engine console cover with covers, 12-volt	S	S	S	S	S
		NEW! Keyed Ignition System, to turn off vehicle push key in while rotating	S	S	S	S	S
UVC		Rear Vision Camera, camera and cable shipped loose 1 - Display included with (DRJ) inside rearview mirror.	S1	S1	A1	A ¹	A ¹
	AR7	Seats, front bucket with vinyl trim and head restraints, includes inboard armrests 1 - Requires (**W) trim. Not available with SEO (ZP0) delete driver and passenger seats. Includes only driver high-back bucket seat with vinyl trim when ordered with (ZX1) driver-only high-back bucket seating arrangement.	S1	S ¹	S ¹	S ¹	S1
	ZX2	Seating arrangement, driver and front passenger high-back bucket, includes head restraints and vinyl or cloth trim 1 - Not available with (AJ3) driver-side only frontal airbag.	S ¹	S1	S1	S1	S1
		Theft-deterrent system, vehicle, PASS-Key III	S	S	S	S	S
	UJM	Tire Pressure Monitoring System (does not monitor spare tires) 1 - Required with (C4M) 9900 lbs. (4490 kg) GVWR and (R04) single rear 4 - 16" x 6.5" (40.6 cm x 16.5 cm) wheels.	S ¹	S ¹			
		Tow/haul mode selector, instrument panel-mounted	S	S	S	S	S
		Visors, driver and front passenger, cloth, padded	S	S	S	S	S
		Warning tones, headlamp on and key-in-ignition	S	S	S	S	S
	ZW9	Body, standard	S	S	S	S	S
		Bumper, front painted Black with step-pad 1 - Deleted when (ZR7) Chrome Appearance Package is ordered.	S1	S1	S1	S1	S1
		Daytime Running Lamps	S	S	S	S	S
		Flasher, heavy duty, light emitting diode (LED)	S	S	S	S	S
		Glass, Solar-Ray light-tinted, all windows	S	S	S	S	S
		Grille, Black composite 1 - Not available with (ZR7) Chrome Appearance Package.	S1	S ¹	S1	S1	S1
		Headlamps, dual halogen composite	S	S	S	S	S

STANDARD EQUIPMENT

Free	Ref.	Description		Work Van		4500 Van		
Flow RPO Code	Only RPO Code	Description	CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT	
	D28	Mirrors, outside delete 1 - Not available with (5Q7) Upfitter option Blank Sail Panel Delete when ordered with (YF2) Ambulance Package.	S ¹	S1	S	S1	S	
	ZY1	Paint, solid	S	S	S	S	S	
	XLP	Tires, front LT245/75R16E all-season, blackwall 1 - Requires (R04) single rear wheel configuration. Jack and spare tire equipment bracket are not included.	S ¹	S1				
	YLP	Tires, rear LT245/75R16E all-season, blackwall 1 - Requires (R04) single rear wheel configuration. Jack and spare tire equipment bracket are not included.	S ¹	S1				
XHF		Tires, front LT225/75R16E all-season, blackwall 1 - Requires (R05) dual rear wheel configuration. Jack and spare tire equipment bracket are not included.	A ¹	A ¹	S1	S1	S1	
YHF		Tires, rear LT225/75R16E all-season, blackwall 1 - Requires (R05) dual rear wheel configuration. Jack and spare tire equipment bracket are not included.	A ¹	A ¹	S1	S1	S1	
	R04	Wheel configuration, rear, single 1 - Not available with (C7A) 10,000 lbs. (4536 kg) GVWR or (C7N) 12,300 lbs. (5579 kg.) GVWR.	S1	S1				
R05		Wheel configuration, rear, dual 1 - Not available with (C4M) 9900 lb. (4490 kg) GVWR or (JFF) 10,100 lb. (4581 kg) GVWR.	A ¹	A ¹	S1	S1	S ¹	
	QB5	Wheels, 4 - 16" x 6.5" (40.6 cm x 16.5 cm), 8-lug painted steel, heavy-duty 1 - Only available with (R04) single rear wheel configuration.	S ¹	S ¹				
QT4		Wheels, 6 - 16" x 6.5" (40.6 cm x 16.5 cm) 8-lug painted steel, heavy duty 1 - Only available with (R05) dual rear wheel configuration.	A ¹	A ¹	S1	S1	S1	
		Wipers, front intermittent wet-arm with pulse washers	S	S	S	S	S	
	KG4	Alternator, 150 amps	S	S	S	S	S	
		Battery , 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power	S	S	S	S	S	
		Brakes, 4-wheel antilock, 4-wheel disc	S	S	S	S	S	
		Brake/transmission shift interlock, for automatic transmissions	S	S	S	S	S	
	KC4	Cooling, external engine oil cooler	S	S	S	S	S	

STANDARD EQUIPMENT

Free Flow	Ref. Only	Description		Work Van		4500	Van
RPO Code	RPO Code		CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
	LV1	Engine, 4.3L V6 with Direct Injection and Variable Valve Timing, includes aluminum block construction (276 hp [206 kW] @ 5200 rpm, 298 lb-ft of torque [404 NM] @ 3900 rpm) 1 - Requires (C4M) 9900 lbs. (4490 kg) GVWR, (C7A) 10,000 lbs. (4536 kg) GVWR or (JFF) 10,100 lb. (4581 kg) GVWR . Not available with (YF2) Ambulance Package, (YF1) RV Package, (ANC) Shuttle Bus Package or (C7N) 12,300 lbs. (5579 kg) GVWR. Includes external engine oil cooler. Reference the Engine/Axle page for availability. 2 - Requires (C4M) 9900 lbs. (4490 kg) GVWR or (C7A) 10,000 lbs. (4536 kg) GVWR. Not available with (YF2) Ambulance Package, (YF1) RV Package, (ANC) Shuttle Bus Package, (B3D) School Bus Package or (C7N) 12,300 lbs. (5579 kg) GVWR. Not available with (ENC) HVAC system auxiliary rear heat provisions. Includes external engine oil cooler. Reference the Engine/Axle page for availability.	S ¹	S ²			
L96		 Engine, Vortec 6.0L V8 (341 hp [254.3 kW] @ 5400 rpm, 373 lb-ft of torque [503.6 N-m] @ 4200 rpm) 1 - Includes external oil cooler. Requires (MYD) 6-speed heavy-duty automatic transmission. Reference the Engine/Axle page for availability. 	A ¹	A ¹	S1	S1	S1
		Exhaust, aluminized stainless-steel muffler and tailpipe	S	S	S	S	S
		Frame, ladder-type	S	S	S	S	S
		Fuel tank capacity , mid-frame and approximately 33 gallons (124.9L)	S	S	S	S	S
	C4M	GVWR, 9900 lbs. (4490 kg) 1 - Includes (R04) single rear wheel configuration. Not available with (R05) dual rear wheel combination. Reference the Engine/Axle page for availability.	S1	S1			
C7N		GVWR, 12,300 lbs. (5579 kg) 1 - Includes (R05) dual rear wheel configuration. Not available with (R04) single rear wheel combination. Reference the Engine/Axle page for availability.	A1	A ¹	S		
	C7I	GVWR, 14,200 lbs. (6441 kg)				S	S
	VXT	Incomplete vehicle certification	S	S	S	S	S
		Oil life monitor	S	S	S	S	S
	GU6	Rear axle, 3.42 ratio 1 - Requires (R04) single rear wheel configuration.	S1	S1			
GT4		Rear axle, 3.73 ratio 1 - Requires (R05) dual rear wheel configuration.	A ¹	A ¹	S1		
	GT5	Rear axle, 4.10 ratio 1 - Included and only available with (NHT) Enhanced Towing Performance Package.		A ¹	A ¹	S	S
	JL4	StabiliTrak, traction assistance and vehicle stability enhancement system	S	S	S	S	S
		Steering, power	S	S	S	S	S
		Suspension , front independent with coil springs and stabilizer bar	S	S	S	S	S
		Suspension, rear hypoid drive axle with multi-leaf springs	S	S	S	S	S

STANDARD EQUIPMENT

Cuta	way	
_		

Free	Ref.	Description		Work Van		4500 Van	
Flow RPO Code	Only RPO Code	Description	CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
		Hill Start Assist	S	S	S	S	S
	M5U	Transmission , 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking	S	S			
MYD		 Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking, Powertrain Grade Braking, and Tap-Up/Tap-Down Driver Shift Control 1 - Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI gaseous engine. Reference the Engine/Axle page availability. 2 - Reference the Engine/Axle page availability. 	A ¹	A ¹	S ²	S ²	S ²
	V14	Transmission oil cooler, external	S	S	S	S	S

No deletions allowed to Equipment Groups. Additional options may be added; check ordering information section for compatibility.

*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow	Ref.	Description		Work Van		4500 Van		
RPO Code	Only RPO Code	Description	CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT	
		Standard Equipment						

No deletions allowed to Equipment Groups. Additional options may be added; check ordering information section for compatibility.

*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow	Ref. Onlv	Description	Work Van		4500	Van			
RPO Code	RPO Code		CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT		
		Standard Equipment							
	ADDITIONAL OPTIONS								
Free Flow	Ref. Only	Description		Work Van		4500	Van		
RPO Code	RPO Code		CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT		
R6G		Air conditioning delete 1 - Not available with (YF1) RV Package, (YF2) Ambulance Package, (DEB) outside heated, power-adjustable Black mirrors with single pane glass or (DE5) outside heated, power-adjustable Black mirrors. 2 - Not available with (YF1) RV Package. 3 - Not available with (YF1) RV Package or (YF2) Ambulance Packages.	A ¹	A ¹	A ²	A ³	A		
U0H		Audio system, AM/FM stereo with MP3 player and USB port, includes seek-and-scan, digital clock, TheftLock, random select, auxiliary jack and 2 front door speakers 1 - Not available with (U2K) SiriusXM Radio.	A ¹	A ¹	A1	A1	A ¹		
US8		Audio system, AM/FM stereo with CD/MP3 player, USB port, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), TheftLock, random select, auxiliary jack and 2 front door speakers 1 - Required with (U2K) SiriusXM radio.	A ¹						
UI8		Audio system, Chevrolet Infotainment System with Navigation and 6.5" diagonal color touch-screen, AM/FM stereo with CD player, includes Bluetooth streaming audio for music and select phones; Hands-Free smartphone integration with Pandora and Stitcher; voice-activated technology for radio and phone (NOTE: Rear vision camera image is displayed on rearview mirror) 1 - Requires (ZQ3) Driver Convenience Package, (NP5) leather-wrapped steering wheel and (W1Y) steering wheel controls. Includes (UBS) SiriusXM NavTraffic, (USR) USB port and (UPF) Bluetooth for phone. Not available with (U2K) SiriusXM Radio.	A ¹						
UXZ		Audio system, radio provisions only. Includes alarm warning chimes, radio wiring harness, radio antenna and 2 front door speakers 1 - Not available with (UE1) OnStar or (U2K) SiriusXM Radio.	A ¹	A ¹	A ¹	A ¹	A1		

		ADDITIONAL OPTIONS					
Free Flow	Ref. Only	Description		Work Van	-	4500	Van
RPO Code	RPO Code		CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
UPF		Bluetooth for phone, personal cell phone connectivity to vehicle audio system 1 - Requires (NP5) leather-wrapped steering wheel, (W1Y) steering wheel controls and (ZQ3) Driver Convenience Package. Included with (UI8) Chevrolet Infotainment radio with Navigation. NOTE: With (U0F) AM/FM stereo with MP3 player, (U0H) AM/FM stereo with MP3 player and USB port or (US8) AM/FM stereo with MP3 compatible CD player requires (UE1) OnStar hardware (subscription to OnStar services not required for operation). NOTE: With (U18) Chevrolet Infotainment radio with Navigation (UE1) OnStar hardware is not required.	A ¹				
U2K		SiriusXM Radio is standard on nearly all 2019 GM models. Enjoy a 3-month All Access trial subscription with over 150 channels including commercial-free music, plus sports, news and entertainment. Plus listening on the app and online is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. 1 - Only available with the combination of (UE1) OnStar and (US8) AM/FM stereo with MP3 compatible CD player. IMPORTANT: The SiriusXM radio trial package is not provided on vehicles that are ordered for Fleet Daily Rental ("FDR") use. If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-866-635-2349. See our Customer Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change.	A ¹	A ¹	A ¹	A1	A
UJ1		 Brake warning indicator, monitors brake system pressure, with loss of pressure an audible alarm (chime) and cluster telltale is lit 1 - Included with (B3D) School Bus Package. Not available with (YF1) RV Package or (YF2) Ambulance Package. 2 - Not available with (YF1) RV Package. 3 - Included with (B3D) School Bus Package. 	A ¹	A ¹	A ²	A ¹	A ³
BA3		Console, engine cover with swing-out storage bin 1 - Included with (AS5) Custom Cloth front bucket seats and (YF1) RV Package.	A ¹				
ZQ2		Power Convenience Package, includes (A31) power windows and (AU3) power door locks 1 - Includes (A31) power windows and (AU3) power door locks. Included with (YF1) RV Package. Not available with (9T7) passenger side door delete. NOTE: Does not include (ATG) Remote Keyless Entry. (ATG) Remote Keyless Entry must be ordered separately.	A1	A1	A ¹	A ¹	A1
ZQ3		Driver Convenience Package, includes Tilt-Wheel and (K34) cruise control 1 - Included with (YF1) RV Package or (ANC) Shuttle Bus Package. 2 - Included with (YF1) RV Package.	A1	A1	A²	A ¹	A1
AU3		Door locks, power with lock-out protection 1 - Included with (ZQ2) Power Convenience Package. NOTE: Does not include (ATG) Remote Keyless Entry. (ATG) Remote Keyless Entry must be ordered separately.	A ¹				

Free	Ref.	Deparimin		Work Van		4500	Van
Flow RPO Code	Only RPO Code	Description	CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
D31		Mirror, inside rearview manual day/night 1 - Not available with (UVC) rear vision camera. Requires (C7N) 12,300 lb. (5579 kg) GVWR or (JFF) 10,100 lb. (4581 kg) GVWR. 2 - Not available with (UVC) rear vision camera. Requires (C7N) 12,300 lb. (5579 kg) GVWR. 3 - Not available with (UVC) rear vision camera.	A ¹	A ²	S³	S³	S³
9D9		 Mirror, inside rearview delete, this option deletes the inside rearview mirror 1 - Not available with (UVC) Rear Vision Camera, (UEU) Forward Collision Alert, (C4M) 9900 lb. (4490 kg) GVWR or (C7A) 10,000 lb. (4536 kg) GVWR. 2 - Not available with (UVC) Rear Vision Camera or (UEU) Forward Collision Alert. 	A ¹	A ¹	A ²	A ²	A²
UE0		OnStar, delete 1 - Requires a Fleet or Government Order Type or (UI8) Chevrolet Infotainment radio with navigation on all order types.	A ¹				
UE1		 OnStar and Chevrolet connected services capable 1 - Not available with (YF2) Ambulance Package or (UXZ) radio provisions only audio system. Included with (FDR) Fleet Daily Rental order types. Fleet orders receive a 3-month trial. Visit onstar.com for coverage map, details and system limitations. Services vary by model. 2 - Not available with (UXZ) radio provisions only audio system. Included with (FDR) Fleet Daily Rental order types. Fleet orders receive a 3-month trial. Visit onstar.com for coverage map, details and system limitations. Services vary by model. 	A ¹	A ¹	A ²	A ¹	A²
UFA		Outside temperature display 1 - Requires (ZR7) Chrome Appearance Package.	A ¹				
UVC		Rear Vision Camera, camera and cable shipped loose 1 - Display included with (DRJ) inside rearview mirror.	S1	S1	A ¹	A ¹	A ¹
ATG		Remote Keyless Entry with 2 transmitters and remote panic button 1 - Requires (AU3) power door locks. Not available with (B3D) School Bus Package.	A ¹	A ¹	A ¹	A ¹	A1
BTV		Remote vehicle starter system 1 - Requires (ATG) remote keyless entry.	A ¹				
UEU		NEW! Forward Collision Alert 1 - Requires (UVC) Rear Vision Camera. Includes (UFL) Lane Departure Warning. Not available with (ENC) HVAC system auxiliary rear heat provisions or (9D9) inside rearview mirror delete.	A ¹				
AS5		Seats, front bucket with Custom Cloth trim, head restraints and inboard armrests 1 - Requires (**G) trim. Not available with SEO (ZP0) driver and passenger seat delete. Includes only driver high-back bucket seat with Custom Cloth trim when ordered with (ZX1) driver-only high-back bucket seating arrangement. Includes (BA3) engine cover console with swing-out bin.	A ¹				

Free	Ref.	Description		Work Van		4500	Van
Flow RPO Code	Only RPO Code	Description	CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
ZP0		Seats, delete driver and passenger, leaves seat risers on both sides, upfitter option, Deletes the standard driver and passenger front seats. Provides driver and passenger seat risers with adjusters and seat belts. Also provides a temporary seat for transportation to the upfitter. 1 - Not available with (C4M) 9900 lb. (4490 kg) GVWR or (C7A) 10,000 lb. (4536 kg) GVWR.	A ¹	A ¹	A	A	A
ZX1		Seating arrangement, driver-only high-back bucket, includes head restraint and vinyl or cloth trim 1 - Deletes passenger-side airbag, seat and seat belt. Components cannot be added back later. Includes (AJ3) driver-side only frontal airbag. Requires (AS5) front bucket seats with Custom Cloth or (AR7) front bucket seats with vinyl trim.	A ¹				
DT4		Smoker's Package, includes ashtray and lighter	А	А	А	А	А
NP5		Steering wheel, leather-wrapped 1 - Requires (ZQ3) Driver Convenience Package and (U0F) AM/FM stereo with MP3 player, (U0H) AM/FM stereo with MP3 player and USB port, (US8) AM/FM stereo with CD/MP3 player or (UI8) Chevrolet Infotainment radio with Navigation.	A ¹	A ¹	A ¹	A ¹	A1
DAA		Visors, driver and front passenger, vinyl in lieu of standard cloth	А	А	А	А	А
WRF		Commercial upfitter circuits , (2) 30-amp circuits and (4) blunt cut wires for upfitter to install remote door locks/unlock switch in the upfitter's body. Includes (AU3) power door locks.	A	A	A	A	A
9L7		 Wiring junction block equipment accessory, includes 2-30 amp circuits 1 - Requires (KG4) alternator 150 amp or (KW5) alternator 220 amp and (TP2) dual batteries (600 cca primary and 770 cca isolated). Included with (YF2) Ambulance Package, (YF1) RV Package, (B3D) School Bus Package and (ANC) Shuttle Bus Package. Not available with (RGI) front instrument panel routing grommet. 2 - Requires (KG4) alternator 150 amp or (KW5) alternator 220 amp and (TP2) dual batteries (600 cca primary and 770 cca isolated). Included with (YF1) RV Package. Not available with (RGI) front instrument panel routing grommet. 3 - Requires (KG4) alternator 150 amp or (KW5) alternator 220 amp and (TP2) dual batteries (600 cca primary and 770 cca isolated). Included with (ANC) Shuttle Bus Package or (B3D) School Bus Package. Not available with (RGI) front instrument panel routing grommet. 	A ¹	A ¹	A ²	A ¹	A ³
G7K		Antenna equipment, includes additional antenna, cable and ground plate. Provides additional ability to relocate standard OnStar antenna, cable length 25 ft. Ships loose. 1 - Requires (UE1) OnStar.	A ¹				
V46		Bumper, front chrome with step-pad 1 - Included with (ZR7) Chrome Appearance Package.	A ¹				

		ADDITIONAL OPTIONS					
Free Flow	Ref. Only	Description		Work Van	-	4500	Van
RPO Code	RPO Code		CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
ZR7		 Chrome Appearance Package Includes (V46) front chrome bumper and (V22) chrome grille. Included with (YF1) RV Package or (YF2) Ambulance Package or (ANC) Shuttle Bus Package. Includes (V46) front chrome bumper and (V22) chrome grille. Included with (YF1) RV Package. Includes (V46) front chrome bumper and (V22) chrome grille. Included with (ANC) Shuttle Bus Package. 	A ¹	A ¹	A ²	A ¹	A ³
V4D		Circuits, stop/turn signal, body control module calibration that allows the stop and turn signals to be operated separately 1 - Included with (YF2) Ambulance Package, (B3D) School Bus Package or (ANC) Shuttle Bus Package. 2 - Included with (ANC) Shuttle Bus Package or (B3D) School Bus Package.	A ¹	A ¹	A	A ¹	A²
U05		Horn, dual-note high and low 1 - Included with (B3D) School Bus Package or (YF2) Ambulance Package. 2 - Included with (B3D) School Bus Package.	A1	A ¹	A	A ¹	A²
VK3		License plate kit, front (will be shipped to orders with ship-to states that require front license plate)	A	A	А	А	A
DE2		Mirrors, outside manual, Black, dual pane 1 - Only available with (C4M) 9900 lbs. (4490 kg.) GVWR. Requires (R04) single rear wheel configuration. Not available with (YF1) RV Package or (B3D) School Bus Package.	A ¹	A ¹			
DE5		 Mirrors, outside heated power-adjustable, Black, manual-folding, dual pane 1 - Only available with (C4M) 9900 lbs. (4490 kg.) GVWR. Requires (R04) single rear wheel configuration, (C60) air conditioning and (ZQ2) Power Convenience Package. Not available with (B3D) School Package, (R6G) air conditioning delete or (9T7) passenger side door delete Upfitter option. 2 - Only available with (C4M) 9900 lbs. (4490 kg.) GVWR. Requires (R04) single rear wheel configuration, (C60) air conditioning and (ZQ2) Power Convenience Package. Not available with (B3D) School Package, (YF1) RV Package, (R6G) air conditioning delete or (9T7) passenger side door delete Upfitter option. 	A ¹	A ²			
DEB		 Mirrors, outside heated power-adjustable, Black, manual-folding with single pane glass 1 - Requires (R04) single rear wheel configuration, (C60) air conditioning, (ZQ2) Power Convenience Package and (DRJ) inside rearview mirror. Not available with (B3D) School Bus Package, (R6G) air conditioning delete or (9T7) passenger side door delete Upfitter option. 2 - Requires (R04) single rear wheel configuration, (C60) air conditioning, (ZQ2) Power Convenience Package and (DRJ) inside rearview mirror. Not available with (B3D) School Bus Package, (YF1) RV Package, (R6G) air conditioning delete or (9T7) passenger side door delete Upfitter option. 	A ¹	A ²			

Г

		ADDITIONAL OPTIONS					
Free Flow	Ref. Only	Description		Work Van	I	4500	Van
RPO Code	RPO Code		CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
DHC		Mirrors, outside wide-stance sail panel mounted (Velvac). Provides Velvac convex combination RH and LH outside rear view mirrors that are sail panel mounted with arms that provide a wide stance. Mirrors can be utilized with bodies that are up to 96 inch width. Mirrors provide a 63.3 sq. inch flat glass positioned over a 30.1 sq. inch convex glass within a common head. Mirrors are shipped loose in vehicle 1 - Not available with (B3D) School Bus Package .	A ¹	A ¹	A	A ¹	A ¹
ZLP		Tire, spare LT245/75R16E all-season, blackwall 1 - Requires (R04) single rear wheels, (XLP) front LT245/75R16E all-season blackwall tires and (YLP) rear LT245/75R16E all-season blackwall tires. Jack and spare tire equipment bracket are not included.	A ¹	A ¹			
XHF		 Tires, front LT225/75R16E all-season, blackwall 1 - Requires (R05) dual rear wheel configuration. Jack and spare tire equipment bracket are not included. 	A ¹	A ¹	S1	S1	S1
YHF		Tires, rear LT225/75R16E all-season, blackwall 1 - Requires (R05) dual rear wheel configuration. Jack and spare tire equipment bracket are not included.	A ¹	A ¹	S1	S1	S1
ZHF		Tire, spare LT225/75R16E all-season, blackwall 1 - Requires (R05) dual rear wheels and (XHF) front LT225/75R16E all-season blackwall tires.	A ¹				
R05		Wheel configuration, rear, dual 1 - Not available with (C4M) 9900 lb. (4490 kg) GVWR or (JFF) 10,100 lb. (4581 kg) GVWR.	A ¹	A ¹	S1	S1	S1
QT4		Wheels, 6 - 16" x 6.5" (40.6 cm x 16.5 cm) 8-lug painted steel, heavy duty 1 - Only available with (R05) dual rear wheel configuration.	A ¹	A ¹	S1	S1	S1
40P		Wheel finish, painted White. White-painted wheels in lieu of standard Gray-painted wheels 1 - Not available with SEO (5G0) Black painted wheels.	A ¹				
YF2		 Ambulance Package 1 - Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI gaseous engine, (C7N) 12,300 lbs. (5579 kg) GVWR and (GT4) 3.73 rear axle ratio. Includes (KW5) 220 amp alternator, (TP2) dual batteries (600 cca primary and 770 cca isolated), (G80) heavy-duty locking rear differential, (U05) dual-note horn, (ENC) HVAC system, auxiliary rear heat provisions, (K34) cruise control, (ZR7) Chrome Appearance Package, (UF3) high idle switch, (V4D) stop/turn signal circuits and (9L7) equipment accessory wiring junction block. Not available with (B3D) School Bus Package, (YF1) RV Package, (UA1) 770 cold-cranking amp battery or (ANC) Shuttle Bus Package. 2 - Requires (C7I) 14,200 lbs. (6441 kg) GVWR. Includes (KW5) 220 amp alternator, (TP2) dual batteries (600 cca primary and 770 cca isolated), (G80) heavy-duty rear locking differential, (U05) dual-note horn, (ENC) HVAC system auxiliary rear heat provisions, (K34) cruise control, (ZR7) Chrome Appearance Package, (UF3) high idle switch, (V4D) stop/turn signal circuits and (9L7) equipment accessory wiring junction block. Not available with (B3D) School Bus Package, (UF3) high idle switch, (V4D) stop/turn signal circuits and (9L7) equipment accessory wiring junction block. Not available with (B3D) School Bus Package, (UA1) 770 	A ¹	A ¹		A ²	

		ADDITIONAL OPTIONS					
Free Flow	Ref. Only	Description		Work Van		4500 Van	
RPO Code	RPO Code		CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
YF1		 RV Package 1 - Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI gaseous engine, (R05) Dual rear wheels and SEO (8R3) brass tire valve stems. Includes (ZR7) Chrome Appearance Package, (ZQ2) Power Convenience Package, (ZQ3) Driver Convenience Package, (D31) inside rearview manual day/night mirror or (DRJ) inside rearview mirror with rear vision camera display, (BA3) console with swing-out storage bin, (BNC) soft-mount donut and bolt, (KW5) 220 amp alternator, (TP2) dual batteries (600 cca primary and 770 cca isolated), SEO (8E1) 3 additional gallons of fuel and (9L7) equipment accessory wiring junction block. Not available with (YF2) Ambulance Package, (B3D) School Bus Package, (ANC) Shuttle Bus Package, (R6G) air conditioning delete, (U0F) AM/FM stereo with MP3 player, (U0H) AM/FM stereo with MP3 player and USB port, (ASF) roof-rail airbags or (C7A) 10,000 lbs. (4536 kg) GVWR. 2 - Requires SEO (8R3) brass tire valve stems. Includes (ZR7) Chrome Appearance Package, (ZQ2) Power Convenience Package, (ZQ3) Driver Convenience Package, (BA3) console with swing-out storage bin, (BNC) soft-mount donut and bolt, (D31) inside rearview manual day/night mirror or (DRJ) inside rearview mirror with rear vision camera display, (KW5) 220 amp alternator, (TP2) dual batteries (600 cca primary and 770 cca isolated), SEO (8E1) 3 additional gallons of fuel and (9L7) equipment accessory wiring junction block. Not available with (R6G) air conditioning delete, (U0F) AM/FM stereo with MP3 player, (U0H) AM/FM stereo with MP3 player and USB port or (ASF) roof-rail airbags. 3 - Requires SEO (8R3) brass tire valve stems. Includes (ZR7) Chrome Appearance Package, (ZQ2) Power Convenience Package, (ZQ3) Driver Convenience Package, (BA3) console with swing-out storage bin, (BNC) soft-mount donut and bolt, (D31) inside rearview manual day/night mirror or (DRJ) inside rearview mirror with rear vision camera display, (KW5) 220 amp alternator, (TP2) dual batteries (600 cca primary and 770 cca isolate	A ¹	A ¹	A ²	A ³	

Г

		ADDITIONAL OPTIONS					
Free Flow	Ref. Only	Description		Work Van		4500	Van
RPO Code	RPO Code		CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
B3D		 School Bus Package, chassis equipment with (UJ1) brake warning indicator 1 - Requires (D28) outside mirror delete, (C4M) 9,900 lb. (4490 kg) GVWR, (C7A) 10,000 lb. (4536 kg) GVWR and (ZX1) driver-only high-back bucket seating arrangement or (ZP1) temporary driver only Upfitter option seating. Not available with the (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI gaseous engine with the (JFF) 10,100 lb. (4581 kg) GVWR. Includes (ENC) HVAC system auxiliary rear heat provisions, (KWS) 220 amp alternator, (TP2) dual batteries (600 cca primary and 770 cca isolated) and (9L7) equipment accessory wiring junction block, (D31) inside rearview manual day/night mirror or (DRJ) inside rearview mirror with rear vision camera display, (U05) dual note horn and (V4D) stop/turn signal circuits. Not available with (DE2) outside mirrors, (DHC) outside wide-stance sail panel mounted mirrors, (DHC) outside wide-stance sail panel mounted mirrors, (DHC) outside vide-stance vide) of the second second second second the second sec	A ¹	A ²		A ³	A ⁴

	ADDITIONAL OPTIONS												
Free Flow	Ref. Only	Description		Work Van		4500	Van						
RPO Code	RPO Code		CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT						
ANC		 Shuttle Bus Package 1 - Requires (L96) Vortec 6.0L V8 engine or (LC8) 6.0L V8 SFI gaseous engine and (C7N) 12,300 lbs. (5579 kg.) GVWR. Includes (ZR7) Chrome Appearance Package, (BNC) soft-mount donut and bolt, (ZQ3) Driver Convenience Package, (V4D) stop/turn signal circuits, (ENC) HVAC system auxiliary rear heat provisions (KW5) 220 amp alternator, (TP2) dual batteries (600 cca primary and 770 cca isolated) and (9L7) equipment accessory wiring junction block. Not available with (C4M) 9900 lb. (4490 kg) GVWR, (C7A) 10,000 (4536 kg) GVWR, (JFF) 10,100 lb. (4581 kg) GVWR, (C7A) 10,000 (4536 kg) GVWR, (JFF) 10,100 lb. (4581 kg) GVWR, (YF2) Ambulance Package, (YF1) RV Package or (B3D) School Bus Package. 2 - Requires (L96) Vortec 6.0L V8 engine or (LC8) 6.0L V8 SFI gaseous engine and (C7N) 12,300 lbs. (5579 kg.) GVWR. Includes (ZR7) Chrome Appearance Package, (BNC) soft-mount donut and bolt, (ZQ3) Driver Convenience Package, (V4D) stop/turn signal circuits, (ENC) HVAC system auxiliary rear heat provisions (KW5) 220 amp alternator, (TP2) dual batteries (600 cca primary and 770 cca isolated) and (9L7) equipment accessory wiring junction block. Not available with (C4M) 9900 lb. (4490 kg) GVWR, (C7A) 10,000 (4536 kg) GVWR, (YF2) Ambulance Package, (YF1) RV Package or (B3D) School Bus Package. 3 - Requires (L96) Vortec 6.0L V8 engine or (LC8) 6.0L V8 SFI gaseous engine. Includes (ZR7) Chrome Appearance Package, (BNC) soft-mount donut and bolt, (ZQ3) Driver Convenience Package, (W4D) stop/turn signal circuits, (ENC) HVAC system auxiliary rear heat provisions (KW5) 220 amp alternator, (TP2) dual batteries (600 cca primary and 770 cca isolated) and (9L7) equipment accessory wiring junction block. Not available with (YF2) Ambulance Package, (YF1) RV Package or (B3D) School Bus Package. 4 - Includes (ZR7) Chrome Appearance Package, (BNC) soft-mount donut and bolt, (ZQ3) Driver Convenience Package, (V4D) stop/turn signal circuits, (ENC) HVAC system auxiliary rear heat provisions (A ¹	A ²		A ³	A ⁴						
KW5		Alternator, 220 amps 1 - Included with (YF2) Ambulance Package, (YF1) RV Package, (B3D) School Bus Package or (ANC) Shuttle Bus Package. 2 - Included with (YF1) RV Package. 3 - Included with (ANC) Shuttle Bus Package or (B3D) School Bus Package.	A ¹	A ¹	A ²	A ¹	A ³						
UA1		 Battery, heavy-duty 770 cold-cranking amps, maintenance-free with rundown protection and retained accessory power 1 - Not available with (YF2) Ambulance Package, (YF1) RV Package, (B3D) School Bus Package or (ANC) Shuttle Bus Package. 2 - Not available with (YF1) RV Package. 3 - Not available with (ANC) Shuttle Bus Package or (B3D) School Bus Package. 	A ¹	A ¹	A ²	A ¹	A ³						

		ADDITIONAL OPTIONS					
Free Flow	Ref. Only	Description		Work Van		4500	Van
RPO Code	RPO Code		CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
TP2		Battery, 600 cold-cranking amps primary, isolated 2nd heavy-duty 770 cold-cranking amps, allows 2nd battery to be used when the vehicle is not running without affecting ability to start the vehicle 1 - Included with (YF2) Ambulance Package, (YF1) RV Package, (B3D) School Bus Package or (ANC) Shuttle Bus Package. 2 - Included with (YF1) RV Package. 3 - Included with (ANC) Shuttle Bus Package or (B3D) School Bus Package.	A ¹	A ¹	A ²	A ¹	A ³
BNC		 Body, soft-mount donut and bolt (for mounting Upfit body to chassis) 1 - Included with (YF1) RV Package or (ANC) Shuttle Bus Package. 2 - Included with (YF1) RV Package. 3 - Included with (ANC) Shuttle Bus Package or (B3D) School Bus Package. 	A ¹	A ¹	A ²	A ¹	A ³
V10		Cold Climate Package, includes (K05) engine block heater	А	А	А	А	А
G80		Differential, heavy-duty locking rear 1 - Included with (YF2) Ambulance Package.	A ¹	A ¹	А	A1	А
FE9		Emissions, Federal requirements	А	А	А	А	А
YF5		Emissions, California state requirements	А	А	А	А	А
NE1		Emissions , Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington state requirements	A	A	A	A	A
NB8		 Emissions override, California (allows a dealer in states that require California emissions - California, Connecticut, Delaware, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island or Washington - to order Federal emissions for a vehicle that will be registered in a state that has Federal emission requirements). Do not use for vehicles that will be registered in California, Connecticut, Delaware, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island or Washington. 1 - Requires (FE9) Federal emissions requirements. Not available in Maine and Vermont. 	A ¹				
NB9		 Emissions override, state-specific (for dealers ordering vehicles in (YF5) or (NE1) emission states - California, Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington) 1 - Allows a California dealer (YF5 emissions) to order (NE1) emissions with (NB9) emissions override code for registration in (NE1) states; or, a Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington dealer (NE1 emissions) to order (YF5) emissions override code for registration in california. 	A ¹	A	A ¹	A ¹	A ¹

Г

		ADDITIONAL OPTIONS					
Free Flow	Ref.	Description		Work Van		4500) Van
RPO Code	Only RPO Code	Description	CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
NC7		Emissions override, Federal (for vehicles ordered by dealers in Federal emission states with (YF5) or (NE1) emissions - Not required for vehicles being shipped to California, Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont or Washington) 1 - Requires (YF5) California state emissions requirements or (NE1) Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont or Washington state emissions requirements.	A ¹				
NHT		 Enhanced Towing Performance Package, GCWR increased to 19,000 lbs. (8618 kg). 1 - Requires (C7N) 12,300 lbs. (5579 kg) GVWR. Includes (GT5) Rear axle, 4.10 ratio. 		A ¹	A ¹		
L96		Engine, Vortec 6.0L V8 (341 hp [254.3 kW] @ 5400 rpm, 373 lb-ft of torque [503.6 N-m] @ 4200 rpm) 1 - Includes external oil cooler. Requires (MYD) 6-speed heavy-duty automatic transmission. Reference the Engine/Axle page for availability.	A ¹	A ¹	S1	S1	S1
LC8		Engine, 6.0L V8 SFI Gaseous CNG/LPG capable with hardened valves and valve seats. Capable of operating on both gasoline and CNG/LPG. Running on gasoline (341 hp [254.3 kW] @ 5400 rpm, 373 lb-ft of torque [503.6 N-m] @ 4200 rpm). Equipped with standard factory gasoline fuel system. Does not include gaseous fuel tank(s), lines, regulators, etc. Gaseous fuel system can be installed in by aftermarket upfitter. GM recommends use of our approved alternative fuel upfitter, PSI (Power Solutions International). Ship thru codes are available for the PSI CNG and LPG fuel systems. Emissions certified for gasoline usage only. Emissions certification (exhaust and evaporative), as well as safety and labeling standards for the CNG/LPG system is the responsibility of the gaseous fuel system manufacturer. 1 - Includes external oil cooler. Requires (MYD) 6-speed heavy-duty automatic transmission. Reference the Engine/Axle page for availability.	A ¹				
R9Y		Fleet Free Maintenance Credit. This option code provides a credit in lieu of the free oil changes, tire rotations and inspections for one maintenance service during 1st year of ownership. The invoice will detail the applicable credit. The customer will be responsible for all oil change, tire rotations and inspections costs for this vehicle. 1 - Requires one of the following Fleet or Government order types: FBC, FBN, FCA, FCN, FLS, FNR, FRC or FGO. Not available with FDR order types.	A ¹				

		ADDITIONAL OPTIONS					
Free Flow	Ref. Only	Description		Work Van	-	4500) Van
RPO Code	RPO Code		CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
K50		 Fuel fitting, auxiliary feed in the fuel tank 1 - Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI gaseous engine. 2 - Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI gaseous engine. Not available with (NE7) 57 gallon (215.7L) (approximate) fuel tank. 	A ¹	A ²	A ²	A ²	A²
NE7		 Fuel tank capacity, approximately 57 gallons (215.7L). As part of the base design, includes the auxiliary feed fuel fitting and in tank return line. 1 - Requires (C7N) 12,300 lb. (5579 kg) GVWR. Not available with (B3D) School Bus Package. 2 - Not available with (K50) auxiliary feed in fuel tank return line fuel fitting. 3 - Not available with (K50) auxiliary feed in fuel tank return line fuel fitting or (B3D) School Bus Package. 		A ¹	A ²	A ³	A ³
C7A		GVWR, 10,000 lbs. (4536 kg) 1 - Requires (R05) dual rear wheel configuration. Not available with (YF1) RV Package or (R04) single rear wheel combination. Reference the Engine/Axle page for availability.	A ¹	A ¹			
JFF		GVWR, 10,100 lbs. (4581 kg) 1 - Includes (R04) single rear wheel configuration. Not available with (R05) dual rear wheel combination. Reference the Engine/Axle page for availability.	A ¹				
C7N		GVWR, 12,300 lbs. (5579 kg) 1 - Includes (R05) dual rear wheel configuration. Not available with (R04) single rear wheel combination. Reference the Engine/Axle page for availability.	A ¹	A ¹	S		
UF3		 High idle switch 1 - Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI gaseous engine and (ZQ3) Driver Convenience Package or (K34) cruise control. Included with (YF2) Ambulance Package. 2 - Requires (ZQ3) Driver Convenience Package or (K34) cruise control. 3 - Requires (ZQ3) Driver Convenience Package or (K34) cruise control. Included with (YF2) Ambulance Package. 	A ¹	A ¹	A ²	A ³	A ²
ENC		 HVAC system, auxiliary rear heater provisions 1 - Included with (YF2) Ambulance Package, (B3D) School Bus Package or (ANC) Shuttle Bus Package. 2 - Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI gaseous engine. Included with (YF2) Ambulance Package, (B3D) School Bus Package or (ANC) Shuttle Bus Package. 3 - Included with (ANC) Shuttle Bus Package or (B3D) School Bus Package. 	A ¹	A ²	A	A ¹	A ³
GT4		Rear axle, 3.73 ratio 1 - Requires (R05) dual rear wheel configuration.	A ¹	A ¹	S1		
UY7		Trailering provisions, trailering wire harness only 1 - Not available with (YF2) Ambulance Package or (B3D) School Bus Package.	A ¹	A ¹		A ¹	

	ADDITIONAL OPTIONS											
Free Ref. Flow Only		Description		Work Van	4500 Van							
RPO Code	RPO Code		CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT					
MYD		Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking, Powertrain Grade Braking, and Tap-Up/Tap-Down Driver Shift Control 1 - Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI gaseous engine. Reference the Engine/Axle page availability. 2 - Reference the Engine/Axle page availability.	A ¹	A ¹	S²	S²	S²					

No deletions allowed to Equipment Groups. Additional options may be added; check ordering information section for compatibility.

*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow	Ref.	Description		Work Van	4500 Van		
RPO Code	Only RPO Code	Description	CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
		Standard Equipment					

*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Free	Ref.	Description		Work Van		4500 Van		
Flow RPO Code	Only RPO Code	Description	CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT	
	AK5	Airbags, frontal, driver and front passenger 1 - Included and only available with (ZX2) driver and front passenger high-back bucket seats or (ZP0) driver and passenger temporary seats. Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.	S1	S1	S1	S1	S1	
	ASF	 Airbags, driver and right-front passenger, seat-mounted side-impact and roof-rail side-impact 1 - Included and only available with (C4M) 9900 lb. (4490 kg) GVWR or (C7A) 10,000 lb. (4536 kg) GVWR. Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information. 	S ¹	S1				
	AJ3	Airbag, frontal, driver side only (deletes passenger-side) 1 - Included and only available with (ZP1) temporary driver only seat or (ZX1) driver only high-back bucket seat. Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.	A ¹	A ¹	A ¹	A1	A ¹	
	C99	Airbag deactivation switch, frontal passenger-side 1 - Not available with (AJ3) frontal, driver-side only airbag. Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.	S ¹	S	S ¹	S ¹	S ¹	
	C60	Air conditioning, single-zone manual 1 - Not available with (R6G) air conditioning delete.	S1	S1	S1	S1	S1	
R6G		 Air conditioning delete Not available with (YF1) RV Package, (YF2) Ambulance Package, (DEB) outside heated, power-adjustable Black mirrors with single pane glass or (DE5) outside heated, power-adjustable Black mirrors. Not available with (YF1) RV Package. Not available with (YF1) RV Package or (YF2) Ambulance Packages. 	A ¹	A ¹	A²	A³	A	
		Assist handles, driver and right-front passenger	S	S	S	S	S	
	U0F	 Audio system, AM/FM stereo with MP3 player, seek-and-scan, digital clock, TheftLock, random select, auxiliary jack and 2 front door speakers 1 - Not available with (U2K) SiriusXM Radio or (YF1) RV Package. 2 - Not available with (U2K) SiriusXM Radio. 	S ¹	S ¹	S ¹	S ¹	S²	
U0H		 Audio system, AM/FM stereo with MP3 player and USB port, includes seek-and-scan, digital clock, TheftLock, random select, auxiliary jack and 2 front door speakers 1 - Not available with (U2K) SiriusXM Radio. 	A ¹					

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free	Ref.	Description		Work Van		4500	Van
Flow RPO Code	Only RPO Code	Description	CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
US8		Audio system, AM/FM stereo with CD/MP3 player, USB port, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), TheftLock, random select, auxiliary jack and 2 front door speakers 1 - Required with (U2K) SiriusXM radio.	A ¹				
UI8		Audio system, Chevrolet Infotainment System with Navigation and 6.5" diagonal color touch-screen, AM/FM stereo with CD player, includes Bluetooth streaming audio for music and select phones; Hands-Free smartphone integration with Pandora and Stitcher; voice-activated technology for radio and phone (NOTE: Rear vision camera image is displayed on rearview mirror) 1 - Requires (ZQ3) Driver Convenience Package, (NP5) leather-wrapped steering wheel and (W1Y) steering wheel controls. Includes (UBS) SiriusXM NavTraffic, (USR) USB port and (UPF) Bluetooth for phone. Not available with (U2K) SiriusXM Radio.	A ¹	A1	A ¹	A1	A1
UXZ		Audio system, radio provisions only. Includes alarm warning chimes, radio wiring harness, radio antenna and 2 front door speakers 1 - Not available with (UE1) OnStar or (U2K) SiriusXM Radio.	A1	A ¹	A ¹	A ¹	A1
UPF		Bluetooth for phone, personal cell phone connectivity to vehicle audio system 1 - Requires (NP5) leather-wrapped steering wheel, (W1Y) steering wheel controls and (ZQ3) Driver Convenience Package. Included with (UI8) Chevrolet Infotainment radio with Navigation. NOTE: With (U0F) AM/FM stereo with MP3 player, (U0H) AM/FM stereo with MP3 player and USB port or (US8) AM/FM stereo with MP3 compatible CD player requires (UE1) OnStar hardware (subscription to OnStar services not required for operation). NOTE: With (U18) Chevrolet Infotainment radio with Navigation (UE1) OnStar hardware is not required.	A ¹				
	USR	Audio system feature, USB port 1 - Included and only available with (U0H) AM/FM stereo with MP3 player, (US8) AM/FM stereo with MP3 compatible CD player or (UI8) Chevrolet Infotainment with Navigation.	A1	A ¹	A ¹	A ¹	A1
U2K		 SiriusXM Radio is standard on nearly all 2019 GM models. Enjoy a 3-month All Access trial subscription with over 150 channels including commercial-free music, plus sports, news and entertainment. Plus listening on the app and online is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. 1 - Only available with the combination of (UE1) OnStar and (US8) AM/FM stereo with MP3 compatible CD player. IMPORTANT: The SiriusXM radio trial package is not provided on vehicles that are ordered for Fleet Daily Rental ("FDR") use. If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-866-635-2349. See our Customer Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change. 	A ¹	A ¹	A ¹	A ¹	A1

Free Flow	Ref. Only	Description		Work Van		4500	Van
RPO Code	RPO Code		CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
	UBS	 SiriusXM NavTraffic. Avoid congestion before you reach it by enhancing your vehicle's navigation or entertainment system with SiriusXM NavTraffic. With detailed information on traffic speed, accidents, construction, road closures and more, you will get to your destination faster and more easily than ever before. 1 - Included and only available with (UI8) Chevrolet Infotainment radio with Navigation. SiriusXM radio and NavTraffic subscriptions are sold separately or as a package after trial period. If you decide to continue listening after your trial, the subscription plan you choose will automatically renew and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-866-635-2349. See our Customer Agreement for complete terms at www.siriusxM. Current information and features may not be available in all locations, or on all receivers. 	A ¹	A ¹	A ¹	A ¹	A1
UJ1		 Brake warning indicator, monitors brake system pressure, with loss of pressure an audible alarm (chime) and cluster telltale is lit 1 - Included with (B3D) School Bus Package. Not available with (YF1) RV Package or (YF2) Ambulance Package. 2 - Not available with (YF1) RV Package. 3 - Included with (B3D) School Bus Package. 	A1	A ¹	A ²	A ¹	A ³
BA3		Console, engine cover with swing-out storage bin 1 - Included with (AS5) Custom Cloth front bucket seats and (YF1) RV Package.	A1	A ¹	A ¹	A ¹	A1
ZQ2		Power Convenience Package, includes (A31) power windows and (AU3) power door locks 1 - Includes (A31) power windows and (AU3) power door locks. Included with (YF1) RV Package. Not available with (9T7) passenger side door delete. NOTE: Does not include (ATG) Remote Keyless Entry. (ATG) Remote Keyless Entry must be ordered separately.	A ¹				
ZQ3		Driver Convenience Package, includes Tilt-Wheel and (K34) cruise control 1 - Included with (YF1) RV Package or (ANC) Shuttle Bus Package. 2 - Included with (YF1) RV Package.	A ¹	A ¹	A²	A ¹	A1
	K34	Cruise control 1 - Included and only available with (ZQ3) Driver Convenience Package, (YF2) Ambulance Package or (UF3) High idle switch. 2 - Included and only available with (ZQ3) Driver Convenience Package or (UF3) High idle switch.	A1	A ¹	A²	A ¹	A²
		Cup holders, 3 on the engine console cover	S	S	S	S	S
AU3		Door locks, power with lock-out protection 1 - Included with (ZQ2) Power Convenience Package. NOTE: Does not include (ATG) Remote Keyless Entry. (ATG) Remote Keyless Entry must be ordered separately.	A1	A ¹	A ¹	A ¹	A1
		Driver Information Center , includes fuel range, average speed, oil life, fuel used, ice warning, engine hours, average fuel economy, tachometer and maintenance reminders	S	S	S	S	S
	B31	Floor covering, Black rubberized-vinyl front	S	S	S	S	S
		Headliner, cloth, over driver and passenger	S	S	S	S	S

Free Work Van 4500 Van Ref. Description Flow Only RPO RPO CG33503 CG33803 CG33903 CG33803 CG33903 Code Code **1WT 1WT 1WT** 2WT **2WT** S Heater and defogger with front and side window defoggers S S S S S Instrumentation, analog with speedometer, odometer with trip S S S S odometer, fuel level, voltmeter, engine temperature and oil pressure S S S S S Lighting, interior with dome light and door handle-activated switches A¹ A² S³ S³ S³ D31 Mirror, inside rearview manual day/night 1 - Not available with (UVC) rear vision camera. Requires (C7N) 12,300 lb. (5579 kg) GVWR or (JFF) 10,100 lb. (4581 kg) GVWR. 2 - Not available with (UVC) rear vision camera. Requires (C7N) 12,300 lb. (5579 kg) GVWR. 3 - Not available with (UVC) rear vision camera. S^1 S^1 A¹ A^1 A^1 DR.J Mirror, inside rearview, includes Rear Vision Camera display 1 - Included and only available with (UVC) Rear Vision Camera. 9D9 A¹ A¹ A² A² A² Mirror, inside rearview delete, this option deletes the inside rearview mirror 1 - Not available with (UVC) Rear Vision Camera, (UEU) Forward Collision Alert, (C4M) 9900 lb. (4490 kg) GVWR or (C7A) 10,000 lb. (4536 kg) GVWR. 2 - Not available with (UVC) Rear Vision Camera or (UEU) Forward Collision Alert. UE0 OnStar, delete A¹ A¹ A¹ A¹ A^1 1 - Requires a Fleet or Government Order Type or (UI8) Chevrolet Infotainment radio with navigation on all order types. A² A² A¹ A¹ A¹ UE1 OnStar and Chevrolet connected services capable 1 - Not available with (YF2) Ambulance Package or (UXZ) radio provisions only audio system. Included with (FDR) Fleet Daily Rental order types. Fleet orders receive a 3-month trial. Visit onstar.com for coverage map, details and system limitations. Services vary by model. 2 - Not available with (UXZ) radio provisions only audio system. Included with (FDR) Fleet Daily Rental order types. Fleet orders receive a 3-month trial. Visit onstar.com for coverage map, details and system limitations. Services vary by model. A^1 VV/4 Chevrolet 4G LTE and available built-in Wi-Fi hotspot offers a A¹ A¹ A¹ A^1 fast and reliable Internet connection for up to 7 devices; includes data trial for 1 month or 3GB (whichever comes first) 1 - Included and only available with (UE1) OnStar. Available Wi-Fi requires compatible mobile device, active OnStar service and data plan. Data plans provided by AT&T. Visit onstar.com for details and system limitations. A¹ A¹ A¹ A¹ A¹ Chevrolet Connected Access with 10 years of standard connectivity which enables services such as, Vehicle Diagnostics, Dealer Maintenance Notification, Chevrolet Smart Driver, Marketplace and more 1 - Included and only available with (UE1) OnStar. Limitations apply. Not transferable. Standard connectivity available to original purchaser for ten years from the date of initial vehicle purchase for model year 2018 or newer Chevrolet vehicles. See onstar.com for details and further plan limitations. Connected Access does not include emergency or security services. Availability and additional services enabled by Connected Access are subject to change.

Free Work Van 4500 Van Ref. Description Flow Only RPO RPO CG33503 CG33803 CG33903 CG33803 CG33903 Code Code **1WT 1WT 1WT** 2WT 2WT A^1 A¹ A¹ A¹ A¹ UFA Outside temperature display 1 - Requires (ZR7) Chrome Appearance Package. KI4 S S S S S Power outlet, 120-volt s Power outlets, 2 auxiliary on engine console cover with covers, S S S S 12-volt NEW! Keyed Ignition System, to turn off vehicle push key in S S S S S while rotating A^1 UVC S¹ S¹ A¹ A¹ Rear Vision Camera, camera and cable shipped loose 1 - Display included with (DRJ) inside rearview mirror. A¹ A¹ A¹ A¹ A¹ ATG Remote Keyless Entry with 2 transmitters and remote panic button 1 - Requires (AU3) power door locks. Not available with (B3D) School Bus Package. A¹ A¹ A^1 A¹ A^1 BTV Remote vehicle starter system 1 - Requires (ATG) remote keyless entry. A¹ A^1 A¹ A¹ A¹ UEU NEW! Forward Collision Alert 1 - Requires (UVC) Rear Vision Camera. Includes (UFL) Lane Departure Warning. Not available with (ENC) HVAC system auxiliary rear heat provisions or (9D9) inside rearview mirror delete. A^1 UFL **NEW!** Lane Departure Warning A¹ A¹ A¹ A¹ 1 - Included and only available with (UEU) Forward Collision Alert. S^1 AR7 Seats, front bucket with vinyl trim and head restraints, includes S^1 S^1 S¹ S1 inboard armrests 1 - Requires (**W) trim. Not available with SEO (ZP0) delete driver and passenger seats. Includes only driver high-back bucket seat with vinyl trim when ordered with (ZX1) driver-only high-back bucket seating arrangement. AS5 Seats, front bucket with Custom Cloth trim, head restraints and A¹ A¹ A¹ A¹ A^1 inboard armrests 1 - Requires (**G) trim. Not available with SEO (ZP0) driver and passenger seat delete. Includes only driver high-back bucket seat with Custom Cloth trim when ordered with (ZX1) driver-only high-back bucket seating arrangement. Includes (BA3) engine cover console with swing-out bin. ZP0 A¹ A¹ А Seats, delete driver and passenger, leaves seat risers on both А А sides, upfitter option, Deletes the standard driver and passenger front seats. Provides driver and passenger seat risers with adjusters and seat belts. Also provides a temporary seat for transportation to the upfitter. 1 - Not available with (C4M) 9900 lb. (4490 kg) GVWR or (C7A) 10,000 lb. (4536 kg) GVWR. A^1 A¹ A¹ A1 A1 ZX1 Seating arrangement, driver-only high-back bucket, includes head restraint and vinyl or cloth trim 1 - Deletes passenger-side airbag, seat and seat belt. Components cannot be added back later. Includes (AJ3) driver-side only frontal airbag. Requires (AS5) front bucket seats with Custom Cloth or (AR7) front bucket seats with vinyl trim.

Free	Ref.	Description		Work Van		4500	Van
Flow RPO Code	Only RPO Code		CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
	ZX2	Seating arrangement, driver and front passenger high-back bucket, includes head restraints and vinyl or cloth trim 1 - Not available with (AJ3) driver-side only frontal airbag.	S1	S1	S ¹	S1	S1
DT4		Smoker's Package, includes ashtray and lighter	А	А	А	А	А
NP5		Steering wheel, leather-wrapped 1 - Requires (ZQ3) Driver Convenience Package and (U0F) AM/FM stereo with MP3 player, (U0H) AM/FM stereo with MP3 player and USB port, (US8) AM/FM stereo with CD/MP3 player or (UI8) Chevrolet Infotainment radio with Navigation.	A1	A1	A1	A ¹	A1
	W1Y	Steering wheel controls, mounted audio controls 1 - Included and only available with (NP5) leather-wrapped steering wheel.	A1	A1	A ¹	A ¹	A1
	UTJ	NEW! Theft-deterrent system, unauthorized entry 1 - Included and only available with the combination of (ATG) Remote Keyless Entry and (UE1) OnStar.	A ¹				
		Theft-deterrent system, vehicle, PASS-Key III	S	s	S	S	S
	UJM	Tire Pressure Monitoring System (does not monitor spare tires) 1 - Required with (C4M) 9900 lbs. (4490 kg) GVWR and (R04) single rear 4 - 16" x 6.5" (40.6 cm x 16.5 cm) wheels.	S1	S1			
		Tow/haul mode selector, instrument panel-mounted	S	S	S	S	S
		Visors, driver and front passenger, cloth, padded	S	S	S	S	S
DAA		Visors, driver and front passenger, vinyl in lieu of standard cloth	А	А	А	А	А
		Warning tones, headlamp on and key-in-ignition	S	S	S	S	S
	A31	Windows, power 1 - Included and only available with (ZQ2) Power Convenience Package.	A ¹				
WRF		Commercial upfitter circuits , (2) 30-amp circuits and (4) blunt cut wires for upfitter to install remote door locks/unlock switch in the upfitter's body. Includes (AU3) power door locks.	A	A	A	A	A
9L7		 Wiring junction block equipment accessory, includes 2-30 amp circuits 1 - Requires (KG4) alternator 150 amp or (KW5) alternator 220 amp and (TP2) dual batteries (600 cca primary and 770 cca isolated). Included with (YF2) Ambulance Package, (YF1) RV Package, (B3D) School Bus Package and (ANC) Shuttle Bus Package. Not available with (RGI) front instrument panel routing grommet. 2 - Requires (KG4) alternator 150 amp or (KW5) alternator 220 amp and (TP2) dual batteries (600 cca primary and 770 cca isolated). Included with (YF1) RV Package. Not available with (RGI) front instrument panel routing grommet. 3 - Requires (KG4) alternator 150 amp or (KW5) alternator 220 amp and (TP2) dual batteries (600 cca primary and 770 cca isolated). Included with (YF1) RV Package. Not available with (RGI) front instrument panel routing grommet. 3 - Requires (KG4) alternator 150 amp or (KW5) alternator 220 amp and (TP2) dual batteries (600 cca primary and 770 cca isolated). Included with (ANC) Shuttle Bus Package or (B3D) School Bus Package. Not available with (RGI) front instrument panel routing grommet. 	A ¹	A ¹	A ²	A ¹	A ³

*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Free Flow	Ref. Onlv	Description		Work Van		4500 Van		
RPO Code	RPO Code	Description	CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG3390 2WT	
	ZW9	Body, standard	S	S	S	S	S	
G7K		Antenna equipment, includes additional antenna, cable and ground plate. Provides additional ability to relocate standard OnStar antenna, cable length 25 ft. Ships loose. 1 - Requires (UE1) OnStar.	A ¹					
V46		Bumper, front chrome with step-pad 1 - Included with (ZR7) Chrome Appearance Package.	A ¹					
		Bumper, front painted Black with step-pad 1 - Deleted when (ZR7) Chrome Appearance Package is ordered.	S1	S1	S1	S1	S1	
ZR7		 Chrome Appearance Package 1 - Includes (V46) front chrome bumper and (V22) chrome grille. Included with (YF1) RV Package or (YF2) Ambulance Package or (ANC) Shuttle Bus Package. 2 - Includes (V46) front chrome bumper and (V22) chrome grille. Included with (YF1) RV Package. 3 - Includes (V46) front chrome bumper and (V22) chrome grille. Included with (ANC) Shuttle Bus Package. 	A ¹	A1	A²	A ¹	A ³	
V4D		Circuits, stop/turn signal, body control module calibration that allows the stop and turn signals to be operated separately 1 - Included with (YF2) Ambulance Package, (B3D) School Bus Package or (ANC) Shuttle Bus Package. 2 - Included with (ANC) Shuttle Bus Package or (B3D) School Bus Package.	A ¹	A ¹	A	A ¹	A²	
		Daytime Running Lamps	S	S	S	S	S	
		Flasher, heavy duty, light emitting diode (LED)	S	s	S	S	S	
		Glass, Solar-Ray light-tinted, all windows	S	S	S	S	S	
		Grille, Black composite 1 - Not available with (ZR7) Chrome Appearance Package.	S1	S1	S1	S1	S1	
	V22	Grille, chrome 1 - Included and only available with (ZR7) Chrome Appearance Package.	A1	A ¹	A ¹	A ¹	A1	
		Headlamps, dual halogen composite	S	S	S	S	S	
U05		Horn, dual-note high and low 1 - Included with (B3D) School Bus Package or (YF2) Ambulance Package.	A1	A ¹	А	A ¹	A²	

А

А

А

А

А

2 - Included with (B3D) School Bus Package.

states that require front license plate)

License plate kit, front (will be shipped to orders with ship-to

VK3

Free Work Van 4500 Van Ref. Description Flow Only RPO RPO CG33803 CG33903 CG33803 CG33903 CG33503 Code Code **1WT 1WT 1WT** 2WT 2WT S¹ S¹ S¹ S S D28 Mirrors, outside delete 1 - Not available with (5Q7) Upfitter option Blank Sail Panel Delete when ordered with (YF2) Ambulance Package. A¹ DE2 A¹ Mirrors, outside manual, Black, dual pane ---------1 - Only available with (C4M) 9900 lbs. (4490 kg.) GVWR. Requires (R04) single rear wheel configuration. Not available with (YF1) RV Package or (B3D) School Bus Package. DE5 A¹ A² Mirrors, outside heated power-adjustable, Black, manual-folding, -dual pane 1 - Only available with (C4M) 9900 lbs. (4490 kg.) GVWR. Requires (R04) single rear wheel configuration, (C60) air conditioning and (ZQ2) Power Convenience Package. Not available with (B3D) School Package, (R6G) air conditioning delete or (9T7) passenger side door delete Upfitter option. 2 - Only available with (C4M) 9900 lbs. (4490 kg.) GVWR. Requires (R04) single rear wheel configuration, (C60) air conditioning and (ZQ2) Power Convenience Package. Not available with (B3D) School Package, (YF1) RV Package, (R6G) air conditioning delete or (9T7) passenger side door delete Upfitter option. A² DEB Mirrors, outside heated power-adjustable, Black, manual-folding A¹ with single pane glass 1 - Requires (R04) single rear wheel configuration, (C60) air conditioning, (ZQ2) Power Convenience Package and (DRJ) inside (R6G) air conditioning delete or (9T7) passenger side door delete Upfitter option. 2 - Requires (R04) single rear wheel configuration, (C60) air conditioning, (ZQ2) Power Convenience Package and (DRJ) inside rearview mirror. Not available with (B3D) School Bus Package, (YF1) RV Package, (R6G) air conditioning delete or (9T7) passenger side door delete Upfitter option. A¹ A¹ A¹ A¹ DHC Mirrors, outside wide-stance sail panel mounted (Velvac). А Provides Velvac convex combination RH and LH outside rear view mirrors that are sail panel mounted with arms that provide a wide stance. Mirrors can be utilized with bodies that are up to 96 inch width. Mirrors provide a 63.3 sq. inch flat glass positioned over a 30.1 sq. inch convex glass within a common head. Mirrors are shipped loose in vehicle 1 - Not available with (B3D) School Bus Package. S S ZY1 Paint, solid S S S XLP Tires, front LT245/75R16E all-season, blackwall S1 S¹ -------1 - Requires (R04) single rear wheel configuration. Jack and spare tire equipment bracket are not included. S¹ S¹ YLP Tires, rear LT245/75R16E all-season, blackwall -----1 - Requires (R04) single rear wheel configuration. Jack and spare tire equipment bracket are not included. ZLP A¹ A¹ Tire, spare LT245/75R16E all-season, blackwall ___ 1 - Requires (R04) single rear wheels, (XLP) front LT245/75R16E all-season blackwall tires and (YLP) rear LT245/75R16E all-season blackwall tires. Jack and spare tire equipment bracket are not included XHF A¹ A¹ S¹ S1 S¹ Tires, front LT225/75R16E all-season, blackwall 1 - Requires (R05) dual rear wheel configuration. Jack and spare

EXTERIOR

tire equipment bracket are not included.

Free	Ref.	Description		Work Van		4500) Van
Flow RPO Code	Only RPO Code		CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
YHF		Tires, rear LT225/75R16E all-season, blackwall 1 - Requires (R05) dual rear wheel configuration. Jack and spare tire equipment bracket are not included.	A ¹	A ¹	S1	S1	S1
ZHF		Tire, spare LT225/75R16E all-season, blackwall 1 - Requires (R05) dual rear wheels and (XHF) front LT225/75R16E all-season blackwall tires.	A ¹				
	R04	Wheel configuration, rear, single 1 - Not available with (C7A) 10,000 lbs. (4536 kg) GVWR or (C7N) 12,300 lbs. (5579 kg.) GVWR.	S1	S1			
R05		Wheel configuration, rear, dual 1 - Not available with (C4M) 9900 lb. (4490 kg) GVWR or (JFF) 10,100 lb. (4581 kg) GVWR.	A ¹	A ¹	S1	S1	S1
	QB5	Wheels, 4 - 16" x 6.5" (40.6 cm x 16.5 cm), 8-lug painted steel, heavy-duty 1 - Only available with (R04) single rear wheel configuration.	S1	S1			
QT4		Wheels, 6 - 16" x 6.5" (40.6 cm x 16.5 cm) 8-lug painted steel, heavy duty 1 - Only available with (R05) dual rear wheel configuration.	A ¹	A ¹	S1	S1	S1
40P		Wheel finish, painted White. White-painted wheels in lieu of standard Gray-painted wheels 1 - Not available with SEO (5G0) Black painted wheels.	A ¹				
		Wipers, front intermittent wet-arm with pulse washers	S	S	S	S	S
YF2		 Ambulance Package 1 - Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI gaseous engine, (C7N) 12,300 lbs. (5579 kg) GVWR and (GT4) 3.73 rear axle ratio. Includes (KW5) 220 amp alternator, (TP2) dual batteries (600 cca primary and 770 cca isolated), (G80) heavy-duty locking rear differential, (U05) dual-note horn, (ENC) HVAC system, auxiliary rear heat provisions, (K34) cruise control, (ZR7) Chrome Appearance Package, (UF3) high idle switch, (V4D) stop/turn signal circuits and (9L7) equipment accessory wiring junction block. Not available with (B3D) School Bus Package, (YF1) RV Package, (UA1) 770 ccl cranking amp battery or (ANC) Shuttle Bus Package. 2 - Requires (C7I) 14,200 lbs. (6441 kg) GVWR. Includes (KW5) 220 amp alternator, (TP2) dual batteries (600 cca primary and 770 cca isolated), (G80) heavy-duty rear locking differential, (U05) dual-note horn, (ENC) HVAC system auxiliary rear heat provisions, (K34) cruise control, (ZR7) Chrome Appearance Package, (UF3) high idle switch, (V4D) stop/turn signal circuits and (9L7) equipment accessory wiring junction block. Not available with (B3D) School Bus Package, (YF1) RV Package, (UA1) 770 cold-cranking amp battery or (ANC) Shuttle Bus Package. 	A ¹	A		A ²	

Free Ref.	Description		Work Van		4500	Van
Flow Only RPO RPO Code Code	Description	CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
YF1	 RV Package 1 - Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI gaseous engine, (R05) Dual rear wheels and SEO (8R3) brass tire valve stems. Includes (ZR7) Chrome Appearance Package, (ZQ2) Power Convenience Package, (ZQ3) Driver Convenience Package, (D31) inside rearview manual day/night mirror or (DRJ) inside rearview mirror with rear vision camera display, (BA3) console with swing-out storage bin, (BNC) soft-mount donut and bolt, (KW5) 220 amp alternator, (TP2) dual batteries (600 cca primary and 770 cca isolated), SEO (8E1) 3 additional gallons of fuel and (9L7) equipment accessory wiring junction block. Not available with (YF2) Ambulance Package, (B3D) School Bus Package, (ANC) Shuttle Bus Package, (R6G) air conditioning delete, (U0F) AM/FM stereo with MP3 player, (U0H) AM/FM stereo with MP3 player and USB port, (ASF) roof-rail airbags or (C7A) 10,000 lbs. (4536 kg) GVWR. 2 - Requires SEO (8R3) brass tire valve stems. Includes (ZR7) Chrome Appearance Package, (ZQ2) Power Convenience Package, (ZQ3) Driver Convenience Package, (BA3) console with swing-out storage bin, (BNC) soft-mount donut and bolt, (D31) inside rearview mirror with rear vision camera display, (KW5) 220 amp alternator, (TP2) dual batteries (600 cca primary and 770 cca isolated), SEO (8E1) 3 additional gallons of fuel and (9L7) equipment accessory wiring junction block. Not available with (R6G) air conditioning delete, (U0F) AM/FM stereo with MP3 player, (U0H) AM/FM stereo with MP3 player and USB port or (ASF) roof-rail airbags. 3 - Requires SEO (8R3) brass tire valve stems. Includes (ZR7) Chrome Appearance Package, (ZQ2) Power Convenience Package, (ZQ3) Driver Convenience Package, (BA3) console with swing-out storage bin, (BNC) soft-mount donut and bolt, (D31) inside rearview manual day/night mirror or (DRJ) inside rearview mirror with rear vision camera display, (KW5) 220 amp alternator, (TP2) dual batteries (600 cca primary and 770 cca isolated), SEO (8E1) 3 additional gallons of fuel and (9	A1	A1	A ²	A ³	

Free Ref.	Description		Work Van		4500	Van
Flow Only RPO RPO Code Code	Description	CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
B3D	 School Bus Package, chassis equipment with (UJ1) brake warning indicator 1 - Requires (D28) outside mirror delete, (C4M) 9,900 lb. (4490 kg) GWR, (C7A) 10,000 lb. (4536 kg) GWWR and (ZX1) driver-only high-back bucket seating arrangement or (ZP1) temporary driver only Upfitter option seating. Not available with the (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI gaseous engine with the (JFF) 10,100 lb. (4581 kg) GWWR. Includes (ENC) HVAC system auxiliary rear heat provisions, (KW5) 220 amp alternator, (TP2) dual batteries (600 cca primary and 770 cca isolated) and (9L7) equipment accessory wiring junction block, (D31) inside rearview manual day/night mirror or (DR1) inside rearview mirror with rear vision camera display, (U05) dual note horn and (V4D) stop/turn signal circuits. Not available with (DE2) outside manual Black mirrors, (DHC) outside wide-stance sail panel mounted mirrors, (AU3) power door locks, (ASF) roof-rail airbags, (Z02) Power Convenience Package, (YF2) Ambulance Package, (YF1) RV Package or (ANC) Shuttle Bus Package. 2 - Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI gaseous engine, (C7N) 12.300 lbs. (5579 kg) GWWR, (D28) outside mirror delete and (ZX1) driver-only high-back bucket seating arrangement or (ZP1) temporary driver only Upfitter option seating. Includes (ENC) HVAC system auxiliary rear heat provisions, (KW5) 220 amp alternator, (TP2) dual batteries (600 cca primary and 770 cca isolated) and (9L7) equipment accessory wiring junction block, (D31) inside rearview manual day/night mirror or (DRJ) inside rearview mirror with rear vision camera display, (U05) dual note horn and (V4D) stop/turn signal circuits. Not available with (DE2) outside mirrors, (DHC) outside wide-stance sail panel mounted mirrors, (DHC) outside wide-stance	A	A ²		A ³	A ⁴

Free Ref.	Description		Work Van		4500) Van
Flow Only RPO RPO Code Code	Description	CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
ANC	 Shuttle Bus Package 1 - Requires (L96) Vortec 6.0L V8 engine or (LC8) 6.0L V8 SFI gaseous engine and (C7N) 12,300 lbs. (5579 kg.) GVWR. Includes (ZR7) Chrome Appearance Package, (BNC) soft-mount donut and bolt, (ZQ3) Driver Convenience Package, (V4D) stop/turn signal circuits, (ENC) HVAC system auxiliary rear heat provisions (KW5) 220 amp alternator, (TP2) dual batteries (600 cca primary and 770 cca isolated) and (9L7) equipment accessory wiring junction block. Not available with (C4M) 9900 lb. (4490 kg) GVWR, (C7A) 10,000 (4536 kg) GVWR, (JFF) 10,100 lb. (4581 kg) GVWR, (YF2) Ambulance Package, (YF1) RV Package or (B3D) School Bus Package. 2 - Requires (L96) Vortec 6.0L V8 engine or (LC8) 6.0L V8 SFI gaseous engine and (C7N) 12,300 lbs. (5579 kg.) GVWR. Includes (ZR7) Chrome Appearance Package, (BNC) soft-mount donut and bolt, (ZQ3) Driver Convenience Package, (V4D) stop/turn signal circuits, (ENC) HVAC system auxiliary rear heat provisions (KW5) 220 amp alternator, (TP2) dual batteries (600 cca primary and 770 cca isolated) and (9L7) equipment accessory wiring junction block. Not available with (C4M) 9900 lb. (4490 kg) GVWR, (C7A) 10,000 (4536 kg) GVWR, (YF2) Ambulance Package, (YF1) RV Package or (B3D) School Bus Package. 3 - Requires (L96) Vortec 6.0L V8 engine or (LC8) 6.0L V8 SFI gaseous engine. Includes (ZR7) Chrome Appearance Package, (BNC) soft-mount donut and bolt, (ZQ3) Driver Convenience Package, (V4D) stop/turn signal circuits, (ENC) HVAC system auxiliary rear heat provisions (KW5) 220 amp alternator, (TP2) dual batteries (600 cca primary and 770 cca isolated) and (9L7) equipment accessory wiring junction block. Not available with (C4M) 9900 lb. (ZQ3) Driver Convenience Package, (V4D) stop/turn signal circuits, (ENC) HVAC system auxiliary rear heat provisions (KW5) 220 amp alternator, (TP2) dual batteries (600 cca primary and 770 cca isolated) and (9L7) equipment accessory wiring junction block. Not available with (YF2) Ambulance Package, (YF1) RV Package or (B3D	A ¹	A ²		A ³	A ⁴

*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.
--

Free	Ref.	Description		Work Van		4500 Van		
Flow RPO Code	Only RPO Code	Description	CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT	
	KG4	Alternator, 150 amps	S	S	S	S	S	
KW5		Alternator, 220 amps 1 - Included with (YF2) Ambulance Package, (YF1) RV Package, (B3D) School Bus Package or (ANC) Shuttle Bus Package. 2 - Included with (YF1) RV Package. 3 - Included with (ANC) Shuttle Bus Package or (B3D) School Bus Package.	A1	A ¹	A²	A ¹	A ³	
		Battery , 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power	S	S	S	S	S	
UA1		 Battery, heavy-duty 770 cold-cranking amps, maintenance-free with rundown protection and retained accessory power 1 - Not available with (YF2) Ambulance Package, (YF1) RV Package, (B3D) School Bus Package or (ANC) Shuttle Bus Package. 2 - Not available with (YF1) RV Package. 3 - Not available with (ANC) Shuttle Bus Package or (B3D) School Bus Package. 	A ¹	A ¹	A ²	A ¹	A³	
TP2		Battery, 600 cold-cranking amps primary, isolated 2nd heavy-duty 770 cold-cranking amps, allows 2nd battery to be used when the vehicle is not running without affecting ability to start the vehicle 1 - Included with (YF2) Ambulance Package, (YF1) RV Package, (B3D) School Bus Package or (ANC) Shuttle Bus Package. 2 - Included with (YF1) RV Package. 3 - Included with (ANC) Shuttle Bus Package or (B3D) School Bus Package.	A1	A ¹	A ²	A1	A³	
BNC		 Body, soft-mount donut and bolt (for mounting Upfit body to chassis) 1 - Included with (YF1) RV Package or (ANC) Shuttle Bus Package. 2 - Included with (YF1) RV Package. 3 - Included with (ANC) Shuttle Bus Package or (B3D) School Bus Package. 	A ¹	A ¹	A ²	A ¹	A ³	
		Brakes, 4-wheel antilock, 4-wheel disc	S	S	S	S	S	
		Brake/transmission shift interlock, for automatic transmissions	S	S	S	S	S	
V10		Cold Climate Package, includes (K05) engine block heater	А	А	А	А	А	
	KC4	Cooling, external engine oil cooler	S	S	S	S	S	
G80		Differential, heavy-duty locking rear 1 - Included with (YF2) Ambulance Package.	A ¹	A ¹	A	A ¹	A	
FE9		Emissions, Federal requirements	А	А	А	А	А	
YF5		Emissions, California state requirements	А	А	А	А	А	

Free Ref. Work Van 4500 Van Description Flow Only RPO RPO CG33503 CG33803 CG33903 CG33803 CG33903 Code Code 1WT **1WT** 1WT 2WT 2WT А A А NE1 Emissions, Connecticut, Delaware, Maine, Maryland, А А Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington state requirements A¹ A^1 A^1 A^1 A^1 NB8 Emissions override, California (allows a dealer in states that require California emissions - California, Connecticut, Delaware, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania. Rhode Island or Washington - to order Federal emissions for a vehicle that will be registered in a state that has Federal emission requirements). Do not use for vehicles that will be registered in California, Connecticut, Delaware, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island or Washington. 1 - Requires (FE9) Federal emissions requirements. Not available in Maine and Vermont. A^1 A^1 A^1 A^1 A^1 NB9 Emissions override, state-specific (for dealers ordering vehicles in (YF5) or (NE1) emission states - California, Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington) 1 - Allows a California dealer (YF5 emissions) to order (NE1) emissions with (NB9) emissions override code for registration in (NE1) states; or, a Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington dealer (NE1 emissions) to order (YF5) emissions with (NB9) emissions override code for registration in California. A¹ A¹ A¹ A^1 A^1 NC7 Emissions override, Federal (for vehicles ordered by dealers in Federal emission states with (YF5) or (NE1) emissions - Not required for vehicles being shipped to California, Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont or Washington) 1 - Requires (YF5) California state emissions requirements or (NE1) Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont or Washington state emissions requirements. Enhanced Towing Performance Package, GCWR increased to A¹ A1 NHT ------19,000 lbs. (8618 kg). 1 - Requires (C7N) 12,300 lbs. (5579 kg) GVWR. Includes (GT5) Rear axle, 4.10 ratio.

MECHANICAL

MECHANICAL

Free Flow	Ref. Only	Description		Work Van		4500	Van
RPO Code	RPO Code		CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
	LV1	 Engine, 4.3L V6 with Direct Injection and Variable Valve Timing, includes aluminum block construction (276 hp [206 kW] @ 5200 rpm, 298 lb-ft of torque [404 Nm] @ 3900 rpm) 1 - Requires (C4M) 9900 lbs. (4490 kg) GVWR, (C7A) 10,000 lbs. (4536 kg) GVWR or (JFF) 10,100 lb. (4581 kg) GVWR . Not available with (YF2) Ambulance Package, (YF1) RV Package, (ANC) Shuttle Bus Package or (C7N) 12,300 lbs. (5579 kg) GVWR. Includes external engine oil cooler. Reference the Engine/Axle page for availability. 2 - Requires (C4M) 9900 lbs. (4490 kg) GVWR or (C7A) 10,000 lbs. (4536 kg) GVWR. Not available with (YF2) Ambulance Package, (YF1) RV Package, (ANC) Shuttle Bus Package or (C7N) 12,300 lbs. (5579 kg) GVWR or (C7A) 10,000 lbs. (4536 kg) GVWR. Not available with (YF2) Ambulance Package, (YF1) RV Package, (ANC) Shuttle Bus Package, (B3D) School Bus Package or (C7N) 12,300 lbs. (5579 kg) GVWR. Not available with (ENC) HVAC system auxiliary rear heat provisions. Includes 	S1	S ²			
L96		 external engine oil cooler. Reference the Engine/Axle page for availability. Engine, Vortec 6.0L V8 (341 hp [254.3 kW] @ 5400 rpm, 373 lb-ft of torque [503.6 N-m] @ 4200 rpm) 1 Includes external oil cooler. Requires (MYD) 6-speed heavy-duty automatic transmission. Reference the Engine/Axle page for availability. 	A1	A1	S1	S1	S ¹
LC8		Engine, 6.0L V8 SFI Gaseous CNG/LPG capable with hardened valves and valve seats. Capable of operating on both gasoline and CNG/LPG. Running on gasoline (341 hp [254.3 kW] @ 5400 rpm, 373 lb-ft of torque [503.6 N-m] @ 4200 rpm). Equipped with standard factory gasoline fuel system. Does not include gaseous fuel tank(s), lines, regulators, etc. Gaseous fuel system can be installed in by aftermarket upfitter. GM recommends use of our approved alternative fuel upfitter, PSI (Power Solutions International). Ship thru codes are available for the PSI CNG and LPG fuel systems. Emissions certified for gasoline usage only. Emissions certification (exhaust and evaporative), as well as safety and labeling standards for the CNG/LPG system is the responsibility of the gaseous fuel system manufacturer. 1 - Includes external oil cooler. Requires (MYD) 6-speed heavy-duty automatic transmission. Reference the Engine/Axle page for availability.	A ¹				
	K05	Engine block heater 1 - Included and only available with (V10) Cold Climate Package.	A ¹				
		Exhaust, aluminized stainless-steel muffler and tailpipe	S	S	S	S	S
R9Y		Fleet Free Maintenance Credit. This option code provides a credit in lieu of the free oil changes, tire rotations and inspections for one maintenance service during 1st year of ownership. The invoice will detail the applicable credit. The customer will be responsible for all oil change, tire rotations and inspections costs for this vehicle. 1 - Requires one of the following Fleet or Government order types: FBC, FBN, FCA, FCN, FLS, FNR, FRC or FGO. Not available with FDR order types.	A ¹				
		Frame, ladder-type	S	S	S	S	S

MECHANICAL

Free	Ref.	Description		Work Van		4500	Van
Flow RPO Code	Only RPO Code		CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
K50		Fuel fitting, auxiliary feed in the fuel tank 1 - Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI gaseous engine. 2 - Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI gaseous engine. Not available with (NE7) 57 gallon (215.7L)	A ¹	A²	A²	A²	A²
		(approximate) fuel tank. Fuel tank capacity, mid-frame and approximately 33 gallons (124.9L)	S	S	S	S	S
NE7		 Fuel tank capacity, approximately 57 gallons (215.7L). As part of the base design, includes the auxiliary feed fuel fitting and in tank return line. 1 - Requires (C7N) 12,300 lb. (5579 kg) GVWR. Not available with (B3D) School Bus Package. 2 - Not available with (K50) auxiliary feed in fuel tank return line fuel fitting. 3 - Not available with (K50) auxiliary feed in fuel tank return line fuel fitting or (B3D) School Bus Package. 		A1	A ²	A ³	A³
	C4M	GVWR, 9900 lbs. (4490 kg) 1 - Includes (R04) single rear wheel configuration. Not available with (R05) dual rear wheel combination. Reference the Engine/Axle page for availability.	S1	S1			
C7A		GVWR, 10,000 lbs. (4536 kg) 1 - Requires (R05) dual rear wheel configuration. Not available with (YF1) RV Package or (R04) single rear wheel combination. Reference the Engine/Axle page for availability.	A ¹	A ¹			
JFF		GVWR, 10,100 lbs. (4581 kg) 1 - Includes (R04) single rear wheel configuration. Not available with (R05) dual rear wheel combination. Reference the Engine/Axle page for availability.	A ¹				
C7N		GVWR, 12,300 lbs. (5579 kg) 1 - Includes (R05) dual rear wheel configuration. Not available with (R04) single rear wheel combination. Reference the Engine/Axle page for availability.	A ¹	A ¹	S		
	C7I	GVWR, 14,200 lbs. (6441 kg)				S	S
UF3		 High idle switch 1 - Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI gaseous engine and (ZQ3) Driver Convenience Package or (K34) cruise control. Included with (YF2) Ambulance Package. 2 - Requires (ZQ3) Driver Convenience Package or (K34) cruise control. 3 - Requires (ZQ3) Driver Convenience Package or (K34) cruise control. 	A ¹	A ¹	A ²	A ³	A ²
ENC		control. Included with (YF2) Ambulance Package. HVAC system, auxiliary rear heater provisions 1 - Included with (YF2) Ambulance Package, (B3D) School Bus Package or (ANC) Shuttle Bus Package. 2 - Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI gaseous engine. Included with (YF2) Ambulance Package, (B3D) School Bus Package or (ANC) Shuttle Bus Package. 3 - Included with (ANC) Shuttle Bus Package or (B3D) School Bus Package.	A1	A ²	A	A ¹	A ³
	VXT	Incomplete vehicle certification	S	S	S	S	S
		Oil life monitor	s	s	s	S	S

Free Ref. Work Van 4500 Van Description Flow Only RPO RPO CG33503 CG33803 CG33903 CG33803 CG33903 Code Code 1WT 1WT **1WT** 2WT 2WT S¹ S¹ GU6 Rear axle, 3.42 ratio ---------1 - Requires (R04) single rear wheel configuration. A¹ A¹ S¹ GT4 Rear axle, 3.73 ratio ------1 - Requires (R05) dual rear wheel configuration. A^1 A^1 s S GT5 Rear axle, 4.10 ratio ---1 - Included and only available with (NHT) Enhanced Towing Performance Package. S s S S S JL4 StabiliTrak, traction assistance and vehicle stability enhancement system Steering, power S S S S S s Suspension, front independent with coil springs and stabilizer S S S S bar Suspension, rear hypoid drive axle with multi-leaf springs S s S s s UY7 Trailering provisions, trailering wire harness only A¹ A¹ A¹ -----1 - Not available with (YF2) Ambulance Package or (B3D) School Bus Package. **Hill Start Assist** S S S s S M5U Transmission, 8-speed automatic, electronically controlled with S S -------overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking A^1 A^1 S2 S² S² MYD Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking, Powertrain Grade Braking, and Tap-Up/Tap-Down Driver Shift Control 1 - Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI gaseous engine. Reference the Engine/Axle page availability. 2 - Reference the Engine/Axle page availability. V14 Transmission oil cooler, external S S S S S

MECHANICAL

S = Standard Equipment A = Available -- (dashes) = Not Available

■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

Model											
	Engine	MYD 6-Speed Automatic Heavy-Duty	M5U 8-speed Automatic	GU6 3.42	GT4 3.73	GT5 4.10	C4M 9900 (4490)		JFF 10,100 (4581)		
	V1 .3L V6 SIDI		S	S			S ³	A ¹	A ³		
	96 /ortec 6.0L V8 SFI	S		A	А		A ³		A ³	A ¹	
	C8 .0L V8 SFI Gaseous	S		А	А		A ³		A ³	A ¹	
	V1 .3L V6 SIDI		S	S			S ³	A ¹			
	96 /ortec 6.0L V8 SFI	S		A	А	S ²	A ³			A ¹	S ²
	C8 .0L V8 SFI Gaseous	S		A	А	S ²	A ³			A ¹	S ²
	96 /ortec 6.0L V8 SFI	S			S	S ²				S ¹	S ²
	.C8 5.0L V8 SFI Gaseous	S			S	S ²				S ¹	S ²

S = Standard Equipment A = Available -- (dashes) = Not Available

■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

				Interior		
Decor Level	Seat Type	Seat Code			Medium Pewter	
Work Van	Reclining high-back buckets with inboard armrests	AR7	Vinyl	52W	93W	
Work Van	Reclining high-back buckets with inboard armrests	AS5	Custom Cloth	52G	93G	

			Inte	erior
Exterior Solid Paint	Color Code	Touch Up Paint Number	Neutral	Medium Pewter
Summit White	GAZ	WA-8624	А	А
Red Hot	G7C	WA-130X	А	А
Silver Ice Metallic	GAN	WA-636R		А
Black	GBA	WA-8555	А	А
Kinetic Blue Metallic ¹	GD1	WA-388A	А	А
NEW! Shadow Gray Metallic	GJI	WA-626D	А	А
Above interior combinations are the only combinations allowed. 1 - Extra-cost color.	<u>.</u>			

S = Standard Equipment A = Available -- (dashes) = Not Available

■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

				Interior		
Decor Level	Seat Type	Seat Code	Seat Trim	Neutral	Medium Pewter	
Work Van	Reclining high-back buckets	AR7	Vinyl	52W	93W	
Work Van	Seats, delete driver and passenger, leaves seat risers on both sides, Upfitter option	ZP0	Vinyl	52W	93W	
Work Van	Temporary driver seat only, Upfitter option	ZP1	Vinyl	52W	93W	
Work Van	Reclining high-back buckets with inboard armrests	AS5	Custom Cloth	52G	93G	
Work Van	Seats, delete driver and passenger, leaves seat risers on both sides, Upfitter option	ZP0	Custom Cloth	52G	93G	
Work Van	Temporary driver seat only, Upfitter option	ZP1	Custom Cloth	52G	93G	

			Inte	erior
Exterior Solid Paint	Color Code	Touch Up Paint Number	Neutral	Medium Pewter
Yellow	none	WA-5456	А	А
Blue	none	WA-5665	А	А
Green	none	WA-7927	А	А
Inca Gold	none	WA-7952	А	А
Silver Metallic	none	WA-8867	А	А
Green, Woodland	9V5	WA-9015	А	А
Victory Red	none	WA-9260	А	А
Doeskin Tan	9V9	WA-9403	А	А
Yellow	none	WA-9414	А	А
Tangier Orange	9W4	WA-9417	А	А
Yellow	none	WA-215D	А	А
Dark Toreador Red	none	WA-257C	А	А
Yellow	none	WA-259L	А	А
Blue	none	WA-451N	А	А
Yellow	none	WA-478G	А	А
Petro Blue	none	WA-527Y	А	А
Dark Blue Metallic	none	WA-722J	А	А
Silver Birch Metallic	none	WA-926L	А	А
Wheatland Yellow	9W3	WA-253A	А	А

2019 Chevrolet Truck Express Cutaway COLOR AND TRIM - SEO SOLID PAINT

			Inte	rior				
Exterior Solid Paint	Color Code	Touch Up Paint Number	Neutral	Medium Pewter				
All extraneous body components formerly color-keyed to body color, will be flat Black. GM will require 5 orders before sending to the plant								

S = Standard Equipment A = Available -- (dashes) = Not Available D = ADI Available ■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Free	Ref.	Description		Work Van		4500	Van
Flow RPO Code	Only RPO Code	Description	CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
		Interior					
93B		NEW! Cloth seats Jet Black cloth/Medium Dark Pewter vinyl 1 - Requires (5B6), (5B2) or (8N2) seat belts. Not available with (9T7) right door delete.	A1	A1	A ¹	A ¹	A ¹
8T2		Headliner delete with (9T7) right-hand door delete The headliner will be deleted only when (9T7) right-hand door delete is ordered also. It will come with sun visors and headliner wiring harness that is contented for dome light/Backup camera on rearview mirror/OnStar. These parts will be shipped loose. 1 - Requires SEO (9T7) right-hand door delete. Not available with RPO (UE1) OnStar or RPO (UI8) Chevrolet Infotainment radio with Navigation.	A ¹	A ¹		A ¹	A ¹
RGI		Routing grommet, front instrument panel Provides an area for putting wires thru the front of dash. 1 - Not available with (9L7) Wiring junction block equipment accessory.	A1	A ¹	A	A ¹	A
5B6		NEW! Seat belts, Black 1 - Requires (93B) Jet Black cloth seats.	A ¹	A ¹	A1	A1	A ¹
8N2		Seat belts, Orange Provides high visibility front Orange seat belts in lieu of Dark Pewter 1 - Requires (93G) Medium Pewter Custom Cloth, (93W) Custom Vinyl or (93B) Cloth seats. Not available with SEO (5B2) Red seat belts.	A ¹	A ¹	A ¹	A ¹	A1
5B2		Seat belts, Red Provides high visibility front Red seat belts in lieu of Dark Pewter 1 - Requires (93G) Medium Pewter Custom Cloth, (93W) Custom Vinyl or (93B) Cloth seats. Not available with SEO (8N2) Orange seat belts.	A ¹				
AG1		 Seat adjuster, driver, 6-way power, riser only, Upfitter option Multi-directional 6-way power driver seat riser. Does not include driver seat 1 - For Retail order types, requires (AS5) front bucket seats with Custom Cloth. For Non-Retail order types, requires SEO (ZP1) temporary driver only seating, (AS5) front bucket seats with Custom Cloth or (ZP0) delete driver and passenger seats, to be ordered and priced in addition to SEO (AG1) and an order for shipment to an upfitter or body builder. 2 - For Retail order types, requires (AS5) front bucket seats with Custom Cloth. For Non-Retail order types, requires (AS5) front bucket seats with Custom Cloth or (ZP0) delete driver and passenger seats, to be ordered and priced in addition to SEO (AG1) and an order for shipment to an upfitter or body builder. 	A ¹	A ¹	A ²	A ¹	A ¹

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow	Ref. Only	Description		Work Van		4500	Van
RPO Code	RPO Code		CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
AG2		Seat adjuster, front passenger, 6-way power, riser only, Upfitter option Multi-directional 6-way power passenger seat riser. Does not include passenger seat 1 - For Retail order types, requires SEO (AG1) driver 6-way power seat adjuster and (AS5) front bucket seats with Custom Cloth. For Non-Retail order types, requires SEO (AG1) driver 6-way power seat adjuster and (AS5) front bucket seats with Custom Cloth. For Non-Retail order types, requires SEO (AG1) driver 6-way power seat adjuster and (AS5) front bucket seats with Custom Cloth or (ZP0) delete driver and passenger seats, to be ordered and priced in addition to SEO (AG2) and an order for shipment to an upfitter or body builder.	A ¹				
ZP1		Seating, temporary driver only, Upfitter option Provides a driver only seat riser with adjuster and seat belt. Deletes driver and passenger front seats, passenger seat riser with adjuster and seat belt. Also provides a temporary seat for transportation to the upfitter 1 - Includes RPO (AJ3) frontal airbag and SEO (9T7) passenger-side delete door. Not available with RPO (ZQ2) Power Convenience Package or RPO (ZX1) driver-only high-back bucket seating.	A ¹	A ¹		A ¹	A ¹
9J6		 Steering column, tilt Tilt-steering column without cruise control 1 - Not Available with RPO (ZQ3) Driver Convenience Package, RPO (UF3) high idle switch, (K34) cruise control, RPO (YF1) RV Package, (ANC) Shuttle Bus Package or (YF2) Ambulance Package. 2 - Not Available with RPO (ZQ3) Driver Convenience Package, RPO (UF3) high idle switch, (K34) cruse control, RPO (YF1) RV Package. 3 - Not Available with RPO (ZQ3) Driver Convenience Package, RPO (UF3) high idle switch, (K34) cruse control, RPO (YF1) RV Package or (ANC) Shuttle Bus Package. 	A	A ¹	A²	A	A ³
		Exterior					
8S3		Backup alarm, 97 decibels Alarm shipped loose to be installed by upfitter.	А	А	А	А	A
8E9		Bumper, front, painted White in lieu of the standard Black 1 - Not available with RPO (YF1) RV Package or RPO (ZR7) Chrome Appearance Package.	A ¹				
5Q7		 Blank Sail Panel Delete, Upfitter option Deletes the driver and passenger side blank (non-mirror) sail panels. (Panels are replaced with easily removable tape) 1 - Requires RPO (D28) outside delete mirrors or (8D8) provisions for upfitter to install their own outside rearview mirrors. Not available with RPO (YF2) Ambulance Package when ordered with RPO (D28) outside delete mirrors. 2 - Requires RPO (D28) outside delete mirrors or (8D8) provisions for upfitter to install their own outside rearview mirrors. 	A ¹	A ¹	A²	A ¹	A ²

Free	Ref.	Description		Work Van		4500	Van
Flow RPO Code	Only RPO Code	Description	CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
	9T7	Door, passenger side delete, Upfitter option	A ¹	A ¹		A ¹	A²
		Deletes the passenger door and replaces it with a temporary					
		plastic shipping cover. Passenger side radio speaker is shipped loose					
		1 - Required and only available with (B3D) School Bus Package and (ANC) Shuttle Bus Package. Requires (ZX1) driver only high-back bucket seating or SEO (ZP1) temporary driver only seating. Not available with outside mirror options or RPO (ZQ2) Power Convenience Package.					
		2 - Required and only available with (ANC) Shuttle Bus Package or (B3D) School Bus Package. Requires (ZX1) driver only high-back bucket seating or SEO (ZP1) temporary driver only seating. Not available with outside mirror options or RPO (ZQ2) Power Convenience Package.					
5Z5		Hubcap delete Deletes hub caps from standard wheels	А	А	А	А	А
			<u>, 1</u>	.1	.1	.1	.1
5H1		Key equipment, two additional keys for single key system Provides two additional spare keys for a total of (4). (Keys will be cut but not programmed) NOTE: programming of keys is at customer's expense. Programming keys is not a warranty	A ¹				
		expense. 1 - Not available with SEO (9T7) passenger side door delete or SEO (6E2) key, single.					
6E2		Key, single	A ¹				
		All keys are coded alike 1 - Not available with (BTV) remote vehicle start or (5H1) two additional keys for single key system.					
8X1		Label, fasten seat belts "Fasten Seat Belts" reminder label on right hand and left hand front side door glass 1 - Not available with SEO (9T7) passenger-side delete door.	A1	A ¹	A1	A1	A1
6M2		Mirrors, outside mid-stance sail panel mounted	A ¹				
		Provides Velvac convex combination RH and LH outside rear					
		view mirrors that are sail panel mounted with arms that provide a					
		medium stance. Mirrors can be utilized with bodies that are up to					
		78 inches in width. Mirrors provide a 63.3 sq. inch flat glass					
		positioned over a 30.1 sq. inch convex glass within a common					
		head. Mirrors are shipped loose in vehicle.					
		1 - Requires (R04) single rear wheels. Not available with SEO (5H5) 2.5 lb. dry chemical BC rated fire extinguisher, SEO (5H6) safety reflector triangle kit, SEO (9T7) Door, passenger side delete or with RPO (B3D) School Bus Package.					
8D8		Provision for upfitter to install their own outside rearview mirrors	A ¹				
		Provides an electrical connector so the upfitter can install power					
		outside mirrors.					
		1 - Requires RPO (ZQ2) Power Convenience Package for power windows and door locks, (C60) air conditioning and SEO (5Q7) blank sail panel delete, upfitter option. Not available with (5H5) 2.5 lb. Dry chemical BC rated fire extinguisher or (5H6) Safety reflector triangle kit.					

Free Flow	Ref. Only	Description		Work Van		4500 Van		
RPO Code	RPO Code		CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT	
01U		Special Exterior Color All normally body colored non-sheet metal parts will be flat Black. 1 - Required with any SEO paint selection. May require extra lead time and GM will require 5 orders before sending to the plant.	A ¹	A ¹	A ¹	A ¹	A1	
9V9		 Paints, solid, Doeskin Tan All extraneous body components formerly color-keyed to body color, will be flat Black with SEO paint 1 - Requires SEO (01U) Special Exterior Color. May require extended lead time. 	A ¹					
9W4		 Paints, solid, Tangier Orange All extraneous body components formerly color-keyed to body color, will be flat Black with SEO paint 1 - Requires SEO (01U) Special Exterior Color. May require extended lead time. 	A ¹					
9W3		 Paints, solid, Wheatland Yellow All extraneous body components formerly color-keyed to body color, will be flat Black with SEO paint 1 - Requires SEO (01U) Special Exterior Color. May require extended lead time. 	A ¹					
9V5		 Paints, solid, Woodland Green All extraneous body components formerly color-keyed to body color, will be flat Black with SEO paint 1 - Requires SEO (01U) Special Exterior Color. May require extended lead time. 	A ¹	A ¹	A ¹	A ¹	A1	
8R2		 Tire valve stems, long, brass, for inside dual rear wheels Brass metal 3-3/8" long valve stems on the inner wheels of dual rear wheel axles for easy air inflation. 1 - Requires SEO (Q8C) air-thru valve caps. Requires RPO (R05) dual rear wheels. Not available with RPO (YF1) RV Package. 	A ¹	A ¹	A ¹	A ¹	A1	
8R3		Tire valve stems, brass in lieu of standard Also included on spare when furnished 1 - Requires RPO (R05) dual rear wheels.	A ¹					
Q8C		Tire valve stem caps, air thru Air through valve caps on the tire air valves 1 - Included with SEO (8R2) long, brass tire valve stems. Not available with RPO (YF1) RV Package.	A ¹	A ¹	A ¹	A ¹	A1	
5G0		Wheels, painted Black in lieu of standard Gray painted wheels 1 - Not available with (40P) white wheels.	A ¹					
		Mechanical						
9C7		Coolant recovery bottle with no-loss tethered cap 1 - Not available with RPO (YF1) RV Package.	A ¹	A ¹	A ¹	A ¹	А	
5H5		Fire extinguisher, 2.5 lb. Dry chemical BC rated Item shipped loose for later placement and securing by a body builder or upfitter 1 - Not available with exterior mirrors (DHC) or (6M2).	A ¹	A ¹	A ¹	A ¹	A1	

Free Flow	Ref. Only	Description		Work Van		4500	Van
RPO Code	RPO Code		CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
5H6		Safety reflector triangle kit Provides a break-down warning kit consisting of 3 reflective triangles. Item shipped loose for later placement and securing in after-market installation 1 - Not available with exterior mirrors (DHC) or (6M2).	A ¹	A ¹	A ¹	A ¹	A1
5C4		Front Spring, High Rate Upgrade, Upfitter option Provides computer selected high rate front springs based on the front weight of the vehicle. Intended for a upfit that requires higher center of gravity loads that are located at or near the front axle. Provides increased front spring capacity but will not change the front GVWR rating. Computer selects increased capacity and stiffness based on front weight of the vehicle. Replaces standard computer selected suspension based on the front weight of the chassis 1 - Requires one of the following upfitter order types; FRC, SRV, TSC, TSD, TSR, TSM, FRV and RPO (C7N) 12,300 lbs. (5579 kg) GVWR. Not available with RPO (B3D) School Bus Package.		A1			
8E1		Fuel, additional 3-gallons 3 gallons of fuel in addition to normal assembly plant fill 1 - Included with (YF1) RV Package.	A1	A1	A1	A1	A1
9B4		Fuel fill cap with stainless steel tether in lieu of the standard plastic tether	А	А	А	А	A
9C2		 Governor, electronic speed sensor set to 65 MPH Electronic software to facilitate 65-MPH maximum road speed. 1 - Requires a Fleet order. Not available with (K34) cruise control or with (YF1) RV Package. 2 - Requires a Fleet order and (R05) dual rear wheels. Not available with (K34) cruise control or with (YF1) RV Package. 	A1	A ²	A ¹	A ¹	A1
9B9		Governor, electronic speed sensor set to 70 MPH Provides electronic software to limit maximum road speed to 70-MPH. Cruise control limited to 65 MPH. 1 - Requires a Fleet order type. Not available with (YF1) RV Package.	A ¹				
9D7		Governor, electronic speed sensor set to 75 MPH Provides electronic software to limit maximum road speed to 75-MPH with gasoline engine. Cruise control limited to 70 MPH. 1 - Requires a Fleet order type. Not available with (YF1) RV Package.	A ¹	A ¹	A ¹	A ¹	A1
PSR		Power steering reservoir with glass sight, for checking fluid level	A	A	A	A	A
9R5		Suspension, rear multi-leaf in lieu of the standard tapered leaf 1 - Requires (C4M) 9900 lbs. (4490 kg) GVWR, (C7A) 10,000 lb. (4536 kg) GVWR or (JFF) 10,100 lb. (4581 kg) GVWR. 2 - Requires (C7A) 10,000 lb. (4536 kg) GVWR.	A ¹	A²			
		Ship Thru Codes					

Free	Ref.	Description		Work Van		4500	Van
Flow RPO Code	Only RPO Code	Description	CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
TVY		Ship Thru, Produced and shipped to Anchorage VDC then to TK Services and returned to Anchorage VDC for shipping to final destination (Dealer Invoice = \$165.00) Available only to orders with a final Ship-To Code for State of Alaska Dealers only 1 - Requires (R04) single rear wheels.	A1	A1			
ТВМ		Ship Thru, Produced in Wentzville and shipped to Adrian Steel (Dealer Invoice = \$230.00) 1 - Requires (R04) single rear wheels. Not available with (LC8) 6.0L V8 SFI gaseous engine.	A1	A1			
TBQ		Ship Thru, Produced in Wentzville and shipped to Auto Truck Group (Dealer Invoice = \$260.00) 1 - Requires (R04) single rear wheels. Not available with (LC8) 6.0L V8 SFI gaseous engine.	A1	A1			
SVQ		Ship Thru, Produced in Wentzville and shipped to Canfield Equipment. Returned to Lansing Delta for shipping to final destination (Dealer Invoice = \$800.00) 1 - Requires (R04) single rear wheels.	A1	A1			
WI6		 Ship Thru, Produced in Wentzville and shipped to Reading Equipment, ST. CLAIR, MO and returned to Wentzville Assembly for final shipment (Dealer Invoice = \$230.00) 1 - Requires (R04) single rear wheels. Not available with (LC8) 6.0L V8 SFI gaseous engine. 	A1	A1			
A6H		Ship Thru, Produced in Wentzville and shipped to Eco Vehicle Systems and Return to Ft. Wayne for final shipment (Dealer Invoice = \$730.00) 1 - Requires (R04) single rear wheels.	A ¹	A ¹	-		
VAP		 Ship Thru, Produced in Wentzville and shipped to Knapheide Truck Equipment (Dealer Invoice = \$420.00) 1 - (R05) dual rear wheels requires (LC8) 6.0L V8 SFI gaseous engine. Should be used when (LC8) 6.0L V8 SFI engine is ordered for conversions to Power Solutions International CNG/LPG fuel systems (www.psiengines.com). Not available with any Knapheide body upfit (chassis only). 	A ¹	A ¹			
VP7		Ship Thru, Produced in Wentzville and shipped to Knapheide Truck Equipment, Wentzville, MO, then back to Wentzville Assembly for final shipment (Dealer Invoice = \$230.00) 1 - Requires (R04) single rear wheels. Not available with (LC8) 6.0L V8 SFI gaseous engine.	A1	A ¹			

Free	Ref.	Description		Work Van		4500 Van		
Flow RPO Code	Only RPO Code			CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT	
AI2		Ship Thru, Produced in Wentzville and shipped to KranzAutomotive(Dealer Invoice = \$295.00) Returned to Wentzville for shipping tofinal destination1 - Requires (R04) single rear wheels.	A ¹	A ¹				
VAD		Ship Thru, Produced in Wentzville and shipped to Leggett and Platt/Masterack. (Dealer Invoice = \$230.00) 1 - Requires (R04) single rear wheels. Not available with (LC8) 6.0L V8 SFI gaseous engine.	A1	A1				
VAR		Ship Thru, Produced in Wentzville and shipped to Midway (Dealer Invoice = \$635.00) 1 - Requires (R04) single rear wheels. Not available with (LC8) 6.0L V8 SFI gaseous engine.	A ¹	A ¹				
тсс		 Ship Thru, Produced in Wentzville and shipped to Quigley Motor, Manchester, PA, and onto Ft. Wayne Assembly (Dealer Invoice = \$1,900.00) 1 - Requires (R04) single rear wheels. Not available with (LC8) 6.0L V8 SFI gaseous engine. 	A1	A1				
WU3		Ship Thru, Produced at Wentzville Assembly and shipped to XL Hybrids / Adrian Steel and Return to Wentzville Assembly for final shipment (Dealer Invoice = \$230.00) 1 - Requires (R04) single rear wheels. Not available with (LC8) 6.0L V8 SFI gaseous engine.	A1	A1				
WT7		Ship Thru, Produced at Wentzville Assembly and shipped to XL Hybrids / Knapheide and Return to Wentzville Assembly for final shipment (Dealer Invoice = \$230.00) 1 - Requires (R04) single rear wheels. Not available with (LC8) 6.0L V8 SFI gaseous engine.	A1	A ¹				
VAE		 Ship Thru, Produced at Springfield Assembly and shipped to Knapheide, Flint, MI and returned to Flint Assembly for final shipment. (Dealer Invoice = \$670.00) 1 - Requires (LC8) 6.0L V8 SFI gaseous engine and (R05) dual rear wheels. Should be used for conversions to Power Solutions International CNG/LPG fuel systems (www.psiengines.com). Not available with any Knapheide body upfit (chassis only). 		A ¹	A ¹	A ¹	A ¹	
VBK		Ship Thru, Produced in Wentzville and shipped to National Fleet Services and Return to Wentzville for final shipment (Dealer Invoice = \$300.00) 1 - Requires (R04) single rear wheels. Not available with (LC8) 6.0L V8 SFI gaseous engine.	A1	A ¹				

S = Standard Equipment A = Available -- (dashes) = Not Available D = ADI Available ■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.	
--	--

Free	Ref.	Description		Work Van		4500 Van		
Flow RPO Code	Only RPO Code	Description	CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT	
POJ		NEW! OnStar Additional 21 months of OnStar Fleet Safety and Security. Provides 21 months of Fleet Safety and Security service in addition to the 3 months of complimentary coverage that is included in the price of the vehicle. Total OnStar Fleet Safety and Security service duration is 24 months. 1 - Requires (UE1) OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with POK or POL. Not available with a ship-to of Puerto Rico or the Virgin Islands.	A1	A ¹	A ¹	A ¹	A1	
РОК		NEW! OnStar Additional 33 months of OnStar Fleet Safety and Security. Provides 33 months of Fleet Safety and Security service in addition to the 3 months of complimentary coverage that is included in the price of the vehicle. Total OnStar Fleet Safety and Security service duration is 36 months. 1 - Requires (UE1) OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with POK or POL. Not available with a ship-to of Puerto Rico or the Virgin Islands.	A	A	A ¹	A	A	
POL		 NEW! OnStar Additional 45 months of OnStar Fleet Safety and Security. Provides 45 months of Fleet Safety and Security service in addition to the 3 months of complimentary coverage that is included in the price of the vehicle. Total OnStar Fleet Safety and Security service duration is 48 months. 1 - Requires (UE1) OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with POK or POL. Not available with a ship-to of Puerto Rico or the Virgin Islands. 	A ¹					
POM		 NEW! OnStar Additional 21 months of OnStar Fleet Remote Access. Provides 21 months of Fleet Remote Access service in addition to the 3 months of complimentary coverage that is included in the price of the vehicle. Total OnStar Fleet Remote Access service duration is 24 months. 1 - Requires (UE1) OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PON or POO. Not available with a ship-to of Puerto Rico or the Virgin Islands. 	A ¹					
PON		 NEW! OnStar Additional 33 months of OnStar Fleet Remote Access. Provides 33 months of Fleet Remote Access service in addition to the 3 months of complimentary coverage that is included in the price of the vehicle. Total OnStar Fleet Remote Access service duration is 36 months. 1 - Requires (UE1) OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with POM or POO. Not available with a ship-to of Puerto Rico or the Virgin Islands. 	A ¹	A	A ¹	A ¹	A1	

ONSTAR/SIRIUSXM FLEET OPTIONS

Free	Ref.	Description		Work Van		4500 Van		
Flow RPO Code	Only RPO Code	Description	CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT	
P0O		NEW! OnStar Additional 45 months of OnStar Fleet Remote Access. Provides 45 months of Fleet Remote Access service in addition to the 3 months of complimentary coverage that is	A ¹					
		included in the price of the vehicle. Total OnStar Fleet Remote Access service duration is 48 months. 1 - Requires (UE1) OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with POM or PON. Not available with a ship-to of Puerto						
PR6		Rico or the Virgin Islands. SiriusXM Radio Additional 9 months of the SiriusXM All Access Package. Includes 150 channels of commercial-free music plus every major sport and the biggest names in entertainment, news and comedy in vehicle plus 9 months of listening on the SiriusXM app or online in addition to the 3 months of All Access trial service that is included in the price of the vehicle. Total service duration is 12 months. Non-Transferrable. Non-Refundable. 1 - Requires (U2K) SiriusXM Radio and a Fleet order type. Not available with FDR order types, PR7 or PR8. Not available in AK, HI, PR and VI.	A ¹					
PR7		SiriusXM Radio Additional 21 months of the SiriusXM All Access Package. Includes 150 channels of commercial-free music plus every major sport and the biggest names in entertainment, news and comedy in vehicle plus 21 months of listening on the SiriusXM app or online in addition to the 3 months of All Access trial service that is included in the price of the vehicle. Total service duration is 24 months. Non-Transferrable. Non-Refundable. 1 - Requires (U2K) SiriusXM Radio and a Fleet order type. Not available with FDR order types, PR6 or PR8. Not available in AK, HI, PR and VI.	A ¹					
PR8		SiriusXM Radio Additional 33 months of the SiriusXM All Access Package. Includes 150 channels of commercial-free music plus every major sport and the biggest names in entertainment, news and comedy in vehicle plus 33 months of listening on the SiriusXM app or online in addition to the 3 months of All Access trial service that is included in the price of the vehicle. Total service duration is 36 months. Non-Transferrable. Non-Refundable. 1 - Requires (U2K) SiriusXM Radio and a Fleet order type. Not available with FDR order types, PR6 or PR7. Not available in AK, HI, PR and VI.	A ¹					

ONSTAR/SIRIUSXM FLEET OPTIONS

Free Flow	Ref.	Description		Work Van		4500 Van		
RPO Code	Only RPO Code		CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT	
P0G		GM Commercial Link – 1 year of Service, includes 12 months of GM Commercial Link service. Provides access and reporting for key vehicle information such as speed, location and maintenance through website and mobile application. Eligible customers must sign up for an account at www.gmcommerciallink.com in order take advantage of this 12 month offer. The Commercial Link service is included in the price of the vehicle. Total service duration is 12 months. Non-Transferrable. Non-Refundable. 1 - Requires UE1 OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with (POH) GM Commercial Link – 2 years of Service or (POI) GM Commercial Link – 3 years of Service.	A ¹					
РОН		 GM Commercial Link – 2 years of Service, includes 24 months of GM Commercial Link service. Provides access and reporting for key vehicle information such as speed, location and maintenance through website and mobile application. Eligible customers must sign up for an account at www.gmcommerciallink.com in order take advantage of this 24 month offer. The Commercial Link service is included in the price of the vehicle. Total service duration is 24 months. Non-Transferrable. Non-Refundable. 1 - Requires UE1 OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with (P0G) GM Commercial Link – 1 year of Service or (P0I) GM Commercial Link – 3 years of Service. 	A ¹					
POI		GM Commercial Link – 3 years of Service, includes 36 months of GM Commercial Link service. Provides access and reporting for key vehicle information such as speed, location and maintenance through website and mobile application. Eligible customers must sign up for an account at www.gmcommerciallink.com in order take advantage of this 36 month offer. The Commercial Link service is included in the price of the vehicle. Total service duration is 36 months. Non-Transferrable. Non-Refundable. 1 - Requires UE1 OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with (POG) GM Commercial Link – 1 year of Service or (POH) GM Commercial Link – 2 years of Service.	A ¹					

		Specifications	CG33503 139" Wheelbase	CG33803 159" Wheelbase	159"	CG33903 177" Wheelbase	CG33903 4500 Series 177"
Т	A	Wheelbase	139.00 (3531)	159.00 (4039)	Wheelbase 159.00 (4039)	177.00 (4496)	Wheelbase 177.00 (4496)
	В	Overall length	(3531) 246.70 (6266)	(4039) 266.70 (6774)	(4039) 266.70 (6774)	(4498) 284.80 (7234)	(4496) 284.80 (7234)
\$ Q	С	Body width	79.10 (2009)	79.10 (2009)	79.10 (2009)	79.10 (2009)	79.10 (2009)
A-B	D	Overall height	82.90 (2106)	82.90 (2106)	82.90 (2106)	82.90 (2106)	82.90 (2106)
		Head room, front	40.20 (1021)	40.20 (1021)	40.20 (1021)	40.20 (1021)	40.20 (1021)
		Shoulder room, front	68.80 (1748)	68.80 (1748)	68.80 (1748)	68.80 (1748)	68.80 (1748)
		Hip room, front	65.50 (1664)	65.50 (1664)	65.50 (1664)	65.50 (1664)	65.50 (1664)
		Leg room, front	41.30 (1049)	41.30 (1049)	41.30 (1049)	41.30 (1049)	41.30 (1049)
		Cab to axle	80.00 (2032)	100.00 (2540)	100.00 (2540)	118.00 (2997)	118.00 (2997)
	CE	Cab to end of frame	148.50 (3772)	168.50 (4280)	168.50 (4280)	186.50 (4737)	186.50 (4737)
		Front bumper to back of cab	98.70 (2507)	98.70 (2507)	98.70 (2507)	98.70 (2507)	98.70 (2507)
		Ground clearance, front	7.60 (193)	7.60 (193)	7.60 (193)	7.60 (193)	7.60 (193)
		Ground clearance, rear	6.80 (173)	7.00 (178)	7.00 (178)	7.00 (178)	7.00 (178)
		Overhang, front	39.70 (1008)	39.70 (1008)	39.70 (1008)	39.70 (1008)	39.70 (1008)
		Ground to top of frame	23.31 (592)	23.31 (592)	23.31 (592)	23.31 (592)	23.31 (592)
		Frame width, rear	34.80 (884)	34.80 (884)	34.80 (884)	34.80 (884)	34.80 (884)

	CG33503 139" Wheelbase	CG33803 159" Wheelbase	CG33803 4500 Series 159" Wheelbase 4500 Series	CG33903 177" Wheelbase	CG33903 4500 Series 177" Wheelbase
Specifications					
Front shock absorber diameter, in. (mm)	1.38 (35)	1.38 (35)	1.38 (35)	1.38 (35)	1.38 (35)
Front stabilizer bar diameter, in. (mm)	1.38 (35)	1.38 (35)	1.38 (35)	1.38 (35)	1.38 (35)
Rear shock absorber diameter, in. (mm)	1.38 (35)	1.38 (35)	1.38 (35)	1.38 (35)	1.38 (35)
Capacities					
Front axle, lbs. (kg)	4100 (1860)	4100 (1860)	4600 (2087)	4300 (1950)	4600 (2087)
Front spring capacity, Ibs. (kg)	4100 (1860)	4100 (1860)	4600 (2087)	4300 (1950)	4600 (2087)
Rear axle, Ibs. (kg)	6084 (2760)	6084 (2760)	9600 (4355)	8600 (3901)	9600 (4355)
Rear spring capacity, lbs. (kg)	6084 (2760)	6084 (2760)	9600 (4355)	8600 (3901)	9600 (4355)
Curb weight, (LV1), Ibs. (kg)	4543 (2061)	4908 (2226)			
Curb weight, (L96 & LC8), lbs. (kg)	4548 (2063)	4910 (2227)	5022 (2278)	5030 (2282)	5310 (2409)
Payload, (LV1), lbs. (kg)	5335 (2420)	4970 (2254)			
Payload, (L96 & LC8), lbs. (kg)	5330 (2418)	4968 (2253)	9156 (4153)	7248 (3288)	8868 (4023)
Gross Combination Weight Rating (GCWR), LV1, Ibs. (kg)	13000 (5897)	13000 (5897)			
Gross Combination Weight Rating (GCWR), L96 & LC8, lbs. (kg)	16000 (7258)	16000 (7258)	20000 (9072)	16000 (7258)	20000 (9072)
Gross Vehicle Weight Rating (GVWR), Ibs. (kg)	9900 (4491)	9900 (4491)	14200 (6441)	12300 (5579)	14200 (6441)
Front Gross Axle Weight Rating (GAWR), lbs. (kg)	4100 (1860)	4100 (1860)	4600 (2087)	4300 (1950)	4600 (2087)
Rear Gross Axle Weight Rating (GAWR), lbs. (kg)	6084 (2760)	6084 (2760)	9600 (4355)	8600 (3901)	9600 (4355)
Fuel capacity, approximate, U.S., gallon (liters)	33 (125)	33 (125)	33 (125)	33 (125)	33 (125)
Seating capacity (front/rear)	2	2	2	2	2

QT4 Wheels , 6 - 16" x 6.5" (40.6 cm x 16.5 cm) 8-lug painted steel, heavy duty
QB5 Wheels, 4 - 16" x 6.5" (40.6 cm x 16.5 cm), 8-lug painted steel, heavy-duty

Option Code	Description
01U	Special Exterior Color
40P	Wheel finish, painted White
5B2	Seat belts, Red
5B6	Seat belts, Black
5C4	Front Spring, High Rate Upgrade, Upfitter option
5G0	Wheels, painted Black in lieu of standard Gray painted wheels
5H1	Key equipment, two additional keys for single key system
5H5	Fire extinguisher, 2.5 lb. Dry chemical BC rated
5H6	Safety reflector triangle kit
5Q7	Blank Sail Panel Delete, Upfitter option
5Z5	Hubcap delete
6E2	Key, single
6M2	Mirrors, outside mid-stance sail panel mounted
8D8	Provision for upfitter to install their own outside rearview mirrorsProvides an electrical
020	connector so the upfitter can install power outside mirrors.
8E1	Fuel, additional 3-gallons
8E9	Bumper, front, painted White in lieu of the standard Black
8N2	Seat belts, Orange
8R2	Tire valve stems, long, brass, for inside dual rear wheels
8R3	Tire valve stems, brass in lieu of standard
8\$3	Backup alarm, 97 decibels
8T2	Headliner delete with (9T7) right-hand door delete
8X1	Label, fasten seat belts
93B	Cloth seats Jet Black cloth/Medium Dark Pewter vinyl
93B 9B4	
9B4 9B9	Fuel fill cap with stainless steel tether in lieu of the standard plastic tether
9B9 9C2	Governor, electronic speed sensor set to 70 MPH
	Governor, electronic speed sensor set to 65 MPH
9C7	Coolant recovery bottle with no-loss tethered cap
9D7	Governor, electronic speed sensor set to 75 MPH
9D9	Mirror, inside rearview delete
9J6	Steering column, tilt
9L7	Wiring junction block equipment accessory, includes 2-30 amp circuits
9R5	Suspension, rear multi-leaf in lieu of the standard tapered leaf
9T7	Door, passenger side delete, Upfitter option
9V5	Paints, solid, Woodland Green
9V9	Paints, solid, Doeskin Tan
9W3	Paints, solid, Wheatland Yellow
9W4	Paints, solid, Tangier Orange
A31	Windows, power
A6H	Ship Thru, Produced in Wentzville and shipped to Eco Vehicle Systems and Return to Ft.
	Wayne for final shipment
AG1	Seat adjuster, driver, 6-way power, riser only, Upfitter option
AG2	Seat adjuster, front passenger, 6-way power, riser only, Upfitter option
Al2	Ship Thru, Produced in Wentzville and shipped to Kranz Automotive
AJ3	Airbag, frontal, driver side only
AK5	Airbags, frontal, driver and front passenger
ANC	Shuttle Bus Package
AR7	Seats, front bucket with vinyl trim
AS5	Seats, front bucket with Custom Cloth trim

Option Code	Description
ASF	Airbags, driver and right-front passenger, seat-mounted side-impact and roof-rail
	side-impact
ATG	Remote Keyless Entry
AU3	Door locks, power
B31	Floor covering, Black rubberized-vinyl front
B3D	School Bus Package
BA3	Console, engine cover
BNC	Body, soft-mount donut and bolt
BTV	Remote vehicle starter system
C4M	GVWR, 9900 lbs. (4490 kg)
C60	Air conditioning, single-zone manual
C7A	GVWR, 10,000 lbs. (4536 kg)
C7I	GVWR, 14,200 lbs. (6441 kg)
C7N	GVWR, 12,300 lbs. (5579 kg)
C99	Airbag deactivation switch, frontal passenger-side
D28	Mirrors, outside delete
D31	Mirror, inside rearview manual day/night
DAA	Visors, driver and front passenger
DE2	Mirrors, outside manual, Black
DE5	Mirrors, outside heated power-adjustable, Black
DEB	Mirrors, outside heated power-adjustable, Black, manual-folding
DHC	Mirrors, outside wide-stance sail panel mounted (Velvac)
DRJ	Mirror, inside rearview
DT4	Smoker's Package, includes ashtray and lighter
ENC	HVAC system, auxiliary rear heater provisions
FE9	Emissions, Federal requirements
G7K	Antenna equipment
G80	Differential, heavy-duty locking rear
GT4	Rear axle, 3.73 ratio
GT5	Rear axle, 4.10 ratio
GU6	Rear axle, 3.42 ratio
JFF	GVWR, 10,100 lbs. (4581 kg)
JL4	StabiliTrak
K05	Engine block heater
K34	Cruise control
K50	Fuel fitting, auxiliary feed in the fuel tank
KC4	Cooling, external engine oil cooler
KG4	Alternator, 150 amps
KI4	Power outlet, 120-volt
KW5	Alternator, 220 amps
L96	Engine, Vortec 6.0L V8
LC8	Engine, 6.0L V8 SFI Gaseous
LV1	Engine, 4.3L V6
M5U	Transmission, 8-speed automatic
MYD	Transmission, 6-speed automatic, heavy-duty
NB8	Emissions override, California
NB9	Emissions override, state-specific
NC7	Emissions override, Federal
NE1	Emissions, Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New

Option Code	Description
	York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington state requirements
NE7	Fuel tank capacity
NHT	Enhanced Towing Performance Package
NP5	Steering wheel, leather-wrapped
P0G	GM Commercial Link – 1 year of Service
P0H	GM Commercial Link – 2 years of Service
P0I	GM Commercial Link – 3 years of Service
P0J	OnStar Additional 21 months of OnStar Fleet Safety and Security
P0K	OnStar Additional 33 months of OnStar Fleet Safety and Security
P0L	OnStar Additional 45 months of OnStar Fleet Safety and Security
P0M	OnStar Additional 21 months of OnStar Fleet Remote Access
P0N	OnStar Additional 33 months of OnStar Fleet Remote Access
P00	OnStar Additional 45 months of OnStar Fleet Remote Access
PR6	SiriusXM Radio Additional 9 months of the SiriusXM All Access Package.
PR7	SiriusXM Radio Additional 21 months of the SiriusXM All Access Package.
PR8	SiriusXM Radio Additional 33 months of the SiriusXM All Access Package.
PSR	Power steering reservoir with glass sight, for checking fluid level
Q8C	Tire valve stem caps, air thru
QB5	Wheels, 4 - 16" x 6.5" (40.6 cm x 16.5 cm), 8-lug painted steel
QT4	Wheels, 6 - 16" x 6.5" (40.6 cm x 16.5 cm) 8-lug painted steel
R04	Wheel configuration, rear, single
R05	Wheel configuration, rear, dual
R6G	Air conditioning delete
R9Y	Fleet Free Maintenance Credit
RGI	Routing grommet, front instrument panel
SVQ	Ship Thru, Produced in Wentzville and shipped to Canfield Equipment. Returned to
	Lansing Delta for shipping to final destination
TBM	Ship Thru, Produced in Wentzville and shipped to Adrian Steel
TBQ	Ship Thru, Produced in Wentzville and shipped to Auto Truck Group
TCC	Ship Thru, Produced in Wentzville and shipped to Quigley Motor, Manchester, PA, and onto
	Ft. Wayne Assembly
TP2	Battery, 600 cold-cranking amps
TVY	Ship Thru, Produced and shipped to Anchorage VDC then to TK Services and returned to
	Anchorage VDC for shipping to final destination
U05	Horn, dual-note high and low
U0F	Audio system, AM/FM stereo with MP3 player
U0H	Audio system, AM/FM stereo with MP3 player and USB port
U2K	SiriusXM Radio
UA1	Battery, heavy-duty 770 cold-cranking amps
UBS	SiriusXM NavTraffic
UE0	OnStar, delete
UE1	OnStar and Chevrolet connected services capable
UEU	Forward Collision Alert
UF3	High idle switch
UFA	Outside temperature display
UFL	Lane Departure Warning
UI8	Audio system, Chevrolet Infotainment System with Navigation and 6.5" diagonal color
	touch-screen
UJ1	Brake warning indicator

Option Code	Description
UJM	Tire Pressure Monitoring System
UPF	Bluetooth for phone, personal cell phone connectivity to vehicle audio system
US8	Audio system, AM/FM stereo with CD/MP3 player
USR	Audio system feature, USB port
UTJ	Theft-deterrent system
UVC	Rear Vision Camera
UXZ	Audio system, radio provisions only
UY7	Trailering provisions, trailering wire harness only
V10	Cold Climate Package
V14	Transmission oil cooler, external
V22	Grille, chrome
V46	Bumper, front chrome
V4D	Circuits, stop/turn signal
VAD	Ship Thru, Produced in Wentzville and shipped to Leggett and Platt/Masterack.
VAE	Ship Thru, Produced at Springfield Assembly and shipped to Knapheide, Flint, MI and
	returned to Flint Assembly for final shipment.
VAP	Ship Thru, Produced in Wentzville and shipped to Knapheide Truck Equipment
VAR	Ship Thru, Produced in Wentzville and shipped to Midway
VBK	Ship Thru, Produced in Wentzville and shipped to National Fleet Services and Return to
	Wentzville for final shipment
VK3	License plate kit, front
VP7	Ship Thru, Produced in Wentzville and shipped to Knapheide Truck Equipment, Wentzville,
	MO, then back to Wentzville Assembly for final shipment
VV4	Chevrolet 4G LTE
VXT	Incomplete vehicle certification
W1Y	Steering wheel controls, mounted audio controls
WI6	Ship Thru, Produced in Wentzville and shipped to Reading Equipment, ST. CLAIR, MO and
	returned to Wentzville Assembly for final shipment
WRF	Commercial upfitter circuits
WT7	Ship Thru, Produced at Wentzville Assembly and shipped to XL Hybrids / Knapheide and
	Return to Wentzville Assembly for final shipment
WU3	Ship Thru, Produced at Wentzville Assembly and shipped to XL Hybrids / Adrian Steel and
	Return to Wentzville Assembly for final shipment
XHF	Tires, front LT225/75R16E all-season, blackwall
XLP	Tires, front LT245/75R16E all-season, blackwall
YF1	RV Package
YF2	Ambulance Package
YF5	Emissions, California state requirements
YHF	Tires, rear LT225/75R16E all-season, blackwall
YLP	Tires, rear LT245/75R16E all-season, blackwall
ZHF	Tire, spare LT225/75R16E all-season, blackwall
ZLP	Tire, spare LT245/75R16E all-season, blackwall
ZP0	Seats, delete driver and passenger
ZP1	Seating, temporary driver only, Upfitter option
ZQ2	Power Convenience Package
ZQ3	Driver Convenience Package
ZR7	Chrome Appearance Package
ZW9	Body, standard
ZX1	Seating arrangement, driver-only high-back bucket

Option Code	Description
ZX2	Seating arrangement, driver and front passenger high-back bucket
ZY1	Paint, solid

Updates for Express Cutaway

Week of 7/2/2018

Effective 7/2/2018, the following changes will be made to the Vehicle Order Guide:

- Interior section-(UTJ) Theft-deterrent system, updated footnote 1 to read "Included and only available with the combination of (ATG) Remote Keyless Entry and (UE1) OnStar.".
- Mechanical section-(R9Y) Fleet Free Maintenance Credit, changed extended description to read "This option code provides a credit in lieu of the free oil changes, tire rotations and inspections for one maintenance service during 1st year of ownership. The invoice will detail the applicable credit. The customer will be responsible for all oil change, tire rotations and inspections costs for this vehicle.".
- SEO/Ship Thru section-(8N2) Seat belts, Orange, updated footnote 1 to read "Requires (93G) Medium Pewter Custom Cloth, (93W) Custom Vinyl or (93B) Cloth seats. Not available with SEO (5B2) Red safety belts.".
- SEO/Ship Thru section-(5B2) Seat belts, Red, updated footnote 1 to read "Requires (93G) Medium Pewter Custom Cloth, (93W) Custom Vinyl or (93B) Cloth seats. Not available with SEO (8N2) Orange seat belts.".