

S = Standard Equipment A = Available -- (dashes) = Not Available D = ADI Available
 ■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
	AK5	Air bags , frontal, driver and right-front passenger 1 - Included with (ZX2) driver and front passenger high-back bucket seats. Not available with (ZX1) driver only high-back bucket seat. Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.	S ¹	S ¹	S ¹	S ¹	S ¹
	ASF	Air bags , driver and right-front passenger, seat-mounted side-impact and head curtain side-impact 1 - Requires (C4M) 9900 lbs. (4490 kg) GVWR. Not available with (YF1) RV Package, (B3D) School Bus Package or (9T7) passenger side door delete, Upfitter option. Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.	S ¹	S ¹	--	--	--
		Air bag deactivation switch , frontal, passenger-side 1 - Always use safety belts and the correct child restraints. NOTE: Passenger seat is removed when ordered. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.	S ¹	S ¹	S ¹	S ¹	S ¹
	C60	Air conditioning , single-zone manual 1 - Not available with (R6G) air conditioning delete.	S ¹	S ¹	S ¹	S ¹	S ¹
		Assist handles , driver and right-front passenger	S	S	S	S	S
	U0F	Audio system , AM/FM stereo with MP3 player, seek-and-scan, digital clock, TheftLock, random select, auxiliary jack and 2 front door speakers 1 - Not available with (YF1) RV Package.	S ¹	S ¹	S ¹	S ¹	S ¹
		Cup holders , 3 on the engine console cover	S	S	S	S	S
		Driver Information Center , includes fuel range, average speed, oil life, fuel used, ice warning, engine hours, average fuel economy, tachometer and maintenance reminders	S	S	S	S	S
	B31	Floor covering , Black rubberized-vinyl front	S	S	S	S	S
		Headliner , cloth, over driver and passenger	S	S	S	S	S
		Heater and defogger with front and side window defoggers	S	S	S	S	S
		Instrumentation , analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature and oil pressure	S	S	S	S	S
		Lighting , interior with dome light and door handle-activated switches	S	S	S	S	S
	KI4	Power outlet , 120-volt	S	S	S	S	S
		Power outlets , 2 auxiliary on engine console cover with covers, 12-volt	S	S	S	S	S

Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
	AR7	Seats , front bucket with vinyl trim and head restraints, includes inboard armrests 1 - Requires (**W) trim. Not available with SEO (ZP0) delete driver and passenger seats. Includes only driver high-back bucket seat with vinyl trim when ordered with (ZX1) driver-only high-back bucket seating arrangement.	S ¹	S ¹	S ¹	S ¹	S ¹
	ZX2	Seating arrangement , driver and front passenger highback bucket, includes head restraints and vinyl or cloth trim 1 - Not available with (AJ3) driver-side only frontal air bag.	S ¹	S ¹	S ¹	S ¹	S ¹
		Theft-deterrent system , vehicle, PASS-Key III	S	S	S	S	S
	UJM	Tire Pressure Monitoring System (does not monitor spare tires) 1 - Required with (C4M) 9900 lbs. (4490 kg) GVWR and (R04) single rear 4 - 16" x 6.5" (40.6 cm x 16.5 cm) wheels.	S ¹	--	--	--	--
		Tow/haul mode selector , instrument panel-mounted	S	S	S	S	S
		Visors , driver and front passenger, cloth, padded	S	S	S	S	S
		Warning tones , headlamp on and key-in-ignition	S	S	S	S	S
	ZW9	Body , standard	S	S	S	S	S
		Bumper , front painted Black with step-pad 1 - Deleted when (ZR7) Chrome Appearance Package is ordered.	S ¹	S ¹	S ¹	S ¹	S ¹
		Daytime Running Lamps	S	S	S	S	S
		Flasher , heavy duty, light emitting diode (LED)	S	S	S	S	S
		Glass , Solar-Ray light-tinted, all windows	S	S	S	S	S
		Grille , Black composite with single rectangular halogen headlamps 1 - Not available with (ZR7) Chrome Appearance Package.	S ¹	S ¹	S ¹	S ¹	S ¹
	VK3	License plate kit , front	S	S	S	S	S
	D28	Mirrors , outside delete 1 - Not available with (5Q7) Upfitter option Blank Sail Panel Delete when ordered with (YF2) Ambulance Package.	S ¹	S ¹	S	S ¹	S
	ZY1	Paint , solid	S	S	S	S	S
XLP		Tires , front LT245/75R16E all-season, blackwall 1 - Available with (C4M) 9900 lbs. (4490 kg.) GVWR or (JFF) 10,100 lbs. (4581 kg.) GVWR and (R04) single rear wheel configuration. Jack and spare tire equipment bracket are not included.	S	A ¹	--	--	--
YLP		Tires , rear LT245/75R16E all-season, blackwall 1 - Available with (C4M) 9900 lbs. (4490 kg.) GVWR or (JFF) 10,100 lbs. (4581 kg.) GVWR and (R04) single rear wheel configuration. Jack and spare tire equipment bracket are not included.	S	A ¹	--	--	--

Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
XHF		Tires, front LT225/75R16E all-season, blackwall 1 - Requires (9N2) 10,050 lbs. (4559 kg) GVWR or (C7N) 12,300 lbs. (5579 kg) GVWR and (R05) dual rear wheel configuration. Jack and spare tire equipment bracket are not included. 2 - Requires (C7N) 12,300 lbs. (5579 kg) GVWR and (R05) dual rear wheel configuration. Jack and spare tire equipment bracket are not included. 3 - Requires (C7I) 14,200 lbs. (6441 kg) GVWR and (R05) dual rear wheel configuration. Jack and spare tire equipment bracket are not included.	A ¹	S ¹	S ²	S ³	S ³
YHF		Tires, rear LT225/75R16E all-season, blackwall 1 - Requires (9N2) 10,050 lbs. (4559 kg) GVWR or (C7N) 12,300 lbs. (5579 kg) GVWR and (R05) dual rear wheel configuration. Jack and spare tire equipment bracket are not included. 2 - Requires (C7N) 12,300 lbs. (5579 kg) GVWR and (R05) dual rear wheel configuration. Jack and spare tire equipment bracket are not included. 3 - Requires (C7I) 14,200 lbs. (6441 kg) GVWR and (R05) dual rear wheel configuration. Jack and spare tire equipment bracket are not included.	A ¹	S ¹	S ²	S ³	S ³
R04		Wheel configuration, rear, single 1 - Not available with (9N2) 10,050 lbs. (4559 kg.) or (C7N) 12,300 lbs. (5579 kg.) GVWR.	S ¹	A ¹	--	--	--
R05		Wheel configuration, rear, dual 1 - Not available with (C4M) 9900 lbs. (4490 kg) GVWR, (JFF) 10,100 lbs. (4581 kg) GVWR or (JL4) StabiliTrak.	A ¹	S ¹	S ¹	S ¹	S ¹
QB5		Wheels, 4 - 16" x 6.5" (40.6 cm x 16.5 cm), 8-lug painted steel, heavy-duty 1 - Only available with (R04) single rear wheel configuration.	S ¹	A ¹	--	--	--
QT4		Wheels, 6 - 16" x 6.5" (40.6 cm x 16.5 cm) 8-lug painted steel, heavy duty 1 - Only available with (R05) dual rear wheel configuration.	A ¹	S ¹	S ¹	S ¹	S ¹
		Wipers, front intermittent wet-arm with pulse washers	S	S	S	S	S
	KG4	NEW! Alternator, 150 amps	S	S	S	S	S
		Battery, 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power	S	S	S	S	S
		Brakes, 4-wheel antilock, 4-wheel disc	S	S	S	S	S
		Brake/transmission shift interlock, for automatic transmissions	S	S	S	S	S

Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
L20		<p>Engine, Vortec 4.8L V8 (285 hp [212.5 kW] @ 5400 rpm, 295 lb-ft of torque [398.3 N-m] @ 4600 rpm)</p> <p>1 - Requires (C4M) 9900 lbs. (4490 kg) GVWR or (9N2) 10,050 lbs. (4559 kg) GVWR. Not available with (YF2) Ambulance Package, (YF1) RV Package, (ANC) Shuttle Bus Package or (C7N) 12,300 lbs. (5579 kg) GVWR. Includes external engine oil cooler. Reference the Engine/Axle page for availability.</p> <p>2 - Requires (9N2) 10,050 lbs. (4559 kg) GVWR or (JFF) 10,100 lbs. (4581 kg) GVWR. Not available with (YF2) Ambulance Package, (YF1) RV Package, (ANC) Shuttle Bus Package or (C7N) 12,300 lbs. (5579 kg) GVWR. Not available with (ENC) HVAC system auxiliary rear heat provisions. Includes external engine oil cooler. Reference the Engine/Axle page for availability.</p> <p>3 - Requires (C7N) 12,300 lbs. (5579 kg) GVWR. Not available with (YF1) RV Package or (ANC) Shuttle Bus Package. Not available with (ENC) HVAC system auxiliary rear heat provisions. Includes external engine oil cooler. Reference the Engine/Axle page for availability.</p>	S ¹	A ²	A ³	--	--
L96		<p>Engine, Vortec 6.0L V8 (342 hp [255.0 kW] @ 5400 rpm, 373 lb-ft of torque [503.6 N-m] @ 4400 rpm)</p> <p>1 - Includes external oil cooler. Reference the Engine/Axle page for availability.</p>	A ¹	S ¹	S ¹	S ¹	S ¹
		Exhaust , aluminized stainless-steel muffler and tailpipe	S	S	S	S	S
		Frame , ladder-type	S	S	S	S	S
		Fuel tank capacity , mid-frame and approximately 33 gallons (124.9L)	S	S	S	S	S
C4M		<p>GVWR, 9900 lbs. (4490 kg)</p> <p>1 - Includes (R04) single rear wheel configuration. Not available with (R05) dual rear wheel combination. Reference the Engine/Axle page for availability.</p>	S ¹	A ¹	--	--	--
C7N		<p>GVWR, 12,300 lbs. (5579 kg)</p> <p>1 - Includes (R05) dual rear wheel configuration. Not available with (R04) single rear wheel combination. Reference the Engine/Axle page for availability.</p>	A ¹	A ¹	S	--	--
	C7I	GVWR , 14,200 lbs. (6441 kg)	--	--	--	S	S
	VXT	Incomplete vehicle certification	S	S	S	S	S
		Oil life monitor	S	S	S	S	S
GU6		<p>Rear axle, 3.42 ratio</p> <p>1 - Requires (L20) Vortec 4.8L V8 SFI engine or (L96) Vortec 6.0L V8 SFI engine and (C4M) 9900 lbs. (4490 kg) GVWR or (JFF) 10,100 lbs. (4581 kg) GVWR.</p>	S ¹	A ¹	--	--	--
GT4		<p>Rear axle, 3.73 ratio</p> <p>1 - Requires (9N2) 10,050 lbs. (4559 kg) GVWR or (C7N) 12,300 lbs. (5579 kg) GVWR or (YF2) Ambulance Package. Reference the Engine/Axle page for availability.</p> <p>2 - Requires (9N2) 10,050 lbs. (4559 kg) GVWR or (C7N) 12,300 lbs. (5579 kg) GVWR. Reference the Engine/Axle page for availability.</p>	A ¹	S ¹	S ²	--	--
	JL4	<p>StabiliTrak, traction assistance and vehicle stability enhancement system</p> <p>1 - Standard with (R04) single rear wheel configuration. Not available with (R05) dual rear wheel configuration.</p>	S ¹	S ¹	--	--	--
		Steering , power	S	S	S	S	S

Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
		Suspension , front independent with coil springs and stabilizer bar	S	S	S	S	S
		Suspension , rear hypoid drive axle with multi-leaf springs	S	S	S	S	S
	MYD	Transmission , 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode and internal transmission oil cooler 1 - Reference the Engine/Axle page availability.	S ¹	S ¹	S ¹	S ¹	S ¹
	V14	Transmission oil cooler , external	S	S	S	S	S

S = Standard Equipment A = Available -- (dashes) = Not Available D = ADI Available
 ■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

No deletions allowed to Equipment Groups. Additional options may be added; check ordering information section for compatibility.

*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
	GT5	Rear axle, 4.10 ratio 1 - Included with (L96) Vortec 6.0L V8 and (C71) 14,200 lbs. (6441 kg) GVWR.	--	--	--	■ ¹	■ ¹

S = Standard Equipment A = Available -- (dashes) = Not Available D = ADI Available
 ■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

No deletions allowed to Equipment Groups. Additional options may be added; check ordering information section for compatibility.

*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
	GT5	Rear axle, 4.10 ratio 1 - Included with (L96) Vortec 6.0L V8 and (C71) 14,200 lbs. (6441 kg) GVWR.	--	--	--	■ ¹	■ ¹

ADDITIONAL OPTIONS

Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
R6G		Air conditioning delete 1 - Not available with (YF1) RV Package, (YF2) Ambulance Package, (DEB) outside heated, power-adjustable Black mirrors with single pane glass or (DE5) outside heated, power-adjustable Black mirrors. 2 - Not available with (YF1) RV Package. 3 - Not available with (YF1) RV Package or (YF2) Ambulance Packages.	A ¹	A ¹	A ²	A ³	A ²
UXZ		Audio system , radio provisions only. Includes alarm warning chimes, radio wiring harness, radio antenna and 2 front door speakers 1 - Not available with (U0F) AM/FM stereo with MP3 player, (U0H) AM/FM stereo with MP3 player and USB port, (US8) AM/FM stereo with CD/MP3 player, (UI8) Chevrolet MyLink with Navigation, (UE1) OnStar or (YF1) RV Package.	A ¹	A ¹	A ¹	A ¹	A ¹
U0H		Audio system , AM/FM stereo with MP3 player and USB port, includes seek-and-scan, digital clock, TheftLock, random select, auxiliary jack and 2 front door speakers 1 - Included with (YF1) RV Package. With (YF1) RV Package, (U0H) AM/FM stereo with MP3 player and USB port is upgradeable to (US8) AM/FM stereo with CD/MP3 player or (UI8) Chevrolet MyLink with Navigation.	A ¹	A ¹	A ¹	A ¹	A ¹
US8		Audio system , AM/FM stereo with CD/MP3 player, USB port, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), TheftLock, random select, auxiliary jack and 2 front door speakers	A	A	A	A	A

ADDITIONAL OPTIONS							
Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
UI8		<p>Audio system, Chevrolet MyLink radio with Navigation, 6.5" diagonal color touch-screen display, AM/FM stereo with CD player, USB port, includes Bluetooth streaming audio for music and select phones; Hands-Free smartphone integration with Pandora and Stitcher; voice-activated technology for radio and phone</p> <p>1 - Not available with (U2K) SiriusXM Satellite Radio.</p>	A ¹	A ¹	A ¹	A ¹	A ¹
U2K		<p>SiriusXM Satellite Radio is standard on nearly all 2017 GM models. Enjoy a 3-month All Access trial subscription with over 150 channels including commercial-free music, plus sports, news and entertainment. Plus listening on the app and online is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM.</p> <p>1 - Only available with the combination of (UE1) OnStar and (US8) AM/FM stereo with MP3 compatible CD player. IMPORTANT: The SiriusXM Satellite Radio trial package is not provided on vehicles that are ordered for Fleet Daily Rental ("FDR") use. If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-866-635-2349. See our Customer Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change.</p>	A ¹	A ¹	A ¹	A ¹	A ¹
UPF		<p>Bluetooth for phone, personal cell phone connectivity to vehicle audio system</p> <p>1 - Requires (NP5) leather-wrapped steering wheel, (W1Y) steering wheel controls and (ZQ3) Convenience Package. Included with (UI8) Chevrolet MyLink radio with Navigation. With (U0F) AM/FM stereo with MP3 player, (U0H) AM/FM stereo with MP3 player and USB port or (US8) AM/FM stereo with MP3 compatible CD player requires (UE1) OnStar hardware (subscription to OnStar services not required for operation). NOTE: With (UI8) Chevrolet MyLink radio with Navigation (UE1) OnStar hardware is not required.</p>	A ¹	A ¹	A ¹	A ¹	A ¹
UJ1		<p>Brake warning indicator, monitors brake system pressure, with loss of pressure an audible alarm (chime) and cluster telltale is lit</p> <p>1 - Included with (B3D) School Bus Package. Not available with (YF1) RV Package or (YF2) Ambulance Package.</p> <p>2 - Not available with (YF1) RV Package.</p>	A ¹	A ¹	A ²	A ¹	A ²
BA3		<p>Console, engine cover with swing-out storage bin</p> <p>1 - Included with (AS5) Custom Cloth front bucket seats and (YF1) RV Package.</p>	A ¹	A ¹	A ¹	A ¹	A ¹
ZQ2		<p>Convenience Package, power windows and door locks</p> <p>1 - Includes (A31) power windows and (AU3) power door locks. Included with (YF1) RV Package. Not available with (9T7) passenger side door delete. NOTE: Does not include (ATG) Remote Keyless Entry. (ATG) Remote Keyless Entry must be ordered separately.</p>	A ¹	A ¹	A ¹	A ¹	A ¹
ZQ3		<p>Convenience Package, Tilt-Wheel and (K34) cruise control</p> <p>1 - Included with (YF1) RV Package or (ANC) Shuttle Bus Package.</p>	A ¹	A ¹	A ¹	A ¹	A ¹

ADDITIONAL OPTIONS							
Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
AU3		Door locks , power with lock-out protection 1 - Included with (ZQ2) Convenience Package. NOTE: Does not include (ATG) Remote Keyless Entry. (ATG) Remote Keyless Entry must be ordered separately.	A ¹	A ¹	A ¹	A ¹	A ¹
D31		Mirror , inside rearview manual day/night 1 - Included with (YF1) RV Package or (B3D) School Bus Package. 2 - Included and only available with (YF1) RV Package.	A ¹	A ¹	A ²	A ¹	A ²
DRJ		Mirror , inside rearview, includes Rear Vision Camera display 1 - Not available with (UI8) Chevrolet MyLink radio.	A ¹	A ¹	A ¹	A ¹	A ¹
UE1		OnStar Guidance Plan for 6 months, including Automatic Crash Response, Stolen Vehicle Assistance, Roadside Assistance, Turn-by-Turn Navigation, Advanced Diagnostics and more (trial excludes Hands-Free Calling) 1 - Requires (U0F) AM/FM stereo with MP3 player, (U0H) AM/FM stereo with MP3 player and USB port, (US8) AM/FM stereo with CD/MP3 player or (UI8) Chevrolet MyLink radio with Navigation. Not available with (YF2) Ambulance Package or (UXZ) radio provisions only audio system. Included with (FDR) Fleet Daily Rental order types. Visit www.onstar.com for coverage map, details and system limitations. Services may vary by model and conditions. 2 - Requires (U0F) AM/FM stereo with MP3 player, (U0H) AM/FM stereo with MP3 player and USB port, (US8) AM/FM stereo with CD/MP3 player or (UI8) Chevrolet MyLink radio with Navigation. Not available with (UXZ) radio provisions only audio system. Included with (FDR) Fleet Daily Rental order types. Visit www.onstar.com for coverage map, details and system limitations. Services may vary by model and conditions.	A ¹	A ¹	A ²	A ¹	A ²
UFA		Outside temperature display 1 - Requires (ZR7) Chrome Appearance Package.	A ¹	A ¹	A ¹	A ¹	A ¹
UVC		Rear Vision Camera , camera and cable shipped loose 1 - Includes (DRJ) inside rearview mirror without (UI8) Chevrolet MyLink radio with Navigation. Integrated into navigation screen when (UI8) Chevrolet MyLink radio with Navigation is ordered.	A ¹	A ¹	A ¹	A ¹	A ¹
ATG		Remote Keyless Entry with 2 transmitters and remote panic button 1 - Requires (AU3) power door locks. Not available with (B3D) School Bus Package.	A ¹	A ¹	A ¹	A ¹	A ¹
BTV		Remote vehicle starter system 1 - Requires (ATG) remote keyless entry.	A ¹	A ¹	A ¹	A ¹	A ¹
AS5		Seats , front bucket with Custom Cloth trim, head restraints and inboard armrests 1 - Requires (**G) trim. Not available with SEO (ZP0) driver and passenger seat delete. Includes only driver high-back bucket seat with Custom Cloth trim when ordered with (ZX1) driver-only high-back bucket seating arrangement. Includes (BA3) engine cover console with swing-out bin.	A ¹	A ¹	A ¹	A ¹	A ¹

ADDITIONAL OPTIONS							
Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
ZP0		Seats , delete driver and passenger, leaves seat risers on both sides, upfitter option, Deletes the standard driver and passenger front seats. Provides driver and passenger seat risers with adjusters and seat belts. Also provides a temporary seat for transportation to the upfitter. 1 - Not available with (C4M) 9900 lb. GVWR.	A ¹	A ¹	A	A	A
ZX1		Seating arrangement , driver-only high-back bucket, includes head restraint and vinyl or cloth trim 1 - Deletes passenger-side air bag, seat and safety belt. Components cannot be added back later. Includes (AJ3) driver-side only frontal air bag. Requires (AS5) front bucket seats with Custom Cloth or (AR7) front bucket seats with vinyl trim.	A ¹	A ¹	A ¹	A ¹	A ¹
DT4		Smoker's Package , includes ashtray and lighter	A	A	A	A	A
NP5		Steering wheel , leather-wrapped 1 - Requires (ZQ3) Convenience Package and (U0F) AM/FM stereo with MP3 player, (U0H) AM/FM stereo with MP3 player and USB port, (US8) AM/FM stereo with CD/MP3 player or (UI8) Chevrolet MyLink radio with Navigation.	A ¹	A ¹	A ¹	A ¹	A ¹
DAA		Visors , driver and front passenger, vinyl in lieu of standard cloth	A	A	A	A	A
G7K		Antenna equipment , includes additional antenna, cable and ground plate. Provides additional ability to relocate standard OnStar antenna, cable length 25 ft. Ships loose. 1 - Requires (UE1) OnStar and/or (U2K) SiriusXM Satellite Radio.	A ¹	A ¹	A ¹	A ¹	A ¹
V46		Bumper , front chrome with step-pad 1 - Included with (ZR7) Chrome Appearance Package.	A ¹	A ¹	A ¹	A ¹	A ¹
ZR7		Chrome Appearance Package 1 - Includes (V46) front chrome bumper and (V22) chrome grille with dual composite halogen headlamps. Included with (YF1) RV Package or (YF2) Ambulance Package or (ANC) Shuttle Bus Package. 2 - Includes (V46) front chrome bumper and (V22) chrome grille with dual composite halogen headlamps. Included with (YF1) RV Package or (ANC) Shuttle Bus Package.	A ¹	A ¹	A ²	A ¹	A ²
V4D		Circuits , stop/turn signal, body control module calibration that allows the stop and turn signals to be operated separately 1 - Included with (YF2) Ambulance Package, (B3D) School Bus Package or (ANC) Shuttle Bus Package. 2 - Included with (ANC) Shuttle Bus Package.	A ¹	A ¹	A ²	A ¹	A ²
U05		Horn , dual-note high and low 1 - Included with (B3D) School Bus Package or (YF2) Ambulance Package.	A ¹	A ¹	A	A ¹	A
DE2		Mirrors , outside manual, Black 1 - Requires (R04) single rear wheel configuration. Not available with (YF1) RV Package or (B3D) School Bus Package.	A ¹	A ¹	--	--	--

ADDITIONAL OPTIONS							
Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
DE5		Mirrors , outside heated power-adjustable, Black, manual-folding 1 - Requires (R04) single rear wheel configuration, (C60) air conditioning and (ZQ2) Convenience Package. Not available with (B3D) School Package, (R6G) air conditioning delete or (9T7) passenger side door delete Upfitter option.	A ¹	A ¹	--	--	--
DEB		Mirrors , outside heated power-adjustable, Black, manual-folding with single pane glass 1 - Requires (R04) single rear wheel configuration, (C60) air conditioning and (ZQ2) Convenience Package. Not available with (B3D) School Bus Package, (R6G) air conditioning delete or (9T7) passenger side door delete Upfitter option.	A ¹	A ¹	--	--	--
DHC		Mirrors , outside wide-stance sail panel mounted (Velvac). Provides Velvac convex combination RH and LH outside rear view mirrors that are sail panel mounted with arms that provide a wide stance. Mirrors can be utilized with bodies that are up to 96 inch width. Mirrors provide a 63.3 sq. inch flat glass positioned over a 30.1 sq. inch convex glass within a common head. Mirrors are shipped loose in vehicle 1 - Not available with (B3D) School Bus Package.	A ¹	A ¹	A	A ¹	A
XLP		Tires , front LT245/75R16E all-season, blackwall 1 - Available with (C4M) 9900 lbs. (4490 kg.) GVWR or (JFF) 10,100 lbs. (4581 kg.) GVWR and (R04) single rear wheel configuration. Jack and spare tire equipment bracket are not included.	S	A ¹	--	--	--
YLP		Tires , rear LT245/75R16E all-season, blackwall 1 - Available with (C4M) 9900 lbs. (4490 kg.) GVWR or (JFF) 10,100 lbs. (4581 kg.) GVWR and (R04) single rear wheel configuration. Jack and spare tire equipment bracket are not included.	S	A ¹	--	--	--
ZLP		Tire , spare LT245/75R16E all-season, blackwall 1 - Requires (XLP) front LT245/75R16E all-season blackwall tires and (YLP) rear LT245/75R16E all-season blackwall tires. Jack and spare tire equipment bracket are not included.	A ¹	A ¹	--	--	--
XHF		Tires , front LT225/75R16E all-season, blackwall 1 - Requires (9N2) 10,050 lbs. (4559 kg) GVWR or (C7N) 12,300 lbs. (5579 kg) GVWR and (R05) dual rear wheel configuration. Jack and spare tire equipment bracket are not included. 2 - Requires (C7N) 12,300 lbs. (5579 kg) GVWR and (R05) dual rear wheel configuration. Jack and spare tire equipment bracket are not included. 3 - Requires (C7I) 14,200 lbs. (6441 kg) GVWR and (R05) dual rear wheel configuration. Jack and spare tire equipment bracket are not included.	A ¹	S ¹	S ²	S ³	S ³
YHF		Tires , rear LT225/75R16E all-season, blackwall 1 - Requires (9N2) 10,050 lbs. (4559 kg) GVWR or (C7N) 12,300 lbs. (5579 kg) GVWR and (R05) dual rear wheel configuration. Jack and spare tire equipment bracket are not included. 2 - Requires (C7N) 12,300 lbs. (5579 kg) GVWR and (R05) dual rear wheel configuration. Jack and spare tire equipment bracket are not included. 3 - Requires (C7I) 14,200 lbs. (6441 kg) GVWR and (R05) dual rear wheel configuration. Jack and spare tire equipment bracket are not included.	A ¹	S ¹	S ²	S ³	S ³

ADDITIONAL OPTIONS							
Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
ZHF		Tire , spare LT225/75R16E all-season, blackwall 1 - Requires (XHF) front LT225/75R16E all-season blackwall tires.	A ¹	A ¹	A ¹	A ¹	A ¹
R04		Wheel configuration , rear, single 1 - Not available with (9N2) 10,050 lbs. (4559 kg.) or (C7N) 12,300 lbs. (5579 kg.) GVWR.	S ¹	A ¹	--	--	--
R05		Wheel configuration , rear, dual 1 - Not available with (C4M) 9900 lbs. (4490 kg) GVWR, (JFF) 10,100 lbs. (4581 kg) GVWR or (JL4) StabiliTrak.	A ¹	S ¹	S ¹	S ¹	S ¹
QB5		Wheels , 4 - 16" x 6.5" (40.6 cm x 16.5 cm), 8-lug painted steel, heavy-duty 1 - Only available with (R04) single rear wheel configuration.	S ¹	A ¹	--	--	--
QT4		Wheels , 6 - 16" x 6.5" (40.6 cm x 16.5 cm) 8-lug painted steel, heavy duty 1 - Only available with (R05) dual rear wheel configuration.	A ¹	S ¹	S ¹	S ¹	S ¹
40P		Wheel finish , painted White. White-painted wheels in lieu of standard Gray-painted wheels	A	A	A	A	A
YF2		Ambulance Package 1 - Requires (L96) Vortec 6.0L V8 SFI engine, (C7N) 12,300 lbs. (5579 kg) GVWR and (GT4) 3.73 rear axle ratio. Includes (KW5) 220 amp alternator, (TP2) isolated 2nd battery, (G80) heavy-duty locking rear differential, (XHF) LT225/7R16E all-season front tires, (U05) dual-note horn, (ENC) HVAC system, auxiliary rear heat provisions, (K34) cruise control, (ZR7) Chrome Appearance Package, (UF3) high idle switch, (V4D) stop/turn signal circuits and SEO (9L7) equipment accessory wiring junction block. Not available with (B3D) School Bus Package, (YF1) RV Package or (ANC) Shuttle Bus Package. 2 - Requires (C7N) 12,300 lbs. (5579 kg) GVWR and (GT4) 3.73 rear axle ratio. Includes (KW5) 220 amp alternator, (TP2) isolated 2nd battery, (G80) heavy-duty locking rear differential, (XHF) LT225/75R16E all season front tires, (U05) dual-note horn, (ENC) HVAC system auxiliary rear heat provisions, (K34) cruise control, (ZR7) Chrome Appearance Package, (UF3) high idle switch, (V4D) stop/turn signal circuits and SEO (9L7) equipment accessory wiring junction block. Not available with (B3D) School Bus Package, (YF1) RV Package or (ANC) Shuttle Bus Package. 3 - Requires (C7I) 14,200 lbs. (6441 kg) GVWR. Includes (KW5) 220 amp alternator, (TP2) isolated 2nd battery, (G80) heavy-duty rear locking differential, (U05) dual-note horn, (ENC) HVAC system auxiliary rear heat provisions, (K34) cruise control, (ZR7) Chrome Appearance Package, (UF3) high idle switch, (V4D) stop/turn signal circuits and SEO (9L7) equipment accessory wiring junction block. Not available with (B3D) School Bus Package, (YF1) RV Package or (ANC) Shuttle Bus Package.	A ¹	A ²	--	A ³	--

ADDITIONAL OPTIONS							
Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
YF1		<p>RV Package</p> <p>1 - Requires (L96) Vortec 6.0L V8 engine. Includes (ZR7) Chrome Appearance Package, (ZQ3) Convenience Package, (BA3) console with swing-out storage bin, (BNC) soft-mount donut and bolt, (D31) inside rearview manual day/night mirror, (KW5) 220 amp alternator, (TP2) isolated 2nd battery, SEO (8E1) 3 additional gallons of fuel, SEO (9L7) equipment accessory wiring junction block and (U0H) AM/FM stereo with MP3 player and USB port. (U0H) may be substituted with (US8) AM/FM stereo with CD/MP3 player, (UI8) Chevrolet MyLink radio with Navigation or (UXZ) radio provisions. When ordered without SEO (9T7) passenger-side door delete, includes (ZQ2) Convenience Package. Not available with (YF2) Ambulance Package, (B3D) School Bus Package, (ANC) Shuttle Bus Package, (R6G) air conditioning delete, (U0F) AM/FM stereo with MP3 player, (ASF) head/side-curtain air bags or (9N2) 10,050 lbs. (4559 kg) GVWR.</p> <p>2 - Includes (ZR7) Chrome Appearance Package, (ZQ3) Convenience Package, (BA3) console with swing-out storage bin, (BNC) soft-mount donut and bolt, (D31) inside rearview manual day/night mirror, (KW5) 220 amp alternator, (TP2) isolated 2nd battery, SEO (8E1) 3 additional gallons of fuel, SEO (9L7) equipment accessory wiring junction block and (U0H) AM/FM stereo with MP3 player and USB port. (U0H) may be substituted with (US8) AM/FM stereo with CD/MP3 player, (UI8) Chevrolet MyLink radio with Navigation or (UXZ) radio provisions. When ordered without SEO (9T7) passenger-side door delete, includes (ZQ2) Convenience Package. Not available with (YF2) Ambulance Package, (B3D) School Bus Package, (ANC) Shuttle Bus Package, (R6G) air conditioning delete, (U0F) AM/FM stereo with MP3 player, (ASF) head/side-curtain air bags or (9N2) 10,050 lbs. (4559 kg) GVWR.</p> <p>3 - Includes (ZR7) Chrome Appearance Package, (ZQ3) Convenience Package, (BA3) console with swing-out storage bin, (BNC) soft-mount donut and bolt, (D31) inside rearview manual day/night mirror, (KW5) 220 amp alternator, (TP2) isolated 2nd battery, SEO (8E1) 3 additional gallons of fuel, SEO (9L7) equipment accessory wiring junction block and (U0H) AM/FM stereo with MP3 player and USB port. (U0H) may be substituted with (US8) AM/FM stereo with CD/MP3 player, (UI8) Chevrolet MyLink radio with Navigation or (UXZ) radio provisions. When ordered without SEO (9T7) passenger-side door delete, includes (ZQ2) Convenience Package. Not available with (ANC) Shuttle Bus Package, (R6G) air conditioning delete, (U0F) AM/FM stereo with MP3 player, (ASF) head/side-curtain air bags or (9N2) 10,050 lbs. (4559 kg) GVWR.</p>	A ¹	A ²	A ³	A ²	A ³

ADDITIONAL OPTIONS							
Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
B3D		<p>School Bus Package, chassis equipment with (UJ1) brake warning indicator</p> <p>1 - Requires (D28) outside mirror delete and (ZX1) driver-only high-back bucket seating arrangement or (ZP1) temporary driver only Upfitter option seating. Includes (ENC) HVAC system auxiliary rear heat provisions, (KW5) 220 amp alternator (TP2) isolated 2nd battery and SEO (9L7) equipment accessory wiring junction block, (D31) inside rearview manual day/night mirror, (U05) dual note horn and (V4D) stop/turn signal circuits. Not available with (DE2) outside manual Black mirrors, (DHC) outside wide-stance sail panel mounted mirrors, (AU3) power door locks, (ASF) head/side-curtain air bags, (ZQ2) Convenience Package, (YF2) Ambulance Package, (YF1) RV Package or (ANC) Shuttle Bus Package.</p> <p>2 - Requires (D28) outside mirror delete and (ZX1) driver-only high-back bucket seating arrangement or (ZP1) temporary driver only Upfitter option seating. Includes (ENC) HVAC system auxiliary rear heat provisions, SEO (9L7) equipment accessory wiring junction block, (D31) inside rearview manual day/night mirror, (U05) dual note horn and (V4D) stop/turn signal circuits. Not available with (NE7) 57 gallon (215.7L) fuel tank, (DE2) outside manual Black mirrors, (DHC) outside wide-stance sail panel mounted mirrors, (AU3) power door locks, (ASF) head/side-curtain air bags, (ZQ2) Convenience Package, (YF2) Ambulance Package, (YF1) RV Package or (ANC) Shuttle Bus Package.</p>	A ¹	A ²	--	A ²	--
ANC		<p>Shuttle Bus Package</p> <p>1 - Requires (L96) 6.0L V8 engine. Includes (ZR7) Chrome Appearance Package, (BNC) soft-mount donut and bolt, (ZQ3) Convenience Package, (V4D) stop/turn signal circuits, (ENC) HVAC system auxiliary rear heat provisions, (KW5) 220 amp alternator, (TP2) isolated 2nd battery and SEO (9L7) equipment accessory wiring junction block. Not available with (YF2) Ambulance Package, (YF1) RV Package, (B3D) School Bus Package or (L20) Vortec 4.8L V8 engine.</p> <p>2 - Includes (ZR7) Chrome Appearance Package, (BNC) soft-mount donut and bolt, (ZQ3) Convenience Package, (V4D) stop/turn signal circuits, (ENC) HVAC system auxiliary rear heat provisions (KW5) 220 amp alternator, (TP2) isolated 2nd battery and SEO (9L7) equipment accessory wiring junction block. Not available with (YF2) Ambulance Package, (YF1) RV Package or (B3D) School Bus Package.</p> <p>3 - Includes (ZR7) Chrome Appearance Package, (BNC) soft-mount donut and bolt, (ZQ3) Convenience Package, (V4D) stop/turn signal circuits, (ENC) HVAC system auxiliary rear heat provisions (KW5) 220 amp alternator, (TP2) isolated 2nd battery and SEO (9L7) equipment accessory wiring junction block. Not available with (YF1) RV Package.</p>	A ¹	A ²	A ³	A ²	A ³
KW5		<p>Alternator, 220 amps</p> <p>1 - Required with (YF2) Ambulance Package. Included with (YF1) RV Package, (B3D) School Bus Package or (ANC) Shuttle Bus Package.</p> <p>2 - Included with (YF1) RV Package or (ANC) Shuttle Bus Package.</p>	A ¹	A ¹	A ²	A ¹	A ²
UA1		<p>Battery, heavy-duty 770 cold-cranking amps, maintenance-free with rundown protection and retained accessory power</p> <p>1 - Not available with (YF2) Ambulance Package.</p>	A ¹	A ¹	A	A ¹	A

ADDITIONAL OPTIONS							
Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
TP2		Battery , 600 cold-cranking amps primary, isolated 2nd heavy-duty 770 cold-cranking amps, allows 2nd battery to be used when the vehicle is not running without affecting ability to start the vehicle 1 - Included with (YF2) Ambulance Package, (YF1) RV Package, (B3D) School Bus Package or (ANC) Shuttle Bus Package. 2 - Included with (YF1) RV Package or (ANC) Shuttle Bus Package.	A ¹	A ¹	A ²	A ¹	A ²
BNC		Body , soft-mount donut and bolt (for mounting Upfit body to chassis) 1 - Included with (YF1) RV Package or (ANC) Shuttle Bus Package.	A ¹	A ¹	A ¹	A ¹	A ¹
V10		Cold Climate Package , includes (K05) engine block heater	A	A	A	A	A
G80		Differential , heavy-duty locking rear 1 - Included with (YF2) Ambulance Package.	A ¹	A ¹	A	A ¹	A
FE9		Emissions , Federal requirements	A	A	A	A	A
YF5		Emissions , California state requirements	A	A	A	A	A
NE1		Emissions , Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington state requirements	A	A	A	A	A
NB8		Emissions override , California (allows a dealer in states that require California emissions - California, Connecticut, Delaware, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island or Washington - to order Federal emissions for a vehicle that will be registered in a state that has Federal emission requirements). Do not use for vehicles that will be registered in California, Connecticut, Delaware, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island or Washington. 1 - Requires (FE9) Federal emissions requirements. Not available in Maine and Vermont.	A ¹	A ¹	A ¹	A ¹	A ¹
NB9		Emissions override , state-specific (for dealers ordering vehicles in (YF5) or (NE1) emission states - California, Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington) 1 - Allows a California dealer (YF5) emissions to order (NE1) emissions with (NB9) emissions override code for registration in (NE1) states; or, a Connecticut, Delaware, Maine, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington dealer (NE1 emissions) to order (YF5) emissions with (NB9) emissions override code for registration in California.	A ¹	A ¹	A ¹	A ¹	A ¹

ADDITIONAL OPTIONS							
Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
NC7		<p>Emissions override, Federal (for vehicles ordered by dealers in Federal emission states with (YF5) or (NE1) emissions - Not required for vehicles being shipped to California, Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont or Washington)</p> <p>1 - Requires (YF5) California state emissions requirements or (NE1) Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont or Washington state emissions requirements.</p> <p>2 - Requires (YF5) California state emissions requirements or (NE1) Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington state emissions requirements. Not available with combination of (LGH) Duramax 6.6L Turbo Diesel V8 engine and (C7I) 14,200 lbs. (6441 kg) GVWR.</p>	A ¹	A ¹	A ¹	A ¹	A ²
L20		<p>Engine, Vortec 4.8L V8 (285 hp [212.5 kW] @ 5400 rpm, 295 lb-ft of torque [398.3 N-m] @ 4600 rpm)</p> <p>1 - Requires (C4M) 9900 lbs. (4490 kg) GVWR or (9N2) 10,050 lbs. (4559 kg) GVWR. Not available with (YF2) Ambulance Package, (YF1) RV Package, (ANC) Shuttle Bus Package or (C7N) 12,300 lbs. (5579 kg) GVWR. Includes external engine oil cooler. Reference the Engine/Axle page for availability.</p> <p>2 - Requires (9N2) 10,050 lbs. (4559 kg) GVWR or (JFF) 10,100 lbs. (4581 kg) GVWR. Not available with (YF2) Ambulance Package, (YF1) RV Package, (ANC) Shuttle Bus Package or (C7N) 12,300 lbs. (5579 kg) GVWR. Not available with (ENC) HVAC system auxiliary rear heat provisions. Includes external engine oil cooler. Reference the Engine/Axle page for availability.</p> <p>3 - Requires (C7N) 12,300 lbs. (5579 kg) GVWR. Not available with (YF1) RV Package or (ANC) Shuttle Bus Package. Not available with (ENC) HVAC system auxiliary rear heat provisions. Includes external engine oil cooler. Reference the Engine/Axle page for availability.</p>	S ¹	A ²	A ³	--	--
L96		<p>Engine, Vortec 6.0L V8 (342 hp [255.0 kW] @ 5400 rpm, 373 lb-ft of torque [503.6 N-m] @ 4400 rpm)</p> <p>1 - Includes external oil cooler. Reference the Engine/Axle page for availability.</p>	A ¹	S ¹	S ¹	S ¹	S ¹
FHS		<p>E85 FlexFuel capable</p> <p>1 - Requires (L96) Vortec 6.0L V8 engine.</p>	A ¹	A ¹	A ¹	A ¹	A ¹
K05		<p>Engine block heater</p> <p>1 - Included with (V10) Cold Climate Package.</p>	A ¹	A ¹	A ¹	A ¹	A ¹
R9Y		<p>Fleet Free Maintenance Credit. This option code provides a credit in lieu of the free oil changes, tire rotations and inspections (2 maximum), during the first 24 months and 24,000 miles period for this ordered vehicle. The invoice will detail the applicable credit. The customer will be responsible for all oil change, tire rotations and inspections costs for this vehicle.</p> <p>1 - Requires one of the following Fleet or Government order types: FBC, FBN, FCA, FCN, FLS, FNR, FRC or FGO. Not available with FDR order types.</p>	A ¹	A ¹	A ¹	A ¹	A ¹

ADDITIONAL OPTIONS							
Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
K50		Fuel fitting , auxiliary feed in the fuel tank 1 - Requires (L96) Vortec 6.0L V8 SFI engine. 2 - Requires (L96) Vortec 6.0L V8 SFI engine. Not available with (NE7) 57 gallon (215.7L) (approximate) fuel tank.	A ¹	A ²	A ²	A ²	A ²
NE7		Fuel tank capacity , approximately 57 gallons (215.7L). As part of the base design, includes the auxiliary feed fuel fitting and in tank return line. 1 - Not available with (R04) single rear wheel configuration or (B3D) School Bus Package. 2 - Not available with (K50) auxiliary feed in fuel tank return line fuel fitting or (B3D) School Bus Package. 3 - Not available with (K50) auxiliary feed in fuel tank return line fuel fitting.	--	A ¹	A ¹	A ²	A ³
C4M		GVWR , 9900 lbs. (4490 kg) 1 - Includes (R04) single rear wheel configuration. Not available with (R05) dual rear wheel combination. Reference the Engine/Axle page for availability.	S ¹	A ¹	--	--	--
9N2		GVWR , 10,050 lbs. (4559 kg) 1 - Requires (R05) dual rear wheel configuration. Not available with (YF1) RV Package or (R04) single rear wheel combination. Reference the Engine/Axle page for availability.	A ¹	A ¹	--	--	--
JFF		GVWR , 10,100 lbs. (4581 kg) 1 - Requires (R04) single rear wheel configuration. Not available with (ANC) Shuttle Bus Package or (DE2) outside manual Black mirrors. 2 - Requires (R04) single rear wheel configuration. Not available with (B3D) School Bus Package, (ANC) Shuttle Bus Package or (DE2) outside manual Black mirrors.	A ¹	A ²	--	--	--
C7N		GVWR , 12,300 lbs. (5579 kg) 1 - Includes (R05) dual rear wheel configuration. Not available with (R04) single rear wheel combination. Reference the Engine/Axle page for availability.	A ¹	A ¹	S	--	--
UF3		High idle switch 1 - Requires (L96) Vortec 6.0L V8 SFI engine and (ZQ3) Convenience Package. Included with (YF2) Ambulance Package with or without (ZQ3) Convenience Package. (YF2) Ambulance Package includes (K34) cruise control. 2 - Requires (ZQ3) Convenience Package. Included with (YF2) Ambulance Package with or without (ZQ3) Convenience Package. (YF2) Ambulance Package includes (K34) cruise control. 3 - Requires (ZQ3) Convenience Package.	A ¹	A ²	A ³	A ²	A ³
ENC		HVAC system , auxiliary rear heater provisions 1 - Included with (YF2) Ambulance Package, (B3D) School Bus Package or (ANC) Shuttle Bus Package. 2 - Included with (ANC) Shuttle Bus Package.	A ¹	A ¹	A ²	A ¹	A ²
GU6		Rear axle , 3.42 ratio 1 - Requires (L20) Vortec 4.8L V8 SFI engine or (L96) Vortec 6.0L V8 SFI engine and (C4M) 9900 lbs. (4490 kg) GVWR or (JFF) 10,100 lbs. (4581 kg) GVWR.	S ¹	A ¹	--	--	--

ADDITIONAL OPTIONS							
Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
GT4		Rear axle, 3.73 ratio 1 - Requires (9N2) 10,050 lbs. (4559 kg) GVWR or (C7N) 12,300 lbs. (5579 kg) GVWR or (YF2) Ambulance Package. Reference the Engine/Axle page for availability. 2 - Requires (9N2) 10,050 lbs. (4559 kg) GVWR or (C7N) 12,300 lbs. (5579 kg) GVWR. Reference the Engine/Axle page for availability.	A ¹	S ¹	S ²	--	--
UY7		NEW! Trailer wiring, dual 4-pin/7-pin sealed connector 1 - Not available with (YF2) Ambulance Package or (B3D) School Bus Package.	A ¹	A ¹	--	A ¹	--

S = Standard Equipment A = Available -- (dashes) = Not Available D = ADI Available
 ■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

No deletions allowed to Equipment Groups. Additional options may be added; check ordering information section for compatibility.

*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
	GT5	Rear axle, 4.10 ratio 1 - Included with (L96) Vortec 6.0L V8 and (C7I) 14,200 lbs. (6441 kg) GVWR.				■ ¹	■ ¹

S = Standard Equipment A = Available -- (dashes) = Not Available D = ADI Available
 ■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
	AK5	Air bags , frontal, driver and right-front passenger 1 - Included with (ZX2) driver and front passenger high-back bucket seats. Not available with (ZX1) driver only high-back bucket seat. Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.	S ¹	S ¹	S ¹	S ¹	S ¹
	AJ3	Air bag , frontal, driver-side only (deletes passenger-side) 1 - Included and only available with (ZX1) driver-only high-back bucket seat. Not available with (ZX2) driver and front passenger high-back bucket seats. Always use safety belts and the correct child restraints. NOTE: Passenger seat is removed when ordered. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.	A ¹	A ¹	A ¹	A ¹	A ¹
	ASF	Air bags , driver and right-front passenger, seat-mounted side-impact and head curtain side-impact 1 - Requires (C4M) 9900 lbs. (4490 kg) GVWR. Not available with (YF1) RV Package, (B3D) School Bus Package or (9T7) passenger side door delete, Upfitter option. Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.	S ¹	S ¹	--	--	--
		Air bag deactivation switch , frontal, passenger-side 1 - Always use safety belts and the correct child restraints. NOTE: Passenger seat is removed when ordered. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.	S ¹	S ¹	S ¹	S ¹	S ¹
	C60	Air conditioning , single-zone manual 1 - Not available with (R6G) air conditioning delete.	S ¹	S ¹	S ¹	S ¹	S ¹
R6G		Air conditioning delete 1 - Not available with (YF1) RV Package, (YF2) Ambulance Package, (DEB) outside heated, power-adjustable Black mirrors with single pane glass or (DE5) outside heated, power-adjustable Black mirrors. 2 - Not available with (YF1) RV Package. 3 - Not available with (YF1) RV Package or (YF2) Ambulance Packages.	A ¹	A ¹	A ²	A ³	A ²
		Assist handles , driver and right-front passenger	S	S	S	S	S
UXZ		Audio system , radio provisions only. Includes alarm warning chimes, radio wiring harness, radio antenna and 2 front door speakers 1 - Not available with (U0F) AM/FM stereo with MP3 player, (U0H) AM/FM stereo with MP3 player and USB port, (US8) AM/FM stereo with CD/MP3 player, (UI8) Chevrolet MyLink with Navigation, (UE1) OnStar or (YF1) RV Package.	A ¹	A ¹	A ¹	A ¹	A ¹

Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
	U0F	Audio system , AM/FM stereo with MP3 player, seek-and-scan, digital clock, TheftLock, random select, auxiliary jack and 2 front door speakers 1 - Not available with (YF1) RV Package.	S ¹	S ¹	S ¹	S ¹	S ¹
	U0H	Audio system , AM/FM stereo with MP3 player and USB port, includes seek-and-scan, digital clock, TheftLock, random select, auxiliary jack and 2 front door speakers 1 - Included with (YF1) RV Package. With (YF1) RV Package, (U0H) AM/FM stereo with MP3 player and USB port is upgradeable to (US8) AM/FM stereo with CD/MP3 player or (UI8) Chevrolet MyLink with Navigation.	A ¹	A ¹	A ¹	A ¹	A ¹
	US8	Audio system , AM/FM stereo with CD/MP3 player, USB port, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), TheftLock, random select, auxiliary jack and 2 front door speakers	A	A	A	A	A
	UI8	Audio system , Chevrolet MyLink radio with Navigation, 6.5" diagonal color touch-screen display, AM/FM stereo with CD player, USB port, includes Bluetooth streaming audio for music and select phones; Hands-Free smartphone integration with Pandora and Stitcher; voice-activated technology for radio and phone 1 - Not available with (U2K) SiriusXM Satellite Radio.	A ¹	A ¹	A ¹	A ¹	A ¹
	U2K	SiriusXM Satellite Radio is standard on nearly all 2017 GM models. Enjoy a 3-month All Access trial subscription with over 150 channels including commercial-free music, plus sports, news and entertainment. Plus listening on the app and online is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. 1 - Only available with the combination of (UE1) OnStar and (US8) AM/FM stereo with MP3 compatible CD player. IMPORTANT: The SiriusXM Satellite Radio trial package is not provided on vehicles that are ordered for Fleet Daily Rental ("FDR") use. If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-866-635-2349. See our Customer Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change.	A ¹	A ¹	A ¹	A ¹	A ¹

Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
	UBS	<p>NavTraffic. Avoid congestion before you reach it by enhancing your vehicle's navigation or entertainment system with NavTraffic. With detailed information on traffic speed, accidents, construction, road closures and more, you will get to your destination faster and more easily than ever before.</p> <p>1 - Included and only available with (UI8) Chevrolet MyLink radio with Navigation. SiriusXM Satellite Radio and NavTraffic subscriptions are sold separately or as a package after trial period. If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-866-635-2349. See our Customer Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change. NavTraffic available only in select markets. For more information, see www.siriusxm.com/navtraffic.</p>	A ¹	A ¹	A ¹	A ¹	A ¹
	USR	<p>Audio system feature, USB port</p> <p>1 - Included and only available with (U0H) AM/FM stereo with MP3 player, (US8) AM/FM stereo with MP3 compatible CD player or (UI8) Chevrolet MyLink with Navigation.</p>	A ¹	A ¹	A ¹	A ¹	A ¹
	UPF	<p>Bluetooth for phone, personal cell phone connectivity to vehicle audio system</p> <p>1 - Requires (NP5) leather-wrapped steering wheel, (W1Y) steering wheel controls and (ZQ3) Convenience Package. Included with (UI8) Chevrolet MyLink radio with Navigation. With (U0F) AM/FM stereo with MP3 player, (U0H) AM/FM stereo with MP3 player and USB port or (US8) AM/FM stereo with MP3 compatible CD player requires (UE1) OnStar hardware (subscription to OnStar services not required for operation). NOTE: With (UI8) Chevrolet MyLink radio with Navigation (UE1) OnStar hardware is not required.</p>	A ¹	A ¹	A ¹	A ¹	A ¹
	UJ1	<p>Brake warning indicator, monitors brake system pressure, with loss of pressure an audible alarm (chime) and cluster telltale is lit</p> <p>1 - Included with (B3D) School Bus Package. Not available with (YF1) RV Package or (YF2) Ambulance Package.</p> <p>2 - Not available with (YF1) RV Package.</p>	A ¹	A ¹	A ²	A ¹	A ²
	BA3	<p>Console, engine cover with swing-out storage bin</p> <p>1 - Included with (AS5) Custom Cloth front bucket seats and (YF1) RV Package.</p>	A ¹	A ¹	A ¹	A ¹	A ¹
	ZQ2	<p>Convenience Package, power windows and door locks</p> <p>1 - Includes (A31) power windows and (AU3) power door locks. Included with (YF1) RV Package. Not available with (9T7) passenger side door delete. NOTE: Does not include (ATG) Remote Keyless Entry. (ATG) Remote Keyless Entry must be ordered separately.</p>	A ¹	A ¹	A ¹	A ¹	A ¹
	ZQ3	<p>Convenience Package, Tilt-Wheel and (K34) cruise control</p> <p>1 - Included with (YF1) RV Package or (ANC) Shuttle Bus Package.</p>	A ¹	A ¹	A ¹	A ¹	A ¹
	K34	<p>Cruise control</p> <p>1 - Included and only available with (ZQ3) Convenience Package, (YF2) Ambulance Package, (YF1) RV Package or (UF3) High idle switch.</p> <p>2 - Included and only available with (ZQ3) Convenience Package, (YF1) RV Package or (UF3) High idle switch.</p>	A ¹	A ¹	A ²	A ¹	A ²
		<p>Cup holders, 3 on the engine console cover</p>	S	S	S	S	S

Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
AU3		Door locks , power with lock-out protection 1 - Included with (ZQ2) Convenience Package. NOTE: Does not include (ATG) Remote Keyless Entry. (ATG) Remote Keyless Entry must be ordered separately.	A ¹	A ¹	A ¹	A ¹	A ¹
		Driver Information Center , includes fuel range, average speed, oil life, fuel used, ice warning, engine hours, average fuel economy, tachometer and maintenance reminders	S	S	S	S	S
	B31	Floor covering , Black rubberized-vinyl front	S	S	S	S	S
		Headliner , cloth, over driver and passenger	S	S	S	S	S
		Heater and defogger with front and side window defoggers	S	S	S	S	S
		Instrumentation , analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature and oil pressure	S	S	S	S	S
		Lighting , interior with dome light and door handle-activated switches	S	S	S	S	S
D31		Mirror , inside rearview manual day/night 1 - Included with (YF1) RV Package or (B3D) School Bus Package. 2 - Included and only available with (YF1) RV Package.	A ¹	A ¹	A ²	A ¹	A ²
DRJ		Mirror , inside rearview, includes Rear Vision Camera display 1 - Not available with (UI8) Chevrolet MyLink radio.	A ¹	A ¹	A ¹	A ¹	A ¹
UE1		OnStar Guidance Plan for 6 months, including Automatic Crash Response, Stolen Vehicle Assistance, Roadside Assistance, Turn-by-Turn Navigation, Advanced Diagnostics and more (trial excludes Hands-Free Calling) 1 - Requires (U0F) AM/FM stereo with MP3 player, (U0H) AM/FM stereo with MP3 player and USB port, (US8) AM/FM stereo with CD/MP3 player or (UI8) Chevrolet MyLink radio with Navigation. Not available with (YF2) Ambulance Package or (UXZ) radio provisions only audio system. Included with (FDR) Fleet Daily Rental order types. Visit www.onstar.com for coverage map, details and system limitations. Services may vary by model and conditions. 2 - Requires (U0F) AM/FM stereo with MP3 player, (U0H) AM/FM stereo with MP3 player and USB port, (US8) AM/FM stereo with CD/MP3 player or (UI8) Chevrolet MyLink radio with Navigation. Not available with (UXZ) radio provisions only audio system. Included with (FDR) Fleet Daily Rental order types. Visit www.onstar.com for coverage map, details and system limitations. Services may vary by model and conditions.	A ¹	A ¹	A ²	A ¹	A ²
		OnStar Basic Plan for 5 years, including limited RemoteLink mobile app services, Advanced Diagnostics and Dealer Maintenance Notification 1 - Included and only available with (UE1) OnStar. Basic Plan available for 5 years from the date of vehicle delivery, and is transferable. Does not include Emergency, Security or Navigation services.	A ¹	A ¹	A ¹	A ¹	A ¹

Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
	VV4	OnStar with 4G LTE and built-in Wi-Fi hotspot to connect to the internet at 4G LTE speeds, includes 3GB or 3 months OnStar Data Trial (whichever comes first) 1 - Included and only available with (UE1) OnStar. Available 4G LTE Wi-Fi requires compatible mobile device, active OnStar subscription and data plan after trial.	A ¹	A ¹	A ¹	A ¹	A ¹
UFA		Outside temperature display 1 - Requires (ZR7) Chrome Appearance Package.	A ¹	A ¹	A ¹	A ¹	A ¹
	KI4	Power outlet , 120-volt	S	S	S	S	S
		Power outlets , 2 auxiliary on engine console cover with covers, 12-volt	S	S	S	S	S
UVC		Rear Vision Camera , camera and cable shipped loose 1 - Includes (DRJ) inside rearview mirror without (UI8) Chevrolet MyLink radio with Navigation. Integrated into navigation screen when (UI8) Chevrolet MyLink radio with Navigation is ordered.	A ¹	A ¹	A ¹	A ¹	A ¹
ATG		Remote Keyless Entry with 2 transmitters and remote panic button 1 - Requires (AU3) power door locks. Not available with (B3D) School Bus Package.	A ¹	A ¹	A ¹	A ¹	A ¹
BTV		Remote vehicle starter system 1 - Requires (ATG) remote keyless entry.	A ¹	A ¹	A ¹	A ¹	A ¹
	AR7	Seats , front bucket with vinyl trim and head restraints, includes inboard armrests 1 - Requires (**W) trim. Not available with SEO (ZP0) delete driver and passenger seats. Includes only driver high-back bucket seat with vinyl trim when ordered with (ZX1) driver-only high-back bucket seating arrangement.	S ¹	S ¹	S ¹	S ¹	S ¹
AS5		Seats , front bucket with Custom Cloth trim, head restraints and inboard armrests 1 - Requires (**G) trim. Not available with SEO (ZP0) driver and passenger seat delete. Includes only driver high-back bucket seat with Custom Cloth trim when ordered with (ZX1) driver-only high-back bucket seating arrangement. Includes (BA3) engine cover console with swing-out bin.	A ¹	A ¹	A ¹	A ¹	A ¹
ZP0		Seats , delete driver and passenger, leaves seat risers on both sides, upfitter option, Deletes the standard driver and passenger front seats. Provides driver and passenger seat risers with adjusters and seat belts. Also provides a temporary seat for transportation to the upfitter. 1 - Not available with (C4M) 9900 lb. GVWR.	A ¹	A ¹	A	A	A
ZX1		Seating arrangement , driver-only high-back bucket, includes head restraint and vinyl or cloth trim 1 - Deletes passenger-side air bag, seat and safety belt. Components cannot be added back later. Includes (AJ3) driver-side only frontal air bag. Requires (AS5) front bucket seats with Custom Cloth or (AR7) front bucket seats with vinyl trim.	A ¹	A ¹	A ¹	A ¹	A ¹
	ZX2	Seating arrangement , driver and front passenger highback bucket, includes head restraints and vinyl or cloth trim 1 - Not available with (AJ3) driver-side only frontal air bag.	S ¹	S ¹	S ¹	S ¹	S ¹
DT4		Smoker's Package , includes ashtray and lighter	A	A	A	A	A

Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
NP5		Steering wheel , leather-wrapped 1 - Requires (ZQ3) Convenience Package and (U0F) AM/FM stereo with MP3 player, (U0H) AM/FM stereo with MP3 player and USB port, (US8) AM/FM stereo with CD/MP3 player or (UI8) Chevrolet MyLink radio with Navigation.	A ¹	A ¹	A ¹	A ¹	A ¹
	W1Y	Steering wheel controls , mounted audio controls 1 - Included and only available with (NP5) leather-wrapped steering wheel.	A ¹	A ¹	A ¹	A ¹	A ¹
		Theft-deterrent system , vehicle, PASS-Key III	S	S	S	S	S
	UJM	Tire Pressure Monitoring System (does not monitor spare tires) 1 - Required with (C4M) 9900 lbs. (4490 kg) GVWR and (R04) single rear 4 - 16" x 6.5" (40.6 cm x 16.5 cm) wheels.	S ¹	--	--	--	--
		Tow/haul mode selector , instrument panel-mounted	S	S	S	S	S
		Visors , driver and front passenger, cloth, padded	S	S	S	S	S
DAA		Visors , driver and front passenger, vinyl in lieu of standard cloth	A	A	A	A	A
		Warning tones , headlamp on and key-in-ignition	S	S	S	S	S
	A31	Windows , power 1 - Included and only available with (ZQ2) Convenience Package.	A ¹	A ¹	A ¹	A ¹	A ¹

S = Standard Equipment A = Available -- (dashes) = Not Available D = ADI Available
 ■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
	ZW9	Body , standard	S	S	S	S	S
G7K		Antenna equipment , includes additional antenna, cable and ground plate. Provides additional ability to relocate standard OnStar antenna, cable length 25 ft. Ships loose. 1 - Requires (UE1) OnStar and/or (U2K) SiriusXM Satellite Radio.	A ¹	A ¹	A ¹	A ¹	A ¹
V46		Bumper , front chrome with step-pad 1 - Included with (ZR7) Chrome Appearance Package.	A ¹	A ¹	A ¹	A ¹	A ¹
		Bumper , front painted Black with step-pad 1 - Deleted when (ZR7) Chrome Appearance Package is ordered.	S ¹	S ¹	S ¹	S ¹	S ¹
ZR7		Chrome Appearance Package 1 - Includes (V46) front chrome bumper and (V22) chrome grille with dual composite halogen headlamps. Included with (YF1) RV Package or (YF2) Ambulance Package or (ANC) Shuttle Bus Package. 2 - Includes (V46) front chrome bumper and (V22) chrome grille with dual composite halogen headlamps. Included with (YF1) RV Package or (ANC) Shuttle Bus Package.	A ¹	A ¹	A ²	A ¹	A ²
V4D		Circuits , stop/turn signal, body control module calibration that allows the stop and turn signals to be operated separately 1 - Included with (YF2) Ambulance Package, (B3D) School Bus Package or (ANC) Shuttle Bus Package. 2 - Included with (ANC) Shuttle Bus Package.	A ¹	A ¹	A ²	A ¹	A ²
		Daytime Running Lamps	S	S	S	S	S
		Flasher , heavy duty, light emitting diode (LED)	S	S	S	S	S
		Glass , Solar-Ray light-tinted, all windows	S	S	S	S	S
		Grille , Black composite with single rectangular halogen headlamps 1 - Not available with (ZR7) Chrome Appearance Package.	S ¹	S ¹	S ¹	S ¹	S ¹
	V22	Grille , chrome with dual composite halogen headlamps 1 - Included and only available with (ZR7) Chrome Appearance Package.	A ¹	A ¹	A ¹	A ¹	A ¹
U05		Horn , dual-note high and low 1 - Included with (B3D) School Bus Package or (YF2) Ambulance Package.	A ¹	A ¹	A	A ¹	A
	VK3	License plate kit , front	S	S	S	S	S
	D28	Mirrors , outside delete 1 - Not available with (5Q7) Upfitter option Blank Sail Panel Delete when ordered with (YF2) Ambulance Package.	S ¹	S ¹	S	S ¹	S

Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
DE2		Mirrors , outside manual, Black 1 - Requires (R04) single rear wheel configuration. Not available with (YF1) RV Package or (B3D) School Bus Package.	A ¹	A ¹	--	--	--
DE5		Mirrors , outside heated power-adjustable, Black, manual-folding 1 - Requires (R04) single rear wheel configuration, (C60) air conditioning and (ZQ2) Convenience Package. Not available with (B3D) School Package, (R6G) air conditioning delete or (9T7) passenger side door delete Upfitter option.	A ¹	A ¹	--	--	--
DEB		Mirrors , outside heated power-adjustable, Black, manual-folding with single pane glass 1 - Requires (R04) single rear wheel configuration, (C60) air conditioning and (ZQ2) Convenience Package. Not available with (B3D) School Bus Package, (R6G) air conditioning delete or (9T7) passenger side door delete Upfitter option.	A ¹	A ¹	--	--	--
DHC		Mirrors , outside wide-stance sail panel mounted (Velvac). Provides Velvac convex combination RH and LH outside rear view mirrors that are sail panel mounted with arms that provide a wide stance. Mirrors can be utilized with bodies that are up to 96 inch width. Mirrors provide a 63.3 sq. inch flat glass positioned over a 30.1 sq. inch convex glass within a common head. Mirrors are shipped loose in vehicle 1 - Not available with (B3D) School Bus Package.	A ¹	A ¹	A	A ¹	A
	ZY1	Paint , solid	S	S	S	S	S
XLP		Tires , front LT245/75R16E all-season, blackwall 1 - Available with (C4M) 9900 lbs. (4490 kg.) GVWR or (JFF) 10,100 lbs. (4581 kg.) GVWR and (R04) single rear wheel configuration. Jack and spare tire equipment bracket are not included.	S	A ¹	--	--	--
YLP		Tires , rear LT245/75R16E all-season, blackwall 1 - Available with (C4M) 9900 lbs. (4490 kg.) GVWR or (JFF) 10,100 lbs. (4581 kg.) GVWR and (R04) single rear wheel configuration. Jack and spare tire equipment bracket are not included.	S	A ¹	--	--	--
ZLP		Tire , spare LT245/75R16E all-season, blackwall 1 - Requires (XLP) front LT245/75R16E all-season blackwall tires and (YLP) rear LT245/75R16E all-season blackwall tires. Jack and spare tire equipment bracket are not included.	A ¹	A ¹	--	--	--
XHF		Tires , front LT225/75R16E all-season, blackwall 1 - Requires (9N2) 10,050 lbs. (4559 kg) GVWR or (C7N) 12,300 lbs. (5579 kg) GVWR and (R05) dual rear wheel configuration. Jack and spare tire equipment bracket are not included. 2 - Requires (C7N) 12,300 lbs. (5579 kg) GVWR and (R05) dual rear wheel configuration. Jack and spare tire equipment bracket are not included. 3 - Requires (C7I) 14,200 lbs. (6441 kg) GVWR and (R05) dual rear wheel configuration. Jack and spare tire equipment bracket are not included.	A ¹	S ¹	S ²	S ³	S ³

Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
YHF		Tires , rear LT225/75R16E all-season, blackwall 1 - Requires (9N2) 10,050 lbs. (4559 kg) GVWR or (C7N) 12,300 lbs. (5579 kg) GVWR and (R05) dual rear wheel configuration. Jack and spare tire equipment bracket are not included. 2 - Requires (C7N) 12,300 lbs. (5579 kg) GVWR and (R05) dual rear wheel configuration. Jack and spare tire equipment bracket are not included. 3 - Requires (C7I) 14,200 lbs. (6441 kg) GVWR and (R05) dual rear wheel configuration. Jack and spare tire equipment bracket are not included.	A ¹	S ¹	S ²	S ³	S ³
ZHF		Tire , spare LT225/75R16E all-season, blackwall 1 - Requires (XHF) front LT225/75R16E all-season blackwall tires.	A ¹	A ¹	A ¹	A ¹	A ¹
R04		Wheel configuration , rear, single 1 - Not available with (9N2) 10,050 lbs. (4559 kg.) or (C7N) 12,300 lbs. (5579 kg.) GVWR.	S ¹	A ¹	--	--	--
R05		Wheel configuration , rear, dual 1 - Not available with (C4M) 9900 lbs. (4490 kg) GVWR, (JFF) 10,100 lbs. (4581 kg) GVWR or (JL4) StabiliTrak.	A ¹	S ¹	S ¹	S ¹	S ¹
QB5		Wheels , 4 - 16" x 6.5" (40.6 cm x 16.5 cm), 8-lug painted steel, heavy-duty 1 - Only available with (R04) single rear wheel configuration.	S ¹	A ¹	--	--	--
QT4		Wheels , 6 - 16" x 6.5" (40.6 cm x 16.5 cm) 8-lug painted steel, heavy duty 1 - Only available with (R05) dual rear wheel configuration.	A ¹	S ¹	S ¹	S ¹	S ¹
40P		Wheel finish , painted White. White-painted wheels in lieu of standard Gray-painted wheels	A	A	A	A	A
		Wipers , front intermittent wet-arm with pulse washers	S	S	S	S	S
YF2		Ambulance Package 1 - Requires (L96) Vortec 6.0L V8 SFI engine, (C7N) 12,300 lbs. (5579 kg) GVWR and (GT4) 3.73 rear axle ratio. Includes (KW5) 220 amp alternator, (TP2) isolated 2nd battery, (G80) heavy-duty locking rear differential, (XHF) LT225/7R16E all-season front tires, (U05) dual-note horn, (ENC) HVAC system, auxiliary rear heat provisions, (K34) cruise control, (ZR7) Chrome Appearance Package, (UF3) high idle switch, (V4D) stop/turn signal circuits and SEO (9L7) equipment accessory wiring junction block. Not available with (B3D) School Bus Package, (YF1) RV Package or (ANC) Shuttle Bus Package. 2 - Requires (C7N) 12,300 lbs. (5579 kg) GVWR and (GT4) 3.73 rear axle ratio. Includes (KW5) 220 amp alternator, (TP2) isolated 2nd battery, (G80) heavy-duty locking rear differential, (XHF) LT225/75R16E all season front tires, (U05) dual-note horn, (ENC) HVAC system auxiliary rear heat provisions, (K34) cruise control, (ZR7) Chrome Appearance Package, (UF3) high idle switch, (V4D) stop/turn signal circuits and SEO (9L7) equipment accessory wiring junction block. Not available with (B3D) School Bus Package, (YF1) RV Package or (ANC) Shuttle Bus Package. 3 - Requires (C7I) 14,200 lbs. (6441 kg) GVWR. Includes (KW5) 220 amp alternator, (TP2) isolated 2nd battery, (G80) heavy-duty rear locking differential, (U05) dual-note horn, (ENC) HVAC system auxiliary rear heat provisions, (K34) cruise control, (ZR7) Chrome Appearance Package, (UF3) high idle switch, (V4D) stop/turn signal circuits and SEO (9L7) equipment accessory wiring junction block. Not available with (B3D) School Bus Package, (YF1) RV Package or (ANC) Shuttle Bus Package.	A ¹	A ²	--	A ³	--

Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
YF1		<p>RV Package</p> <p>1 - Requires (L96) Vortec 6.0L V8 engine. Includes (ZR7) Chrome Appearance Package, (ZQ3) Convenience Package, (BA3) console with swing-out storage bin, (BNC) soft-mount donut and bolt, (D31) inside rearview manual day/night mirror, (KW5) 220 amp alternator, (TP2) isolated 2nd battery, SEO (8E1) 3 additional gallons of fuel, SEO (9L7) equipment accessory wiring junction block and (U0H) AM/FM stereo with MP3 player and USB port. (U0H) may be substituted with (US8) AM/FM stereo with CD/MP3 player, (U18) Chevrolet MyLink radio with Navigation or (UXZ) radio provisions. When ordered without SEO (9T7) passenger-side door delete, includes (ZQ2) Convenience Package. Not available with (YF2) Ambulance Package, (B3D) School Bus Package, (ANC) Shuttle Bus Package, (R6G) air conditioning delete, (U0F) AM/FM stereo with MP3 player, (ASF) head/side-curtain air bags or (9N2) 10,050 lbs. (4559 kg) GVWR.</p> <p>2 - Includes (ZR7) Chrome Appearance Package, (ZQ3) Convenience Package, (BA3) console with swing-out storage bin, (BNC) soft-mount donut and bolt, (D31) inside rearview manual day/night mirror, (KW5) 220 amp alternator, (TP2) isolated 2nd battery, SEO (8E1) 3 additional gallons of fuel, SEO (9L7) equipment accessory wiring junction block and (U0H) AM/FM stereo with MP3 player and USB port. (U0H) may be substituted with (US8) AM/FM stereo with CD/MP3 player, (U18) Chevrolet MyLink radio with Navigation or (UXZ) radio provisions. When ordered without SEO (9T7) passenger-side door delete, includes (ZQ2) Convenience Package. Not available with (YF2) Ambulance Package, (B3D) School Bus Package, (ANC) Shuttle Bus Package, (R6G) air conditioning delete, (U0F) AM/FM stereo with MP3 player, (ASF) head/side-curtain air bags or (9N2) 10,050 lbs. (4559 kg) GVWR.</p> <p>3 - Includes (ZR7) Chrome Appearance Package, (ZQ3) Convenience Package, (BA3) console with swing-out storage bin, (BNC) soft-mount donut and bolt, (D31) inside rearview manual day/night mirror, (KW5) 220 amp alternator, (TP2) isolated 2nd battery, SEO (8E1) 3 additional gallons of fuel, SEO (9L7) equipment accessory wiring junction block and (U0H) AM/FM stereo with MP3 player and USB port. (U0H) may be substituted with (US8) AM/FM stereo with CD/MP3 player, (U18) Chevrolet MyLink radio with Navigation or (UXZ) radio provisions. When ordered without SEO (9T7) passenger-side door delete, includes (ZQ2) Convenience Package. Not available with (ANC) Shuttle Bus Package, (R6G) air conditioning delete, (U0F) AM/FM stereo with MP3 player, (ASF) head/side-curtain air bags or (9N2) 10,050 lbs. (4559 kg) GVWR.</p>	A ¹	A ²	A ³	A ²	A ³

Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
B3D		<p>School Bus Package, chassis equipment with (UJ1) brake warning indicator</p> <p>1 - Requires (D28) outside mirror delete and (ZX1) driver-only high-back bucket seating arrangement or (ZP1) temporary driver only Upfitter option seating. Includes (ENC) HVAC system auxiliary rear heat provisions, (KW5) 220 amp alternator (TP2) isolated 2nd battery and SEO (9L7) equipment accessory wiring junction block, (D31) inside rearview manual day/night mirror, (U05) dual note horn and (V4D) stop/turn signal circuits. Not available with (DE2) outside manual Black mirrors, (DHC) outside wide-stance sail panel mounted mirrors, (AU3) power door locks, (ASF) head/side-curtain air bags, (ZQ2) Convenience Package, (YF2) Ambulance Package, (YF1) RV Package or (ANC) Shuttle Bus Package.</p> <p>2 - Requires (D28) outside mirror delete and (ZX1) driver-only high-back bucket seating arrangement or (ZP1) temporary driver only Upfitter option seating. Includes (ENC) HVAC system auxiliary rear heat provisions, SEO (9L7) equipment accessory wiring junction block, (D31) inside rearview manual day/night mirror, (U05) dual note horn and (V4D) stop/turn signal circuits. Not available with (NE7) 57 gallon (215.7L) fuel tank, (DE2) outside manual Black mirrors, (DHC) outside wide-stance sail panel mounted mirrors, (AU3) power door locks, (ASF) head/side-curtain air bags, (ZQ2) Convenience Package, (YF2) Ambulance Package, (YF1) RV Package or (ANC) Shuttle Bus Package.</p>	A ¹	A ²	--	A ²	--
ANC		<p>Shuttle Bus Package</p> <p>1 - Requires (L96) 6.0L V8 engine. Includes (ZR7) Chrome Appearance Package, (BNC) soft-mount donut and bolt, (ZQ3) Convenience Package, (V4D) stop/turn signal circuits, (ENC) HVAC system auxiliary rear heat provisions, (KW5) 220 amp alternator, (TP2) isolated 2nd battery and SEO (9L7) equipment accessory wiring junction block. Not available with (YF2) Ambulance Package, (YF1) RV Package, (B3D) School Bus Package or (L20) Vortec 4.8L V8 engine.</p> <p>2 - Includes (ZR7) Chrome Appearance Package, (BNC) soft-mount donut and bolt, (ZQ3) Convenience Package, (V4D) stop/turn signal circuits, (ENC) HVAC system auxiliary rear heat provisions (KW5) 220 amp alternator, (TP2) isolated 2nd battery and SEO (9L7) equipment accessory wiring junction block. Not available with (YF2) Ambulance Package, (YF1) RV Package or (B3D) School Bus Package.</p> <p>3 - Includes (ZR7) Chrome Appearance Package, (BNC) soft-mount donut and bolt, (ZQ3) Convenience Package, (V4D) stop/turn signal circuits, (ENC) HVAC system auxiliary rear heat provisions (KW5) 220 amp alternator, (TP2) isolated 2nd battery and SEO (9L7) equipment accessory wiring junction block. Not available with (YF1) RV Package.</p>	A ¹	A ²	A ³	A ²	A ³

S = Standard Equipment A = Available -- (dashes) = Not Available D = ADI Available
 ■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
	KG4	NEW! Alternator, 150 amps	S	S	S	S	S
KW5		Alternator , 220 amps 1 - Required with (YF2) Ambulance Package. Included with (YF1) RV Package, (B3D) School Bus Package or (ANC) Shuttle Bus Package. 2 - Included with (YF1) RV Package or (ANC) Shuttle Bus Package.	A ¹	A ¹	A ²	A ¹	A ²
		Battery , 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power	S	S	S	S	S
UA1		Battery , heavy-duty 770 cold-cranking amps, maintenance-free with rundown protection and retained accessory power 1 - Not available with (YF2) Ambulance Package.	A ¹	A ¹	A	A ¹	A
TP2		Battery , 600 cold-cranking amps primary, isolated 2nd heavy-duty 770 cold-cranking amps, allows 2nd battery to be used when the vehicle is not running without affecting ability to start the vehicle 1 - Included with (YF2) Ambulance Package, (YF1) RV Package, (B3D) School Bus Package or (ANC) Shuttle Bus Package. 2 - Included with (YF1) RV Package or (ANC) Shuttle Bus Package.	A ¹	A ¹	A ²	A ¹	A ²
BNC		Body , soft-mount donut and bolt (for mounting Upfit body to chassis) 1 - Included with (YF1) RV Package or (ANC) Shuttle Bus Package.	A ¹	A ¹	A ¹	A ¹	A ¹
		Brakes , 4-wheel antilock, 4-wheel disc	S	S	S	S	S
		Brake/transmission shift interlock , for automatic transmissions	S	S	S	S	S
V10		Cold Climate Package , includes (K05) engine block heater	A	A	A	A	A
G80		Differential , heavy-duty locking rear 1 - Included with (YF2) Ambulance Package.	A ¹	A ¹	A	A ¹	A
FE9		Emissions , Federal requirements	A	A	A	A	A
YF5		Emissions , California state requirements	A	A	A	A	A
NE1		Emissions , Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington state requirements	A	A	A	A	A

Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
NB8		<p>Emissions override, California (allows a dealer in states that require California emissions - California, Connecticut, Delaware, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island or Washington - to order Federal emissions for a vehicle that will be registered in a state that has Federal emission requirements). Do not use for vehicles that will be registered in California, Connecticut, Delaware, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island or Washington.</p> <p>1 - Requires (FE9) Federal emissions requirements. Not available in Maine and Vermont.</p>	A ¹	A ¹	A ¹	A ¹	A ¹
NB9		<p>Emissions override, state-specific (for dealers ordering vehicles in (YF5) or (NE1) emission states - California, Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington)</p> <p>1 - Allows a California dealer (YF5) emissions to order (NE1) emissions with (NB9) emissions override code for registration in (NE1) states; or, a Connecticut, Delaware, Maine, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington dealer (NE1 emissions) to order (YF5) emissions with (NB9) emissions override code for registration in California.</p>	A ¹	A ¹	A ¹	A ¹	A ¹
NC7		<p>Emissions override, Federal (for vehicles ordered by dealers in Federal emission states with (YF5) or (NE1) emissions - Not required for vehicles being shipped to California, Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont or Washington)</p> <p>1 - Requires (YF5) California state emissions requirements or (NE1) Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont or Washington state emissions requirements.</p> <p>2 - Requires (YF5) California state emissions requirements or (NE1) Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington state emissions requirements. Not available with combination of (LGH) Duramax 6.6L Turbo Diesel V8 engine and (C7I) 14,200 lbs. (6441 kg) GVWR.</p>	A ¹	A ¹	A ¹	A ¹	A ²
L20		<p>Engine, Vortec 4.8L V8 (285 hp [212.5 kW] @ 5400 rpm, 295 lb-ft of torque [398.3 N-m] @ 4600 rpm)</p> <p>1 - Requires (C4M) 9900 lbs. (4490 kg) GVWR or (9N2) 10,050 lbs. (4559 kg) GVWR. Not available with (YF2) Ambulance Package, (YF1) RV Package, (ANC) Shuttle Bus Package or (C7N) 12,300 lbs. (5579 kg) GVWR. Includes external engine oil cooler. Reference the Engine/Axle page for availability.</p> <p>2 - Requires (9N2) 10,050 lbs. (4559 kg) GVWR or (JFF) 10,100 lbs. (4581 kg) GVWR. Not available with (YF2) Ambulance Package, (YF1) RV Package, (ANC) Shuttle Bus Package or (C7N) 12,300 lbs. (5579 kg) GVWR. Not available with (ENC) HVAC system auxiliary rear heat provisions. Includes external engine oil cooler. Reference the Engine/Axle page for availability.</p> <p>3 - Requires (C7N) 12,300 lbs. (5579 kg) GVWR. Not available with (YF1) RV Package or (ANC) Shuttle Bus Package. Not available with (ENC) HVAC system auxiliary rear heat provisions. Includes external engine oil cooler. Reference the Engine/Axle page for availability.</p>	S ¹	A ²	A ³	--	--

Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
L96		Engine , Vortec 6.0L V8 (342 hp [255.0 kW] @ 5400 rpm, 373 lb-ft of torque [503.6 N-m] @ 4400 rpm) 1 - Includes external oil cooler. Reference the Engine/Axle page for availability.	A ¹	S ¹	S ¹	S ¹	S ¹
FHS		E85 FlexFuel capable 1 - Requires (L96) Vortec 6.0L V8 engine.	A ¹	A ¹	A ¹	A ¹	A ¹
K05		Engine block heater 1 - Included with (V10) Cold Climate Package.	A ¹	A ¹	A ¹	A ¹	A ¹
		Exhaust , aluminized stainless-steel muffler and tailpipe	S	S	S	S	S
R9Y		Fleet Free Maintenance Credit. This option code provides a credit in lieu of the free oil changes, tire rotations and inspections (2 maximum), during the first 24 months and 24,000 miles period for this ordered vehicle. The invoice will detail the applicable credit. The customer will be responsible for all oil change, tire rotations and inspections costs for this vehicle. 1 - Requires one of the following Fleet or Government order types: FBC, FBN, FCA, FCN, FLS, FNR, FRC or FGO. Not available with FDR order types.	A ¹	A ¹	A ¹	A ¹	A ¹
		Frame , ladder-type	S	S	S	S	S
K50		Fuel fitting , auxiliary feed in the fuel tank 1 - Requires (L96) Vortec 6.0L V8 SFI engine. 2 - Requires (L96) Vortec 6.0L V8 SFI engine. Not available with (NE7) 57 gallon (215.7L) (approximate) fuel tank.	A ¹	A ²	A ²	A ²	A ²
NE7		Fuel tank capacity , approximately 57 gallons (215.7L). As part of the base design, includes the auxiliary feed fuel fitting and in tank return line. 1 - Not available with (R04) single rear wheel configuration or (B3D) School Bus Package. 2 - Not available with (K50) auxiliary feed in fuel tank return line fuel fitting or (B3D) School Bus Package. 3 - Not available with (K50) auxiliary feed in fuel tank return line fuel fitting.	--	A ¹	A ¹	A ²	A ³
		Fuel tank capacity , mid-frame and approximately 33 gallons (124.9L)	S	S	S	S	S
C4M		GVWR , 9900 lbs. (4490 kg) 1 - Includes (R04) single rear wheel configuration. Not available with (R05) dual rear wheel combination. Reference the Engine/Axle page for availability.	S ¹	A ¹	--	--	--
9N2		GVWR , 10,050 lbs. (4559 kg) 1 - Requires (R05) dual rear wheel configuration. Not available with (YF1) RV Package or (R04) single rear wheel combination. Reference the Engine/Axle page for availability.	A ¹	A ¹	--	--	--
JFF		GVWR , 10,100 lbs. (4581 kg) 1 - Requires (R04) single rear wheel configuration. Not available with (ANC) Shuttle Bus Package or (DE2) outside manual Black mirrors. 2 - Requires (R04) single rear wheel configuration. Not available with (B3D) School Bus Package, (ANC) Shuttle Bus Package or (DE2) outside manual Black mirrors.	A ¹	A ²	--	--	--

Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
C7N		GVWR, 12,300 lbs. (5579 kg) 1 - Includes (R05) dual rear wheel configuration. Not available with (R04) single rear wheel combination. Reference the Engine/Axle page for availability.	A ¹	A ¹	S	--	--
	C7I	GVWR, 14,200 lbs. (6441 kg)	--	--	--	S	S
UF3		High idle switch 1 - Requires (L96) Vortec 6.0L V8 SFI engine and (ZQ3) Convenience Package. Included with (YF2) Ambulance Package with or without (ZQ3) Convenience Package. (YF2) Ambulance Package includes (K34) cruise control. 2 - Requires (ZQ3) Convenience Package. Included with (YF2) Ambulance Package with or without (ZQ3) Convenience Package. (YF2) Ambulance Package includes (K34) cruise control. 3 - Requires (ZQ3) Convenience Package.	A ¹	A ²	A ³	A ²	A ³
ENC		HVAC system , auxiliary rear heater provisions 1 - Included with (YF2) Ambulance Package, (B3D) School Bus Package or (ANC) Shuttle Bus Package. 2 - Included with (ANC) Shuttle Bus Package.	A ¹	A ¹	A ²	A ¹	A ²
	VXT	Incomplete vehicle certification	S	S	S	S	S
		Oil life monitor	S	S	S	S	S
GU6		Rear axle, 3.42 ratio 1 - Requires (L20) Vortec 4.8L V8 SFI engine or (L96) Vortec 6.0L V8 SFI engine and (C4M) 9900 lbs. (4490 kg) GVWR or (JFF) 10,100 lbs. (4581 kg) GVWR.	S ¹	A ¹	--	--	--
GT4		Rear axle, 3.73 ratio 1 - Requires (9N2) 10,050 lbs. (4559 kg) GVWR or (C7N) 12,300 lbs. (5579 kg) GVWR or (YF2) Ambulance Package. Reference the Engine/Axle page for availability. 2 - Requires (9N2) 10,050 lbs. (4559 kg) GVWR or (C7N) 12,300 lbs. (5579 kg) GVWR. Reference the Engine/Axle page for availability.	A ¹	S ¹	S ²	--	--
	GT5	Rear axle, 4.10 ratio 1 - Included with (L96) Vortec 6.0L V8 and (C7I) 14,200 lbs. (6441 kg) GVWR.	--	--	--	■ ¹	■ ¹
	JL4	StabiliTrak , traction assistance and vehicle stability enhancement system 1 - Standard with (R04) single rear wheel configuration. Not available with (R05) dual rear wheel configuration.	S ¹	S ¹	--	--	--
		Steering , power	S	S	S	S	S
		Suspension , front independent with coil springs and stabilizer bar	S	S	S	S	S
		Suspension , rear hypoid drive axle with multi-leaf springs	S	S	S	S	S
UY7		NEW! Trailer wiring , dual 4-pin/7-pin sealed connector 1 - Not available with (YF2) Ambulance Package or (B3D) School Bus Package.	A ¹	A ¹	--	A ¹	--
	MYD	Transmission , 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode and internal transmission oil cooler 1 - Reference the Engine/Axle page availability.	S ¹	S ¹	S ¹	S ¹	S ¹
	V14	Transmission oil cooler , external	S	S	S	S	S

2017 Chevrolet Truck Express Cutaway ENGINE/AXLE

S = Standard Equipment A = Available -- (dashes) = Not Available
 ■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

		Transmissions	Axles			GVWR lbs. (kg)				
Model	Engine	MYD 6-Speed Automatic Heavy-Duty	GU6 3.42	GT4 3.73	GT5 4.10	C4M 9900 (4490)	9N2 10,050 (4559)	JFF 10,100 (4581)	C7N 12,300 (5579)	C7I 14,200 (6441)
CG33503	L20 Vortec 4.8L V8 SFI	S	S	A	--	S ³	A ¹	A ³	--	--
	L96 Vortec 6.0L V8 SFI	S	A	A	--	A ³	A ¹	A ³	A ¹	--
CG33803	L20 Vortec 4.8L V8 SFI	S	A	S	--	A ³	S ¹	A ³	--	--
	L96 Vortec 6.0L V8 SFI	S	A	S	S ²	A ³	S ¹	A ³	A ¹	A ²
CG33903	L96 Vortec 6.0L V8 SFI	S	--	S	S ²	--	--	--	S ¹	A ²

1 - Requires (R05) Dual rear wheels.
 2 - Requires 4500 Vans.
 3 - Requires (R04) Single rear wheels.

2017 Chevrolet Truck Express Cutaway COLOR AND TRIM

S = Standard Equipment A = Available -- (dashes) = Not Available
 ■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Decor Level	Seat Type	Seat Code	Seat Trim	Interior	
				Neutral	Medium Pewter
Work Van	Reclining high-back buckets with inboard armrests	AR7	Vinyl	52W	93W
Work Van	Reclining high-back buckets with inboard armrests	AS5	Custom Cloth	52G	93G

Exterior Solid Paint	Color Code	Touch Up Paint Number	Interior	
			Neutral	Medium Pewter
Summit White	GAZ	WA-8624	A	A
Wheatland Yellow	86U	WA-253A	A	A
Red Hot	G7C	WA-130X	A	A
Silver Ice Metallic	GAN	WA-636R	--	A
Black	GBA	WA-8555	A	A
Cyber Gray Metallic	GBV	WA-637R	--	A
NEW! Graphite Metallic	GPA	WA-457B	A	A
Brownstone Metallic	GWX	WA-105V	A	--

Above interior combinations are the only combinations allowed.

S = Standard Equipment A = Available -- (dashes) = Not Available D = ADI Available
 ■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
		Interior					
8T2		Headliner delete with (9T7) right-hand door delete The headliner will be deleted only when (9T7) right-hand door delete is ordered also. It will come with sun visors and headliner wiring harness that is contented for dome light/Backup camera on rearview mirror/OnStar. These parts will be shipped loose. 1 - Requires SEO (9T7) right-hand door delete. Not available with RPO (UI8) audio system with navigation.	A ¹	A ¹	A ¹	A ¹	A ¹
RGI		Routing grommet, front instrument panel Provides an area for putting wires thru the front of dash. 1 - Not available with (9L7) Wiring junction block equipment accessory.	A ¹	A ¹	A	A ¹	A
8N2		Safety belts, Orange, provides high visibility front Orange safety belts in lieu of Dark Pewter 1 - Requires (93G) Medium Pewter Custom Cloth or (93W) Custom Vinyl. Not available with SEO (5B2) Red safety belts.	A ¹	A ¹	A ¹	A ¹	A ¹
5B2		Safety belts, Red Provides high visibility front Red seat belts in lieu of Dark Pewter 1 - Requires Medium Pewter RPO (93G) Medium Pewter Custom Cloth or (93W) Custom Vinyl trim code. Not available with SEO (8N2) Orange safety belts.	A ¹	A ¹	A ¹	A ¹	A ¹
AG1		Seat adjuster, driver, 6-way power, riser only, Upfitter option Multi-directional 6-way power driver seat riser. Does not include driver seat 1 - Requires one of the following upfitter order types; FRC, SRV, TSC, TSD, TSR, TSM, FRV. Requires SEO (ZP1) temporary driver only seating, (AS5) front bucket seats with Custom Cloth or (ZP0) delete driver and passenger seats, to be ordered and priced in addition to SEO (AG1) and an order for shipment to an upfitter or body builder.	A ¹	A ¹	A ¹	A ¹	A ¹
AG2		Seat adjuster, front passenger, 6-way power, riser only, Upfitter option Multi-directional 6-way power passenger seat riser. Does not include passenger seat 1 - Requires one of the following upfitter order types; FRC, SRV, TSC, TSD, TSR, TSM, FRV. Requires SEO (AG1) driver 6-way power seat adjuster, (AS5) front bucket seats with Custom Cloth or (ZP0) delete driver and passenger seats, to be ordered and priced in addition to SEO (AG2) and an order for shipment to an upfitter or body builder.	A ¹	A ¹	A ¹	A ¹	A ¹

Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
ZP1		Seating, temporary driver only, Upfitter option Provides a driver only seat riser with adjuster and seat belt. Deletes driver and passenger front seats, passenger seat riser with adjuster and seat belt. Also provides a temporary seat for transportation to the upfitter 1 - Requires RPO (AJ3) frontal air bag and SEO (9T7) passenger-side delete door. Not available with RPO (ZQ2) Convenience Package or RPO (ZX1) driver-only high-back bucket seating.	A ¹	A ¹	A ¹	A ¹	A ¹
9J6		Steering column, tilt Tilt-steering column without cruise control 1 - Not Available with RPO (ZQ3) Convenience Package, RPO (UF3) high idle switch, (K34) cruise control, RPO (YF1) RV Package, (ANC) Shuttle Bus Package or (YF2) Ambulance Package. 2 - Not Available with RPO (ZQ3) Convenience Package, RPO (UF3) high idle switch, (K34) cruise control, RPO (YF1) RV Package or (ANC) Shuttle Bus Package.	A ¹	A ¹	A ²	A ¹	A ²
MTM		Windshield, mirror mounting bracket Provides the windshield rearview mirror mounting bracket only, no mirror 1 - Not available with RPO (D31) inside rearview manual day/night mirror or (B3D) School Bus Package or (DRJ) inside rearview mirror with Rear Vision Camera display. 2 - Not available with RPO (D31) inside rearview manual day/night mirror or (DRJ) inside rearview mirror with Rear Vision Camera display.	A ¹	A ¹	A ²	A ¹	A ²
		Exterior					
8S3		Backup alarm, 97 decibels Alarm shipped loose to be installed by upfitter.	A	A	A	A	A
8E9		Bumper, front, painted White in lieu of the standard Black 1 - Not available with RPO (YF1) RV Package or RPO (ZR7) Chrome Appearance Package.	A ¹	A ¹	A ¹	A ¹	A ¹
5Q7		Blank Sail Panel Delete, Upfitter option Deletes the driver and passenger side blank (non-mirror) sail panels. (Panels are replaced with easily removable tape) 1 - Requires RPO (D28) outside delete mirrors or (8D8) provisions for upfitter to install their own outside rearview mirrors. Not available with RPO (YF2) Ambulance Package when ordered with RPO (D28) outside delete mirrors. 2 - Requires RPO (D28) outside delete mirrors or (8D8) provisions for upfitter to install their own outside rearview mirrors.	A ¹	A ¹	A ²	A ¹	A ²
9T7		Door, passenger side delete, Upfitter option Deletes the passenger door and replaces it with a temporary plastic shipping cover. Passenger side radio speaker is shipped loose 1 - Requires a Fleet order type and (ZX1) driver only high-back bucket seating or SEO (ZP1) temporary driver only seating. Not available with outside mirror options or RPO (ZQ2) Convenience Package.	A ¹	A ¹	A ¹	A ¹	A ¹
5Z5		Hubcap delete Deletes hub caps from standard wheels	A	A	A	A	A

Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
5H1		<p>Key equipment, two additional keys for single key system Provides two additional spare keys for a total of (4). (Keys will be cut but not programmed) NOTE: programming of keys is at customer's expense. Programming keys is not a warranty expense.</p> <p>1 - Not available with SEO (9T7) passenger side door delete or SEO (6E2) key, single.</p>	A ¹	A ¹	A ¹	A ¹	A ¹
6E2		<p>Key, single All keys are coded alike</p> <p>1 - Not available with (BTV) remote vehicle start or (5H1) two additional keys for single key system.</p>	A ¹	A ¹	A ¹	A ¹	A ¹
8X1		<p>Label, fasten safety belts "Fasten Safety Belts" reminder label on side door window glass</p> <p>1 - Not available with SEO (9T7) passenger-side delete door.</p>	A ¹	A ¹	A ¹	A ¹	A ¹
DE5		<p>Mirrors Outside heated power-adjustable, Black, manual-folding</p> <p>1 - Requires (R04) single rear wheel configuration, (C60) air conditioning and (ZQ2) Convenience Package. Not available with (R6G) air conditioning delete or (9T7) passenger side door delete Upfitter option.</p>	A ¹	A ¹	--	--	--
6M2		<p>Mirrors, outside mid-stance sail panel mounted Provides Velvac convex combination RH and LH outside rear view mirrors that are sail panel mounted with arms that provide a medium stance. Mirrors can be utilized with bodies that are up to 78 inches in width. Mirrors provide a 63.3 sq. inch flat glass positioned over a 30.1 sq. inch convex glass within a common head. Mirrors are shipped loose in vehicle.</p> <p>1 - Requires (R04) single rear wheels. Not available with SEO (5H5) 2.5 lb. dry chemical BC rated fire extinguisher, SEO (5H6) safety reflector triangle kit, SEO (9T7) Door, passenger side delete, Upfitter option or with RPO (B3D) School Bus Package.</p>	A ¹	--	--	--	--
8D8		<p>Provision for upfitter to install their own outside rearview mirrors Provides an electrical connector so the upfitter can install power outside mirrors.</p> <p>1 - Requires RPO (ZQ2) convenience package for power windows and door locks, (C60) air conditioning and SEO (5Q7) blank sail panel delete, upfitter option.</p>	A ¹	A ¹	A ¹	A ¹	A ¹
TGK		<p>Special Paint, Solid, one color All normally body colored non-sheet metal parts will be flat Black.</p> <p>1 - Required with any SEO paint selection. May require extra lead time and GM will require 5 orders before sending to the plant.</p>	A ¹	A ¹	A ¹	A ¹	A ¹
9V9		<p>Paints, solid, Doeskin Tan All extraneous body components formerly color-keyed to body color, will be flat Black with SEO paint</p> <p>1 - Requires SEO (TGK) Solid paint, one color. May require extended lead time.</p>	A ¹	A ¹	A ¹	A ¹	A ¹

Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
9W4		Paints, solid, Tangier Orange All extraneous body components formerly color-keyed to body color, will be flat Black with SEO paint 1 - Requires SEO (TGK) Solid paint, one color. May require extended lead time.	A ¹	A ¹	A ¹	A ¹	A ¹
9V5		Paints, solid, Woodland Green All extraneous body components formerly color-keyed to body color, will be flat Black with SEO paint 1 - Requires SEO (TGK) Solid paint, one color. May require extended lead time.	A ¹	A ¹	A ¹	A ¹	A ¹
8R3		Tire valve stems, brass in lieu of standard Also included on spare when furnished 1 - Requires RPO (R05) dual rear wheels.	A ¹	A ¹	A ¹	A ¹	A ¹
Q8C		Tire valve stem caps, air thru Air through valve caps on the tire air valves 1 - Included with SEO (8R2) long, brass tire valve stems. Not available with RPO (YF1) RV Package.	A ¹	A ¹	A ¹	A ¹	A ¹
8R2		Tire valve stems, long, brass, for inside dual rear wheels Brass metal 3-3/8" long valve stems on the inner wheels of dual rear wheel axles for easy air inflation. 1 - Requires SEO (Q8C) air-thru valve caps. Requires RPO (R05) dual rear wheels. Not available with RPO (YF1) RV Package.	A ¹	A ¹	A ¹	A ¹	A ¹
8H8		Turn signal provisions for incandescent tail lamps Provides lamp outage feature for bodies that are less than 80" in width. 1 - Not available with RPO (V4D) Separated stop/turn signal circuits, RPO (ANC) Shuttle Bus Package, RPO (B3D) School Bus Package or with RPO (YF2) Ambulance Package . 2 - Not available with RPO (V4D) Separated stop/turn signal circuits and RPO (ANC) Shuttle Bus Package.	A ¹	A ¹	A ²	A ¹	A ²
5G0		Wheels, painted Black in lieu of standard Gray painted wheels 1 - Not available with (40P) white wheels.	A ¹	A ¹	A ¹	A ¹	A ¹
		Mechanical					
9C7		Coolant recovery bottle with no-loss tethered cap 1 - Not available with RPO (YF1) RV Package.	A ¹	--	--	A ¹	--
9L7		Wiring junction block equipment accessory Includes 2-30 amp circuits 1 - Requires (KG4) alternator 150 amp or (KW5) alternator 220 amp and (TP2) dual 600 and 770 isolated batteries. Required with (YF2) Ambulance Package, (YF1) RV Package, (B3D) School Bus Package and (ANC) Shuttle Bus Package. Not available with (RGI) front instrument panel routing grommet. 2 - Requires (KG4) alternator 150 amp or (KW5) alternator 220 amp and (TP2) dual 600 and 770 isolated batteries. Required with (YF1) RV Package and (ANC) Shuttle Bus Package. Not available with (RGI) front instrument panel routing grommet.	A ¹	A ¹	A ²	A ¹	A ²

Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
5H5		Fire extinguisher, 2.5 lb. Dry chemical BC rated Item shipped loose for later placement and securing by a body builder or upfitter 1 - Not available with exterior mirrors (DEE) or (6M2). 2 - Requires standard (D28) Mirrors, outside Delete.	A ¹	A ²	A ²	A ²	A ²
5C4		Front Spring, High Rate Upgrade, Upfitter option Provides computer selected high rate front springs based on the front weight of the vehicle. Intended for a upfit that requires higher center of gravity loads that are located at or near the front axle. Provides increased front spring capacity but will not change the front GVWR rating. Computer selects increased capacity and stiffness based on front weight of the vehicle. Replaces standard computer selected suspension based on the front weight of the chassis 1 - Requires one of the following upfitter order types; FRC, SRV, TSC, TSD, TSR, TSM, FRV and RPO (C7N) 12,300 lbs. (5579 kg) GVWR. Not available with RPO (B3D) School Bus Package.	--	A ¹	--	--	--
8E1		Fuel, additional 3-gallons 3 gallons of fuel in addition to normal assembly plant fill 1 - Included with (YF1) RV Package.	A ¹	A ¹	A ¹	A ¹	A ¹
9B4		Fuel fill cap with stainless steel tether in lieu of the standard plastic tether	A	A	A	A	A
9C2		Governor, electronic speed sensor set to 65 MPH Electronic software to facilitate 65-MPH maximum road speed with gasoline engine. 1 - Requires a Fleet order. Not available with (K34) cruise control or with (YF1) RV Package. 2 - Requires a Fleet order and (R05) dual rear wheels. Not available with (K34) cruise control or with (YF1) RV Package.	A ¹	A ²	A ¹	A ¹	A ¹
9B9		Governor, electronic speed sensor set to 70 MPH Provides electronic software to limit maximum road speed to 70-MPH. Cruise control limited to 65 MPH. 1 - Requires a Fleet order type. Not available with (YF1) RV Package.	A ¹	A ¹	A ¹	A ¹	A ¹
9D7		Governor, electronic speed sensor set to 75 MPH Provides electronic software to limit maximum road speed to 75-MPH with gasoline engine. Cruise control limited to 70 MPH. 1 - Requires a Fleet order type. Not available with (YF1) RV Package.	A ¹	A ¹	A ¹	A ¹	A ¹
5H6		Safety reflector triangle kit Provides a break-down warning kit consisting of 3 reflective triangles. Item shipped loose for later placement and securing in after-market installation 1 - Not available with exterior mirrors (DEE) or (6M2). 2 - Requires standard (D28) Mirrors, outside Delete.	A ¹	A ²	A ²	A ²	A ²

Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
9R5		Suspension, rear multi-leaf in lieu of the standard tapered leaf 1 - Requires (C4M) 9900 lbs. GVWR, (JFF) 10,100 lbs. GVWR or (9N2) 10,050 lbs. GVWR. (NOTE: RPO's (C7N), (C7I) and (C8V) include rear multi-leaf springs as standard equipment.) 2 - Requires (9N2) 10,050 lbs. GVWR. (NOTE: RPO's (C7N), (C7I) and (C8V) include rear multi-leaf springs as standard equipment.)	A ¹	A ²	--	--	--
		Ship Thru Codes					
TCC		Ship Thru, Produced in Wentzville and shipped to Quigley Motor, Manchester, PA, and onto Ft. Wayne Assembly (Dealer Invoice = \$W/A)	A	A	A	A	A
TVY		Ship Thru, Produced and shipped to Anchorage VDC then to TK Services and returned to Anchorage VDC for shipping to final destination (Dealer Invoice = \$W/A) Available only to orders with a final Ship-To Code for State of Alaska Dealers only	A	A	A	A	A
VAD		Ship Thru, Produced in Wentzville and shipped to Leggett and Platt/Masterack. (Dealer Invoice = \$W/A)	A	A	A	A	A
VAP		Ship Thru, Produced in Wentzville and shipped to Knapheide Truck Equipment (Dealer Invoice = \$W/A)	A	A	A	A	A
VP7		Ship Thru, Produced in Wentzville and shipped to Knapheide Truck Equipment, St. Peters, MO, then back to Wentzville for final shipment (Dealer Invoice = \$W/A)	A	A	A	A	A
W07		Ship Thru, Produced in Wentzville and shipped to Manheim St. Louis Auto Auction, then back to Wentzville (Dealer Invoice = \$W/A)	A	A	A	A	A

S = Standard Equipment A = Available -- (dashes) = Not Available D = ADI Available
 ■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
PQF		<p>OnStar 6 months of OnStar Protection Service. Provides 6 months of Protection service in addition to the 6 months of standard Guidance Plan trial service (12 months for Cadillac) that is included in the price of the vehicle (trial excludes Hands-Free Calling minutes). Total service duration is 12 months (18 months for Cadillac).</p> <p>1 - Requires UE1 OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQI, PQL, PQM, PQP, PQQ and PQT.</p>	A ¹	A ¹	A ¹	A ¹	A ¹
PQG		<p>OnStar 18 months of OnStar Protection Service. Provides 18 months of Protection service in addition to the 6 months of standard Guidance Plan trial service (12 months for Cadillac) that is included in the price of the vehicle (trial excludes Hands-Free Calling minutes). Total service duration is 24 months (30 months for Cadillac).</p> <p>1 - Requires UE1 OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQI, PQL, PQM, PQP, PQQ and PQT.</p>	A ¹	A ¹	A ¹	A ¹	A ¹
PQH		<p>OnStar 30 months of OnStar Protection Service. Provides 30 months of Protection service in addition to the 6 months of standard Guidance Plan trial service (12 months for Cadillac) that is included in the price of the vehicle (trial excludes Hands-Free Calling minutes). Total service duration is 36 months (42 months for Cadillac).</p> <p>1 - Requires UE1 OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQI, PQL, PQM, PQP, PQQ and PQT.</p>	A ¹	A ¹	A ¹	A ¹	A ¹
PQI		<p>OnStar 6 months of OnStar Security Service. Provides 6 months of Security service in addition to the 6 months of standard Guidance Plan trial service (12 months for Cadillac) that is included in the price of the vehicle (trial excludes Hands-Free Calling minutes). Total service duration is 12 months (18 months for Cadillac).</p> <p>1 - Requires UE1 OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQF, PQG, PQH, PQP, PQQ and PQT.</p>	A ¹	A ¹	A ¹	A ¹	A ¹

Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
PQL		<p>OnStar 18 months of OnStar Security Service. Provides 18 months of Security service in addition to the 6 months of standard Guidance Plan trial service (12 months for Cadillac) that is included in the price of the vehicle (trial excludes Hands-Free Calling minutes). Total service duration is 24 months (30 months for Cadillac).</p> <p>1 - Requires UE1 OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQF, PQG, PQH, PQP, PQQ and PQT.</p>	A ¹	A ¹	A ¹	A ¹	A ¹
PQM		<p>OnStar 30 months of OnStar Security Service. Provides 30 months of Security service in addition to the 6 months of standard Guidance Plan trial service (12 months for Cadillac) that is included in the price of the vehicle (trial excludes Hands-Free Calling minutes). Total service duration is 36 months (42 months for Cadillac).</p> <p>1 - Requires UE1 OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQF, PQG, PQH, PQP, PQQ and PQT.</p>	A ¹	A ¹	A ¹	A ¹	A ¹
PQP		<p>OnStar Additional 6 months of OnStar Fleet Guidance Service. Provides 6 months of Fleet Guidance service in addition to the 6 months of standard Guidance Plan trial service (12 months for Cadillac) that is included in the price of the vehicle (plan excludes Hands-Free Calling minutes). Total service duration is 12 months (18 months for Cadillac).</p> <p>1 - Requires UE1 OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQF, PQG, PQH, PQI, PQL and PQM.</p>	A ¹	A ¹	A ¹	A ¹	A ¹
PQQ		<p>OnStar Additional 18 months of OnStar Fleet Guidance Service. Provides 18 months of Fleet Guidance service in addition to the 6 months of standard Guidance Plan trial service (12 months for Cadillac) that is included in the price of the vehicle (plan excludes Hands-Free Calling minutes). Total service duration is 24 months (30 months for Cadillac).</p> <p>1 - Requires UE1 OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQF, PQG, PQH, PQI, PQL and PQM.</p>	A ¹	A ¹	A ¹	A ¹	A ¹
PQT		<p>OnStar Additional 30 months of OnStar Fleet Guidance Service. Provides 30 months of Guidance service in addition to the 6 months of standard Guidance Plan trial service (12 months for Cadillac) that is included in the price of the vehicle (plan excludes Hands-Free Calling minutes). Total service duration is 36 months (42 months for Cadillac).</p> <p>1 - Requires UE1 OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQF, PQG, PQH, PQI, PQL and PQM.</p>	A ¹	A ¹	A ¹	A ¹	A ¹

Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
ROV		<p>OnStar with 4G LTE for Fleet (12GB/12 months) provides a built-in Wi-Fi hotspot to connect to the internet at 4G LTE speeds, includes AT&T 12GB data plan good for 12 months.</p> <p>1 - Requires (UE1) OnStar and (VV4) OnStar with 4G LTE and one of the following order types FLS, FNR, FRC, FBC, FGO or FEF. Not available with ROW. Visit www.onstar.com for vehicle availability, details and system limitations. Services and connectivity may vary by model and conditions. 4G LTE service available in select markets. 4G LTE performance based on industry averages and vehicle systems design. Some services require data plan.</p>	A ¹	A ¹	A ¹	A ¹	A ¹
ROW		<p>OnStar with 4G LTE for Fleet (24GB/24 months) provides a built-in Wi-Fi hotspot to connect to the internet at 4G LTE speeds, includes AT&T 24GB data plan good for 24 months.</p> <p>1 - Requires (UE1) OnStar and (VV4) OnStar with 4G LTE and one of the following order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with ROV. Visit www.onstar.com for vehicle availability, details and system limitations. Services and connectivity may vary by model and conditions. 4G LTE service available in select markets. 4G LTE performance based on industry averages and vehicle systems design. Some services require data plan.</p>	A ¹	A ¹	A ¹	A ¹	A ¹

2017 Chevrolet Truck Express Cutaway DIMENSIONS

All dimensions in inches (mm) unless otherwise stated.





	Specifications	CG33503	CG33803	CG33803	CG33903	CG33903	
		139" Wheelbase	159" Wheelbase	4500 Series 159" Wheelbase	177" Wheelbase	4500 Series 177" Wheelbase	
	A	139.00 (3531)	159.00 (4039)	159.00 (4039)	177.00 (4496)	177.00 (4496)	
	B	246.70 (6266)	266.70 (6774)	266.70 (6774)	284.80 (7234)	284.80 (7234)	
	C	79.10 (2009)	79.10 (2009)	79.10 (2009)	79.10 (2009)	79.10 (2009)	
	D	82.90 (2106)	82.90 (2106)	82.90 (2106)	82.90 (2106)	82.90 (2106)	
		Head room, front	40.20 (1021)	40.20 (1021)	40.20 (1021)	40.20 (1021)	40.20 (1021)
		Shoulder room, front	68.80 (1748)	68.80 (1748)	68.80 (1748)	68.80 (1748)	68.80 (1748)
		Hip room, front	65.50 (1664)	65.50 (1664)	65.50 (1664)	65.50 (1664)	65.50 (1664)
		Leg room, front	41.30 (1049)	41.30 (1049)	41.30 (1049)	41.30 (1049)	41.30 (1049)
		Cab to axle	80.00 (2032)	100.00 (2540)	100.00 (2540)	118.00 (2997)	118.00 (2997)
		Front bumper to back of cab	98.70 (2507)	98.70 (2507)	98.70 (2507)	98.70 (2507)	98.70 (2507)
		Ground clearance, front	7.60 (193)	7.60 (193)	7.60 (193)	7.60 (193)	7.60 (193)
		Ground clearance, rear	6.80 (173)	7.00 (178)	7.00 (178)	7.00 (178)	7.00 (178)
		Overhang, front	39.70 (1008)	39.70 (1008)	39.70 (1008)	39.70 (1008)	39.70 (1008)
		Cab to end of frame	148.50 (3772)	168.50 (4280)	168.50 (4280)	186.50 (4737)	186.50 (4737)
		Ground to top of frame	23.31 (592)	23.31 (592)	23.31 (592)	23.31 (592)	23.31 (592)
		Frame width, rear	34.80 (884)	34.80 (884)	34.80 (884)	34.80 (884)	34.80 (884)

Published dimensions indicated are without optional equipment or accessories. Additional accessories or equipment ordered at the customer's request can result in a minor change in these dimensions.

2017 Chevrolet Truck Express Cutaway SPECS

	CG33503 139" Wheelbase	CG33803 159" Wheelbase	CG33803 4500 Series 159" Wheelbase 4500 Series	CG33903 177" Wheelbase	CG33903 4500 Series 177" Wheelbase
Specifications					
Front shock absorber diameter, in. (mm)	1.38 (35)	1.38 (35)	-	1.38 (35)	1.38 (35)
Front stabilizer bar diameter, in. (mm)	1.38 (35)	1.38 (35)	-	1.38 (35)	1.38 (35)
Rear shock absorber diameter, in. (mm)	1.38 (35)	1.38 (35)	-	1.38 (35)	1.38 (35)
Capacities					
Front axle, lbs. (kg)	4100 (1860)	4100 (1860)	4600 (2087)	4300 (1950)	4600 (2087)
Front spring capacity, lbs. (kg)	4100 (1860)	4100 (1860)	4600 (2087)	4300 (1950)	4600 (2087)
Rear axle, lbs. (kg)	6084 (2760)	7500 (3402)	9600 (4355)	8600 (3901)	9600 (4355)
Rear spring capacity, lbs. (kg)	6084 (2760)	7500 (3402)	9600 (4355)	8600 (3901)	9600 (4355)
Curb weight, lbs. (kg)	4543 (2061)	4877 (2212)	-	--	--
Curb weight, (with gas), lbs. (kg)	-	-	5022 (2278)	5030 (2282)	5310 (2409)
Payload ¹ , lbs. (kg)	5335 (2420)	5151 (2336)	-	--	--
Payload, (with gas), lbs. (kg)	-	-	9156 (4153)	7248 (3288)	8868 (4023)
Gross Vehicle Weight Rating (GVWR), lbs. (kg)	9900 (4491)	10050 (4559)	14200 (6441)	12300 (5579)	14200 (6441)
Front Gross Axle Weight Rating (GAWR), lbs. (kg)	4100 (1860)	4100 (1860)	4600 (2087)	4300 (1950)	4600 (2087)
Rear Gross Axle Weight Rating (GAWR), lbs. (kg)	6084 (2760)	7500 (3402)	9600 (4355)	8600 (3901)	9600 (4355)
Fuel capacity, approximate, U.S., gallon (liters)	33 (125)	33 (125)	33 (125)	33 (125)	33 (125)
Seating capacity (front/rear)	2	2	2	2	2
1. Maximum payload capacity includes weight of driver, passengers, optional equipment and cargo.					

	<p>QT4 Wheels, 6 - 16" x 6.5" (40.6 cm x 16.5 cm) 8-lug painted steel, heavy duty</p>
<p>Image to come</p> 	<p>QB5 Wheels, 4 - 16" x 6.5" (40.6 cm x 16.5 cm), 8-lug painted steel, heavy-duty</p>

	<p>US8 Audio system, AM/FM stereo with CD/MP3 player, USB port, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), TheftLock, random select, auxiliary jack and 2 front door speakers</p>
	<p>UI8 Audio system, Chevrolet MyLink radio with Navigation, 6.5" diagonal color touch-screen display, AM/FM stereo with CD player, USB port, includes Bluetooth streaming audio for music and select phones; Hands-Free smartphone integration with Pandora and Stitcher; voice-activated technology for radio and phone</p>
	<p>U0F Audio system, AM/FM stereo with MP3 player, seek-and-scan, digital clock, TheftLock, random select, auxiliary jack and 2 front door speakers</p>
	<p>U0H Audio system, AM/FM stereo with MP3 player and USB port, includes seek-and-scan, digital clock, TheftLock, random select, auxiliary jack and 2 front door speakers</p>

2017 Chevrolet Truck Express Cutaway RPO CODES

Option Code	Description
40P	Wheel finish, painted White
5B2	Safety belts, Red
5C4	Front Spring, High Rate Upgrade, Upfitter option
5G0	Wheels, painted Black in lieu of standard Gray painted wheels
5H1	Key equipment, two additional keys for single key system
5H5	Fire extinguisher, 2.5 lb. Dry chemical BC rated
5H6	Safety reflector triangle kit
5Q7	Blank Sail Panel Delete, Upfitter option
5Z5	Hubcap delete
6E2	Key, single
6M2	Mirrors, outside mid-stance sail panel mounted
8D8	Provision for upfitter to install their own outside rearview mirrorsProvides an electrical connector so the upfitter can install power outside mirrors.
8E1	Fuel, additional 3-gallons
8E9	Bumper, front, painted White in lieu of the standard Black
8H8	Turn signal provisions for incandescent tail lamps
8N2	Safety belts, Orange, provides high visibility front Orange safety belts in lieu of Dark Pewter
8R2	Tire valve stems, long, brass, for inside dual rear wheels
8R3	Tire valve stems, brass in lieu of standard
8S3	Backup alarm, 97 decibels
8T2	Headliner delete with (9T7) right-hand door delete
8X1	Label, fasten safety belts
9B4	Fuel fill cap with stainless steel tether in lieu of the standard plastic tether
9B9	Governor, electronic speed sensor set to 70 MPH
9C2	Governor, electronic speed sensor set to 65 MPH
9C7	Coolant recovery bottle with no-loss tethered cap
9D7	Governor, electronic speed sensor set to 75 MPH
9J6	Steering column, tilt
9L7	Wiring junction block equipment accessoryIncludes 2-30 amp circuits
9N2	GVWR, 10,050 lbs. (4559 kg)
9R5	Suspension, rear multi-leaf in lieu of the standard tapered leaf
9T7	Door, passenger side delete, Upfitter option
9V5	Paints, solid, Woodland Green
9V9	Paints, solid, Doeskin Tan
9W4	Paints, solid, Tangier Orange
A31	Windows, power
AG1	Seat adjuster, driver, 6-way power, riser only, Upfitter option
AG2	Seat adjuster, front passenger, 6-way power, riser only, Upfitter option
AJ3	Air bag, frontal, driver-side only
AK5	Air bags, frontal, driver and right-front passenger
ANC	Shuttle Bus Package
AR7	Seats, front bucket with vinyl trim
AS5	Seats, front bucket with Custom Cloth trim
ASF	Air bags, driver and right-front passenger, seat-mounted side-impact and head curtain side-impact
ATG	Remote Keyless Entry
AU3	Door locks, power
B31	Floor covering, Black rubberized-vinyl front

2017 Chevrolet Truck Express Cutaway RPO CODES

Option Code	Description
B3D	School Bus Package
BA3	Console, engine cover
BNC	Body, soft-mount donut and bolt
BTV	Remote vehicle starter system
C4M	GVWR, 9900 lbs. (4490 kg)
C60	Air conditioning, single-zone manual
C71	GVWR, 14,200 lbs. (6441 kg)
C7N	GVWR, 12,300 lbs. (5579 kg)
D28	Mirrors, outside delete
D31	Mirror, inside rearview manual day/night
DAA	Visors, driver and front passenger
DE2	Mirrors, outside manual, Black
DE5	Mirrors Outside heated power-adjustable, Black, manual-folding
DE5	Mirrors, outside heated power-adjustable, Black
DEB	Mirrors, outside heated power-adjustable, Black, manual-folding
DHC	Mirrors, outside wide-stance sail panel mounted (Velvac)
DRJ	Mirror, inside rearview
DT4	Smoker's Package, includes ashtray and lighter
ENC	HVAC system, auxiliary rear heater provisions
FE9	Emissions, Federal requirements
FHS	E85 FlexFuel capable
G7K	Antenna equipment
G80	Differential, heavy-duty locking rear
GT4	Rear axle, 3.73 ratio
GT5	Rear axle, 4.10 ratio
GU6	Rear axle, 3.42 ratio
JFF	GVWR, 10,100 lbs. (4581 kg)
JL4	StabiliTrak
K05	Engine block heater
K34	Cruise control
K50	Fuel fitting, auxiliary feed in the fuel tank
KG4	Alternator, 150 amps
KI4	Power outlet, 120-volt
KW5	Alternator, 220 amps
L20	Engine, Vortec 4.8L V8
L96	Engine, Vortec 6.0L V8
MTM	Windshield, mirror mounting bracket
MYD	Transmission, 6-speed automatic, heavy-duty
NB8	Emissions override, California
NB9	Emissions override, state-specific
NC7	Emissions override, Federal
NE1	Emissions, Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington state requirements
NE7	Fuel tank capacity
NP5	Steering wheel, leather-wrapped
PQF	OnStar 6 months of OnStar Protection Service
PQG	OnStar 18 months of OnStar Protection Service
PQH	OnStar 30 months of OnStar Protection Service
PQI	OnStar 6 months of OnStar Security Service

2017 Chevrolet Truck Express Cutaway RPO CODES

Option Code	Description
PQL	OnStar 18 months of OnStar Security Service
PQM	OnStar 30 months of OnStar Security Service
PQP	OnStar Additional 6 months of OnStar Fleet Guidance Service
PQQ	OnStar Additional 18 months of OnStar Fleet Guidance Service
PQT	OnStar Additional 30 months of OnStar Fleet Guidance Service
Q8C	Tire valve stem caps, air thru
QB5	Wheels, 4 - 16" x 6.5" (40.6 cm x 16.5 cm), 8-lug painted steel
QT4	Wheels, 6 - 16" x 6.5" (40.6 cm x 16.5 cm) 8-lug painted steel
R04	Wheel configuration, rear, single
R05	Wheel configuration, rear, dual
R6G	Air conditioning delete
R9Y	Fleet Free Maintenance Credit
RGI	Routing grommet, front instrument panel
ROV	OnStar with 4G LTE for Fleet (12GB/12 months)
ROW	OnStar with 4G LTE for Fleet (24GB/24 months)
TCC	Ship Thru, Produced in Wentzville and shipped to Quigley Motor, Manchester, PA, and onto Ft. Wayne Assembly
TGK	Special Paint, Solid, one color
TP2	Battery, 600 cold-cranking amps
TVY	Ship Thru, Produced and shipped to Anchorage VDC then to TK Services and returned to Anchorage VDC for shipping to final destination
U05	Horn, dual-note high and low
U0F	Audio system, AM/FM stereo with MP3 player
U0H	Audio system, AM/FM stereo with MP3 player and USB port
U2K	SiriusXM Satellite Radio
UA1	Battery, heavy-duty 770 cold-cranking amps
UBS	NavTraffic
UE1	OnStar Guidance Plan for 6 months
UF3	High idle switch
UFA	Outside temperature display
UI8	Audio system, Chevrolet MyLink radio with Navigation
UJ1	Brake warning indicator
UJM	Tire Pressure Monitoring System
UPF	Bluetooth for phone, personal cell phone connectivity to vehicle audio system
US8	Audio system, AM/FM stereo with CD/MP3 player
USR	Audio system feature, USB port
UVC	Rear Vision Camera
UXZ	Audio system, radio provisions only
UY7	Trailer wiring, dual 4-pin/7-pin sealed connector
V10	Cold Climate Package
V14	Transmission oil cooler, external
V22	Grille, chrome
V46	Bumper, front chrome
V4D	Circuits, stop/turn signal
VAD	Ship Thru, Produced in Wentzville and shipped to Leggett and Platt/Masterack.
VAP	Ship Thru, Produced in Wentzville and shipped to Knapheide Truck Equipment
VK3	License plate kit, front
VP7	Ship Thru, Produced in Wentzville and shipped to Knapheide Truck Equipment, St. Peters, MO, then back to Wentzville for final shipment

2017 Chevrolet Truck Express Cutaway RPO CODES

Option Code	Description
VV4	OnStar with 4G LTE
VXT	Incomplete vehicle certification
W07	Ship Thru, Produced in Wentzville and shipped to Manheim St. Louis Auto Auction, then back to Wentzville
W1Y	Steering wheel controls, mounted audio controls
XHF	Tires, front LT225/75R16E all-season, blackwall
XLP	Tires, front LT245/75R16E all-season, blackwall
YF1	RV Package
YF2	Ambulance Package
YF5	Emissions, California state requirements
YHF	Tires, rear LT225/75R16E all-season, blackwall
YLP	Tires, rear LT245/75R16E all-season, blackwall
ZHF	Tire, spare LT225/75R16E all-season, blackwall
ZLP	Tire, spare LT245/75R16E all-season, blackwall
ZP0	Seats, delete driver and passenger
ZP1	Seating, temporary driver only, Upfitter option
ZQ2	Convenience Package, power windows and door locks
ZQ3	Convenience Package
ZR7	Chrome Appearance Package
ZW9	Body, standard
ZX1	Seating arrangement, driver-only high-back bucket
ZX2	Seating arrangement, driver and front passenger highback bucket
ZY1	Paint, solid

Updates for Express Cutaway

Week of 5/2/2016

Effective 5/2/2016, the following changes will be made to the Vehicle Order Guide:

- SEO Solid Paint, Color and Trim section, deleted section entirely.

Week of 4/25/2016

Effective 4/25/2016, the following changes will be made to the Vehicle Order Guide:

- Specs section-Multiple changes. See order guide for details.