

S = Standard Equipment A = Available -- (dashes) = Not Available D = ADI Available  
 ■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow RPO Code	Ref. Only RPO Code	Description	Police
			(9C1) 1SB
	AKC	<b>Air bags</b> , dual-stage frontal, pelvic-thorax side-impact, head curtain and knee, driver and front passenger, includes Passenger Sensing System 1 - Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.	S <sup>1</sup>
	CJ2	<b>Air conditioning</b> , dual-zone automatic climate control with pollen air filtration	S
	UFF	<b>Audio system</b> , Chevrolet MyLink radio, AM/FM stereo, includes 7" diagonal color touch-screen display	S
	UQF	<b>Audio system feature</b> , standard speaker system with 2 speakers and 2 tweeters	S
	UP9	<b>Bluetooth for phone and music</b> , personal cell phone connectivity to vehicle audio system, voice recognition, music navigator and streaming audio	S
		<b>Cruise control</b> , electronic with set and resume speed	S
		<b>Defogger</b> , rear-window electric	S
		<b>Door locks</b> , power programmable with lockout protection	S
		<b>Door locks</b> , rear child security	S
	UDC	<b>Driver Information Center</b> , monochromatic display with customization features	S
		<b>Floor covering</b> , color-keyed carpeting	S
		<b>Glovebox</b> , passenger-side, non-lockable	S
	6J1	<b>Ignition</b> , 110-amp main power supply wiring at instrument panel and auxiliary 120-amps in trunk	S
		<b>Instrumentation</b> , "certified" analog, 160 mph, 1 mph increments digital display, trip odometer, warning lamps and Driver Information Center with Oil Life Monitor	S
		<b>Key</b> , folding blade fob	S
		<b>Lighting</b> , interior with center-mounted dome and rear reading lights	S
		<b>Lighting</b> , trunk courtesy lamp	S
	D31	<b>Mirror</b> , inside rearview manual day/night	S
		<b>Monitor</b> , engine hours and idle hours, displayed in Driver Information Center	S
		<b>Power outlet</b> , 1 located on instrument panel, 12-volt	S
	UVC	<b>Rear Vision Camera</b>	S
	BTV	<b>Remote vehicle starter system</b> , includes Remote Keyless Entry	S
		<b>Retained accessory power</b> , power windows and audio system remain operational after ignition is switched off for 10 minutes or until a door is opened	S
		<b>Safety belt pretensioners</b> , front row seats	S
		<b>Safety belts</b> , 3-point, all seating positions	S
	AH6	<b>Seat adjuster</b> , driver 4-way power, height and lumbar with manual recline and fore/aft	S
	AH7	<b>Seat adjuster</b> , front passenger 4-way power, height and lumbar with manual recline and fore/aft	S

Free Flow RPO Code	Ref. Only RPO Code	Description	Police
			(9C1) 1SB
	HCQ	<b>Seats</b> , front bucket, cloth with heavy-duty foam, vinyl rear bench, includes seatback security panel, polypropylene rear door trim and vinyl floor covering	S
	M1A	<b>Shift lever</b> , column-mounted	S
		<b>Steering column</b> , tilt and telescopic	S
	NK5	<b>Steering wheel</b>	S
		<b>Steering wheel controls</b> , mounted audio controls	S
		<b>Surveillance mode</b> , circuit for connection to customer switch	S
		<b>Theft-deterrent system</b> , vehicle, PASS-Key III+	S
	UJM	<b>Tire Pressure Monitor System</b>	S
		<b>Tools</b> , mechanical jack and wheel wrench	S
	A98	<b>Trunk release</b> , ignition controlled	S
		<b>Visors</b> , driver and front passenger vanity mirrors, covered	S
		<b>Windows</b> , power with driver and front passenger Express-Down and rear passenger lockout	S
	U71	<b>Antenna</b> , roof-mounted, fixed mast, radio	S
	T3W	<b>Daytime Running Lamps</b> , reduced intensity low beam	S
	D72	<b>Door handles</b> , Black	S
		<b>Fascias</b> , front and rear body-color	S
		<b>Glass</b> , Solar-Ray light-tinted, windshield, driver and front passenger, light-tinted rear backglass	S
	AKP	<b>Glass</b> , solar absorbing	S
	T4A	<b>Headlamps</b> , halogen with automatic exterior lamp control	S
		<b>Horn</b> , dual-note high and low	S
		<b>Lamp</b> , center high-mounted stop/brake (CHMSL)	S
	VK3	<b>License plate bracket</b> , front	S
		<b>Lock cylinders</b> , driver and front passenger doors	S
	BDR	<b>Lock cylinder</b> , trunk	S
	DP2	<b>Mirrors</b> , outside power-adjustable, Black, manual-folding	S
	MDC	<b>Moldings</b> , chrome belt-line	S
	R5M	<b>Tires</b> , P235/50R18 all-season blackwall, Goodyear	S
	SG8	<b>Wheel</b> , 18" (45.7 cm) full-size spare and tire 1 - Includes (UJM) Tire Pressure Monitor System sensor, not programmed. Includes full-size tire.	S <sup>1</sup>
	RT3	<b>Wheels</b> , 18" (45.7 cm) heavy-duty steel	S
		<b>Wheel center cap</b> , bolt-on, forged aluminum	S
		<b>Wipers</b> , front intermittent, variable	S
	KW7	<b>Alternator</b> , 170 amps with idle boost	S
		<b>Battery</b> , 700 cold-cranking amps, located in trunk with Battery Rundown Protection	S
		<b>Brake/transmission shift interlock</b>	S

Free Flow RPO Code	Ref. Only RPO Code	Description	Police
			(9C1) 1SB
	JFA	<b>Brake</b> , parking, foot apply	S
	JL9	<b>Brakes</b> , 4-wheel antilock, 4-wheel disc, heavy-duty	S
		<b>Cooling</b> , transmission oil cooler	S
	N10	<b>Exhaust system</b> , dual, stainless-steel	S
		<b>Oil life monitoring system</b>	S
	GW8	<b>Rear axle</b> , 2.92 ratio	S
		<b>Rear-Wheel Drive (RWD)</b>	S
	NJ1	<b>Steering</b> , power, electric (EPS)	S
	7B3	<b>Suspension</b> , Heavy-Duty Police	S
		<b>Throttle control</b> , electronic	S

S = Standard Equipment    A = Available    -- (dashes) = Not Available    D = ADI Available  
 ■ = Included in Equipment Group    □ = Included in Equipment Group but upgradeable

No deletions allowed to Equipment Groups. Additional options may be added; check ordering information section for compatibility.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow RPO Code	Ref. Only RPO Code	Description	Police
			(9C1) 1SB
	TKA	<b>Mounting platform</b> , center console equipment	■
	G80	<b>Differential</b> , limited slip	■
	LFX	<b>Engine</b> , 3.6L SIDI DOHC V6 VVT, includes (E85) FlexFuel (gas ethanol) capability, uses gasoline or E85 fuel. (301 hp [224.4 kW] @ 6700 rpm, 265 lb-ft of torque [357.8 N-m] @ 4800 rpm)	■
	MX0	<b>Transmission</b> , 6-speed automatic, electronically controlled	■

S = Standard Equipment A = Available -- (dashes) = Not Available D = ADI Available  
 ■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

No deletions allowed to Equipment Groups. Additional options may be added; check ordering information section for compatibility.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow RPO Code	Ref. Only RPO Code	Description	Police
			(9C1) 1SB
	TKA	<b>Mounting platform</b> , center console equipment	■
	G80	<b>Differential</b> , limited slip	■
	LFX	<b>Engine</b> , 3.6L SIDI DOHC V6 VVT, includes (E85) FlexFuel (gas ethanol) capability, uses gasoline or E85 fuel. (301 hp [224.4 kW] @ 6700 rpm, 265 lb-ft of torque [357.8 N-m] @ 4800 rpm)	■
	MX0	<b>Transmission</b> , 6-speed automatic, electronically controlled	■
ADDITIONAL OPTIONS			
Free Flow RPO Code	Ref. Only RPO Code	Description	Police
			(9C1) 1SB
B42		<b>Cargo mat</b> , trunk, custom-fitted, heavy-duty vinyl with molded edge	A
6E3		<b>Door locks</b> , single key locking system, entire fleet coded alike. Key code is different from (6E4) door locks. 1 - Not available with (6E4) door locks. Not compatible with 2011MY-2013MY Caprice Police vehicles and all Impala and Tahoe Police vehicles.	A <sup>1</sup>
6E4		<b>Door locks</b> , single key locking system, entire fleet coded alike. Key code is different from (6E3) door locks. 1 - Not available with (6E3) door locks. Not compatible with 2011MY-2013MY Caprice Police vehicles and all Impala and Tahoe Police vehicles.	A <sup>1</sup>
6A3		<b>Floor covering</b> , heavy-duty vinyl, front and rear 1 - Not available with (B34) carpeted floor mats.	A <sup>1</sup>
B34		<b>Floor mats</b> , carpeted front 1 - Not available with (6A3) heavy-duty vinyl floor covering. Includes (B35) carpeted rear floor mats.	A <sup>1</sup>
AMF		<b>Keys</b> , 6 cut with integrated Remote Keyless Entry (not programmed, see owner's manual); vehicle specific keyless entry for common fleet frequency not available; include remote vehicle start NOTE: programming of keys and remotes is at customer's expense. Programming keys and remotes is not a warranty expense.	A
T53		<b>Lamps</b> , (LED) red and blue random flashing trunk lid warning	A
6C7		<b>Lighting</b> , red and white front auxiliary dome	A
6N6		<b>Rear door locks and handles</b> , inside door inoperative 1 - Doors can be opened from the outside.	A <sup>1</sup>
6N5		<b>Rear window switches</b> , inoperative 1 - Rear power windows operate only from driver position.	A <sup>1</sup>
SGT		<b>Speed limiter</b> , 130 mph top speed	A
6J3		<b>Wiring</b> , grille lamps and siren speaker	A
6J4		<b>Wiring</b> , horn and siren circuit, inline for customer-furnished switch	A

ADDITIONAL OPTIONS			
Free Flow RPO Code	Ref. Only RPO Code	Description	Police
			(9C1) 1SB
VVS		<b>Daytime Running Lamps and automatic headlamps</b> , delete	A
6J7		<b>Flasher system</b> , headlamp and taillamp, DRL compatible with control wire	A
DR9		<b>Mirrors</b> , outside heated power-adjustable, Black, manual-folding	A
6B7		<b>Roof hole</b> , on-centerline 1 - Not available with (6J5) passenger-side roof hole.	A <sup>1</sup>
6J5		<b>Roof hole</b> , passenger-side 1 - Not available with (6B7) on-centerline roof hole.	A <sup>1</sup>
7X6		<b>Spotlamp</b> , driver-side 1 - Not available with (7X7) driver- and passenger-side spotlamp, (7X8) driver-side spotlamp provision or (7X9) driver- and passenger-side spotlamp provision.	A <sup>1</sup>
7X7		<b>Spotlamp</b> , driver- and passenger-side 1 - Not available with (7X6) driver-side spotlamp, (7X8) driver-side spotlamp provision or (7X9) driver- and passenger-side spotlamp provision.	A <sup>1</sup>
7X8		<b>Spotlamp provision</b> , driver-side 1 - Not available with (7X6) driver-side spotlamp, (7X7) driver- and passenger-side spotlamp or (7X9) driver- and passenger-side spotlamp provision.	A <sup>1</sup>
7X9		<b>Spotlamp provision</b> , driver- and passenger-side 1 - Not available with (7X6) driver-side spotlamp, (7X7) driver- and passenger-side spotlamp or (7X8) driver-side spotlamp provision.	A <sup>1</sup>
W2P		<b>Wheel cover</b> , full	A
K5S		<b>Battery</b> , auxiliary, with AGM, 700 cold-cranking amps, 70-amp hour for accessory equipment, located in trunk	A
FE9		<b>Emissions</b> , Federal requirements	A
YF5		<b>Emissions</b> , California state requirements	A
NE1		<b>Emissions</b> , Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington state requirements	A
NB8		<b>Emissions override</b> , California (allows a dealer in states that require California emissions - California, Connecticut, Delaware, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island or Washington - to order Federal emissions for a vehicle that will be registered in a state that has Federal emission requirements). Do not use for vehicles that will be registered in California, Connecticut, Delaware, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island or Washington. 1 - Requires (FE9) Federal emissions requirements. Not available in Maine or Vermont.	A <sup>1</sup>
NB9		<b>Emissions override</b> , state-specific (for dealers ordering vehicles in (YF5) or (NE1) emission states - California, Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington) 1 - Allows a California dealer (YF5 emissions) to order (NE1) emissions with (NB9) emissions override code for registration in (NE1) states; or, a Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington dealer (NE1 emissions) to order (YF5) emissions with (NB9) emissions override code for registration in California.	A <sup>1</sup>

ADDITIONAL OPTIONS			
Free Flow RPO Code	Ref. Only RPO Code	Description	Police
			(9C1) 1SB
NC7		<p><b>Emissions override</b>, Federal (for vehicles ordered by dealers in Federal emission states with (YF5) or (NE1) emissions - Not required for vehicles being shipped to California, Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont or Washington)</p> <p><b>1 - Requires (YF5) California state emissions requirements or (NE1) Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont or Washington state emissions requirements.</b></p>	A <sup>1</sup>
L77		<p><b>Engine</b>, 6.0L V8 SFI with Active Fuel Management, includes (E85) FlexFuel (gas ethanol) capability, uses gasoline or E85 fuel. (355 hp [264.7 kW] @ 5300 rpm, 384 lb-ft of torque [518.4 N-m] @ 4400 rpm)</p> <p><b>1 - No additional charge.</b></p>	A <sup>1</sup>
R9Y		<p><b>Fleet Free Maintenance Credit.</b> This option code provides a credit in lieu of the free oil changes, tire rotations and inspections (2 maximum), during the first 24 months and 24,000 miles period for this ordered vehicle. The invoice will detail the applicable credit. The customer will be responsible for all oil change, tire rotations and inspections costs for this vehicle.</p> <p><b>1 - Requires one of the following Fleet or Government order types: FBC, FBN, FCA, FCN, FLS, FNR, FRC or FGO. Not available with FDR order types.</b></p>	A <sup>1</sup>

S = Standard Equipment    A = Available    -- (dashes) = Not Available    D = ADI Available  
 ■ = Included in Equipment Group    □ = Included in Equipment Group but upgradeable

No deletions allowed to Equipment Groups. Additional options may be added; check ordering information section for compatibility.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow RPO Code	Ref. Only RPO Code	Description	Police
			(9C1) 1SB
	G80	<b>Differential</b> , limited slip	■
	LFX	<b>Engine</b> , 3.6L SIDI DOHC V6 VVT, includes (E85) FlexFuel (gas ethanol) capability, uses gasoline or E85 fuel. (301 hp [224.4 kW] @ 6700 rpm, 265 lb-ft of torque [357.8 N-m] @ 4800 rpm)	■
	TKA	<b>Mounting platform</b> , center console equipment	■
	MX0	<b>Transmission</b> , 6-speed automatic, electronically controlled	■



S = Standard Equipment A = Available -- (dashes) = Not Available D = ADI Available  
 ■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow RPO Code	Ref. Only RPO Code	Description	Police
			(9C1) 1SB
	AKC	<b>Air bags</b> , dual-stage frontal, pelvic-thorax side-impact, head curtain and knee, driver and front passenger, includes Passenger Sensing System 1 - Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.	S <sup>1</sup>
	CJ2	<b>Air conditioning</b> , dual-zone automatic climate control with pollen air filtration	S
	UFF	<b>Audio system</b> , Chevrolet MyLink radio, AM/FM stereo, includes 7" diagonal color touch-screen display	S
	UQF	<b>Audio system feature</b> , standard speaker system with 2 speakers and 2 tweeters	S
	UP9	<b>Bluetooth for phone and music</b> , personal cell phone connectivity to vehicle audio system, voice recognition, music navigator and streaming audio	S
B42		<b>Cargo mat</b> , trunk, custom-fitted, heavy-duty vinyl with molded edge	A
		<b>Cruise control</b> , electronic with set and resume speed	S
		<b>Defogger</b> , rear-window electric	S
		<b>Door locks</b> , power programmable with lockout protection	S
		<b>Door locks</b> , rear child security	S
6E3		<b>Door locks</b> , single key locking system, entire fleet coded alike. Key code is different from (6E4) door locks. 1 - Not available with (6E4) door locks. Not compatible with 2011MY-2013MY Caprice Police vehicles and all Impala and Tahoe Police vehicles.	A <sup>1</sup>
6E4		<b>Door locks</b> , single key locking system, entire fleet coded alike. Key code is different from (6E3) door locks. 1 - Not available with (6E3) door locks. Not compatible with 2011MY-2013MY Caprice Police vehicles and all Impala and Tahoe Police vehicles.	A <sup>1</sup>
	UDC	<b>Driver Information Center</b> , monochromatic display with customization features	S
		<b>Floor covering</b> , color-keyed carpeting	S
6A3		<b>Floor covering</b> , heavy-duty vinyl, front and rear 1 - Not available with (B34) carpeted floor mats.	A <sup>1</sup>
B34		<b>Floor mats</b> , carpeted front 1 - Not available with (6A3) heavy-duty vinyl floor covering. Includes (B35) carpeted rear floor mats.	A <sup>1</sup>
	B35	<b>Floor mats</b> , carpeted rear 1 - Included and only available with (B34) carpeted front floor mats.	A <sup>1</sup>
		<b>Glovebox</b> , passenger-side, non-lockable	S
	6J1	<b>Ignition</b> , 110-amp main power supply wiring at instrument panel and auxiliary 120-amps in trunk	S
		<b>Instrumentation</b> , "certified" analog, 160 mph, 1 mph increments digital display, trip odometer, warning lamps and Driver Information Center with Oil Life Monitor	S
		<b>Key</b> , folding blade fob	S

Free Flow RPO Code	Ref. Only RPO Code	Description	Police
			(9C1) 1SB
AMF		<b>Keys</b> , 6 cut with integrated Remote Keyless Entry (not programmed, see owner's manual); vehicle specific keyless entry for common fleet frequency not available; include remote vehicle start NOTE: programming of keys and remotes is at customer's expense. Programming keys and remotes is not a warranty expense.	A
T53		<b>Lamps</b> , (LED) red and blue random flashing trunk lid warning	A
		<b>Lighting</b> , interior with center-mounted dome and rear reading lights	S
		<b>Lighting</b> , trunk courtesy lamp	S
6C7		<b>Lighting</b> , red and white front auxiliary dome	A
	D31	<b>Mirror</b> , inside rearview manual day/night	S
		<b>Monitor</b> , engine hours and idle hours, displayed in Driver Information Center	S
	TKA	<b>Mounting platform</b> , center console equipment	■
		<b>Power outlet</b> , 1 located on instrument panel, 12-volt	S
6N6		<b>Rear door locks and handles</b> , inside door inoperative 1 - Doors can be opened from the outside.	A <sup>1</sup>
6N5		<b>Rear window switches</b> , inoperative 1 - Rear power windows operate only from driver position.	A <sup>1</sup>
	UVC	<b>Rear Vision Camera</b>	S
	BTV	<b>Remote vehicle starter system</b> , includes Remote Keyless Entry	S
		<b>Retained accessory power</b> , power windows and audio system remain operational after ignition is switched off for 10 minutes or until a door is opened	S
		<b>Safety belt pretensioners</b> , front row seats	S
		<b>Safety belts</b> , 3-point, all seating positions	S
	AH6	<b>Seat adjuster</b> , driver 4-way power, height and lumbar with manual recline and fore/aft	S
	AH7	<b>Seat adjuster</b> , front passenger 4-way power, height and lumbar with manual recline and fore/aft	S
	HCQ	<b>Seats</b> , front bucket, cloth with heavy-duty foam, vinyl rear bench, includes seatback security panel, polypropylene rear door trim and vinyl floor covering	S
	M1A	<b>Shift lever</b> , column-mounted	S
SGT		<b>Speed limiter</b> , 130 mph top speed	A
		<b>Steering column</b> , tilt and telescopic	S
	NK5	<b>Steering wheel</b>	S
		<b>Steering wheel controls</b> , mounted audio controls	S
		<b>Surveillance mode</b> , circuit for connection to customer switch	S
		<b>Theft-deterrent system</b> , vehicle, PASS-Key III+	S
	UJM	<b>Tire Pressure Monitor System</b>	S
		<b>Tools</b> , mechanical jack and wheel wrench	S
	A98	<b>Trunk release</b> , ignition controlled	S
		<b>Visors</b> , driver and front passenger vanity mirrors, covered	S

Free Flow RPO Code	Ref. Only RPO Code	Description	Police
			(9C1) 1SB
		<b>Windows</b> , power with driver and front passenger Express-Down and rear passenger lockout	S
6J3		<b>Wiring</b> , grille lamps and siren speaker	A
6J4		<b>Wiring</b> , horn and siren circuit, inline for customer-furnished switch	A

S = Standard Equipment A = Available -- (dashes) = Not Available D = ADI Available  
 ■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow RPO Code	Ref. Only RPO Code	Description	Police
			(9C1) 1SB
	U71	Antenna, roof-mounted, fixed mast, radio	S
	T3W	Daytime Running Lamps, reduced intensity low beam	S
VVS		Daytime Running Lamps and automatic headlamps, delete	A
	D72	Door handles, Black	S
		Fascias, front and rear body-color	S
6J7		Flasher system, headlamp and taillamp, DRL compatible with control wire	A
		Glass, Solar-Ray light-tinted, windshield, driver and front passenger, light-tinted rear backglass	S
	AKP	Glass, solar absorbing	S
	T4A	Headlamps, halogen with automatic exterior lamp control	S
		Horn, dual-note high and low	S
		Lamp, center high-mounted stop/brake (CHMSL)	S
	VK3	License plate bracket, front	S
		Lock cylinders, driver and front passenger doors	S
	BDR	Lock cylinder, trunk	S
	DP2	Mirrors, outside power-adjustable, Black, manual-folding	S
DR9		Mirrors, outside heated power-adjustable, Black, manual-folding	A
	MDC	Moldings, chrome belt-line	S
6B7		Roof hole, on-centerline 1 - Not available with (6J5) passenger-side roof hole.	A <sup>1</sup>
6J5		Roof hole, passenger-side 1 - Not available with (6B7) on-centerline roof hole.	A <sup>1</sup>
7X6		Spotlamp, driver-side 1 - Not available with (7X7) driver- and passenger-side spotlamp, (7X8) driver-side spotlamp provision or (7X9) driver- and passenger-side spotlamp provision.	A <sup>1</sup>
7X7		Spotlamp, driver- and passenger-side 1 - Not available with (7X6) driver-side spotlamp, (7X8) driver-side spotlamp provision or (7X9) driver- and passenger-side spotlamp provision.	A <sup>1</sup>
7X8		Spotlamp provision, driver-side 1 - Not available with (7X6) driver-side spotlamp, (7X7) driver- and passenger-side spotlamp or (7X9) driver- and passenger-side spotlamp provision.	A <sup>1</sup>
7X9		Spotlamp provision, driver- and passenger-side 1 - Not available with (7X6) driver-side spotlamp, (7X7) driver- and passenger-side spotlamp or (7X8) driver-side spotlamp provision.	A <sup>1</sup>
	R5M	Tires, P235/50R18 all-season blackwall, Goodyear	S
	SG8	Wheel, 18" (45.7 cm) full-size spare and tire 1 - Includes (UJM) Tire Pressure Monitor System sensor, not programmed. Includes full-size tire.	S <sup>1</sup>

**2017 Chevrolet Car Caprice Police EXTERIOR  
Patrol Vehicle**

Free Flow RPO Code	Ref. Only RPO Code	Description	Police
			(9C1) 1SB
	RT3	<b>Wheels</b> , 18" (45.7 cm) heavy-duty steel	S
		<b>Wheel center cap</b> , bolt-on, forged aluminum	S
W2P		<b>Wheel cover</b> , full	A
		<b>Wipers</b> , front intermittent, variable	S

**2017 Chevrolet Car Caprice Police  
Patrol Vehicle**

**MECHANICAL**

S = Standard Equipment    A = Available    -- (dashes) = Not Available    D = ADI Available  
 ■ = Included in Equipment Group    □ = Included in Equipment Group but upgradeable

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow RPO Code	Ref. Only RPO Code	Description	Police
			(9C1) 1SB
	KW7	<b>Alternator</b> , 170 amps with idle boost	S
		<b>Battery</b> , 700 cold-cranking amps, located in trunk with Battery Rundown Protection	S
K5S		<b>Battery</b> , auxiliary, with AGM, 700 cold-cranking amps, 70-amp hour for accessory equipment, located in trunk	A
		<b>Brake/transmission shift interlock</b>	S
	JFA	<b>Brake</b> , parking, foot apply	S
	JL9	<b>Brakes</b> , 4-wheel antilock, 4-wheel disc, heavy-duty	S
		<b>Cooling</b> , engine oil cooler 1 - Included and only available with (L77) 6.0L V8 engine.	A <sup>1</sup>
		<b>Cooling</b> , transmission oil cooler	S
	G80	<b>Differential</b> , limited slip	■
FE9		<b>Emissions</b> , Federal requirements	A
YF5		<b>Emissions</b> , California state requirements	A
NE1		<b>Emissions</b> , Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington state requirements	A
NB8		<b>Emissions override</b> , California (allows a dealer in states that require California emissions - California, Connecticut, Delaware, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island or Washington - to order Federal emissions for a vehicle that will be registered in a state that has Federal emission requirements). Do not use for vehicles that will be registered in California, Connecticut, Delaware, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island or Washington. 1 - Requires (FE9) Federal emissions requirements. Not available in Maine or Vermont.	A <sup>1</sup>
NB9		<b>Emissions override</b> , state-specific (for dealers ordering vehicles in (YF5) or (NE1) emission states - California, Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington) 1 - Allows a California dealer (YF5 emissions) to order (NE1) emissions with (NB9) emissions override code for registration in (NE1) states; or, a Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington dealer (NE1 emissions) to order (YF5) emissions with (NB9) emissions override code for registration in California.	A <sup>1</sup>
NC7		<b>Emissions override</b> , Federal (for vehicles ordered by dealers in Federal emission states with (YF5) or (NE1) emissions - Not required for vehicles being shipped to California, Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont or Washington) 1 - Requires (YF5) California state emissions requirements or (NE1) Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont or Washington state emissions requirements.	A <sup>1</sup>
	LFX	<b>Engine</b> , 3.6L SIDI DOHC V6 VVT, includes (E85) FlexFuel (gas ethanol) capability, uses gasoline or E85 fuel. (301 hp [224.4 kW] @ 6700 rpm, 265 lb-ft of torque [357.8 N-m] @ 4800 rpm)	■

Free Flow RPO Code	Ref. Only RPO Code	Description	Police
			(9C1) 1SB
L77		<b>Engine</b> , 6.0L V8 SFI with Active Fuel Management, includes (E85) FlexFuel (gas ethanol) capability, uses gasoline or E85 fuel. (355 hp [264.7 kW] @ 5300 rpm, 384 lb-ft of torque [518.4 N-m] @ 4400 rpm) <b>1 - No additional charge.</b>	A <sup>1</sup>
	N10	<b>Exhaust system</b> , dual, stainless-steel	S
R9Y		<b>Fleet Free Maintenance Credit.</b> This option code provides a credit in lieu of the free oil changes, tire rotations and inspections (2 maximum), during the first 24 months and 24,000 miles period for this ordered vehicle. The invoice will detail the applicable credit. The customer will be responsible for all oil change, tire rotations and inspections costs for this vehicle. <b>1 - Requires one of the following Fleet or Government order types: FBC, FBN, FCA, FCN, FLS, FNR, FRC or FGO. Not available with FDR order types.</b>	A <sup>1</sup>
		<b>Oil life monitoring system</b>	S
	GW8	<b>Rear axle</b> , 2.92 ratio	S
		<b>Rear-Wheel Drive (RWD)</b>	S
	NJ1	<b>Steering</b> , power, electric (EPS)	S
	7B3	<b>Suspension</b> , Heavy-Duty Police	S
		<b>Throttle control</b> , electronic	S
	MX0	<b>Transmission</b> , 6-speed automatic, electronically controlled	■

**2017 Chevrolet Car Caprice Police  
Patrol Vehicle**

**COLOR AND TRIM**

S = Standard Equipment    A = Available    -- (dashes) = Not Available  
 ■ = Included in Equipment Group    □ = Included in Equipment Group but upgradeable


Model	Seat Type	Seat Code	Seat Trim	Interior
				Jet Black
(9C1)	Cloth front buckets w/vinyl rear bench and vinyl flooring	HCQ	Cloth/Vinyl	4AA

Exterior Solid Paint	Color Code	Touch Up Paint Number	Interior
			Jet Black
Silver Ice Metallic	GAN	WA-636R	A
Red Hot	GHY	WA-687F	A
Phantom Black Metallic	GIE	WA-690F	A
Heron White	GII	WA-679F	A



**2017 Chevrolet Car Caprice Police Patrol DIMENSIONS**  
**Vehicle**

All dimensions in inches (mm) unless otherwise stated.

	Specifications		1EW19 Sedan
	A	<b>Wheelbase</b>	118.50 (3010)
	B	<b>Overall length</b>	204.20 (5187)
		<b>Body width</b>	74.75 (1899)
	D	<b>Overall height</b>	58.66 (1490)
		<b>Front track width</b>	62.83 (1596)
		<b>Rear track width</b>	63.23 (1606)
		<b>Head room, front</b>	38.73 (984)
		<b>Head room, rear</b>	37.56 (954)
		<b>Shoulder room, front</b>	59.11 (1501)
		<b>Shoulder room, rear</b>	59.00 (1499)
		<b>Hip room, front</b>	57.51 (1461)
		<b>Hip room, rear</b>	57.95 (1472)
		<b>Leg room, front</b>	42.19 (1072)
		<b>Leg room, rear</b>	43.21 (1098)
		<b>Ground clearance, exhaust system</b>	6.02 (153)

Published dimensions indicated are without optional equipment or accessories. Additional accessories or equipment ordered at the customer's request can result in a minor change in these dimensions.

**2017 Chevrolet Car Caprice Police Patrol SPECS  
Vehicle**

	<b>1EW19 Sedan 9C1</b>
<b>Specifications</b>	
Turning diameter, curb-to-curb, ft. (m)	38.0 (11.6)
<b>Capacities</b>	
Curb weight, V6, lbs. (kg)	4043 (1834)
Curb weight, V8, lbs. (kg)	4162 (1888)
Cargo volume, cu. ft. (liters)	17.4 (492.8)
Payload, V6 <sup>1</sup> , lbs. (kg)	1182 (536)
Payload, V8 <sup>2</sup> , lbs. (kg)	1173 (532)
Gross Vehicle Weight Rating (GVWR), V6, lbs. (kg)	5247 (2380)
Gross Vehicle Weight Rating (GVWR), V8, lbs. (kg)	5357 (2430)
Fuel capacity, approximate, U.S., gallon (liters)	19 (72)
Seating capacity (front/rear)	2/3
1. Maximum payload capacity includes weight of driver, passengers, optional equipment and cargo. 2. Maximum payload capacity includes weight of driver, passengers, optional equipment and cargo.	

**2017 Chevrolet Car Caprice Police Patrol WHEELS  
Vehicle**



RT3  
**Wheels**, 18" (45.7 cm) heavy-duty steel

2017 Chevrolet Car Caprice Police Patrol RADIOS  
Vehicle



UFF

**Audio system**, Chevrolet MyLink radio, AM/FM stereo, includes 7" diagonal color touch-screen display

**2017 Chevrolet Car Caprice Police Patrol RPO CODES  
Vehicle**

Option Code	Description
6A3	Floor covering, heavy-duty vinyl
6B7	Roof hole, on-centerline
6C7	Lighting, red and white front auxiliary dome
6E3	Door locks, single key locking system, entire fleet coded alike
6E4	Door locks, single key locking system, entire fleet coded alike
6J1	Ignition, 110-amp
6J3	Wiring, grille lamps and siren speaker
6J4	Wiring, horn and siren circuit
6J5	Roof hole, passenger-side
6J7	Flasher system, headlamp and taillamp, DRL compatible
6N5	Rear window switches, inoperative
6N6	Rear door locks and handles, inside door inoperative
7B3	Suspension, Heavy-Duty Police
7X6	Spotlamp, driver-side
7X7	Spotlamp, driver- and passenger-side
7X8	Spotlamp provision, driver-side
7X9	Spotlamp provision, driver- and passenger-side
A98	Trunk release, ignition controlled
AH6	Seat adjuster, driver 4-way power
AH7	Seat adjuster, front passenger 4-way power
AKC	Air bags, dual-stage frontal, pelvic-thorax side-impact, head curtain and knee, driver and front passenger
AKP	Glass, solar absorbing
AMF	Keys, 6 cut
B34	Floor mats, carpeted front
B35	Floor mats, carpeted rear
B42	Cargo mat, trunk
BDR	Lock cylinder, trunk
BTV	Remote vehicle starter system
CJ2	Air conditioning, dual-zone automatic climate control
D31	Mirror, inside rearview manual day/night
D72	Door handles, Black
DP2	Mirrors, outside power-adjustable, Black
DR9	Mirrors, outside heated power-adjustable, Black
FE9	Emissions, Federal requirements
G80	Differential, limited slip
GW8	Rear axle, 2.92 ratio
HCQ	Seats, front bucket, cloth with heavy-duty foam, vinyl rear bench
JFA	Brake, parking
JL9	Brakes, 4-wheel antilock, 4-wheel disc
K5S	Battery, auxiliary, with AGM, 700 cold-cranking amps
KW7	Alternator, 170 amps
L77	Engine, 6.0L V8 SFI
LFX	Engine, 3.6L SIDI DOHC V6 VVT
M1A	Shift lever, column-mounted
MDC	Moldings, chrome belt-line
MX0	Transmission, 6-speed automatic
N10	Exhaust system, dual, stainless-steel
NB8	Emissions override, California

**2017 Chevrolet Car Caprice Police Patrol RPO CODES  
Vehicle**

Option Code	Description
NB9	Emissions override, state-specific
NC7	Emissions override, Federal
NE1	Emissions, Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington state requirements
NJ1	Steering, power
NK5	Steering wheel
R5M	Tires, P235/50R18 all-season blackwall
R9Y	Fleet Free Maintenance Credit
RT3	Wheels, 18" (45.7 cm) heavy-duty steel
SG8	Wheel, 18" (45.7 cm) full-size spare and tire
SGT	Speed limiter, 130 mph top speed
T3W	Daytime Running Lamps
T4A	Headlamps, halogen
T53	Lamps, (LED) red and blue random flashing trunk lid warning
TKA	Mounting platform, center console
U71	Antenna, roof-mounted
UDC	Driver Information Center
UFF	Audio system, Chevrolet MyLink radio
UJM	Tire Pressure Monitor System
UP9	Bluetooth for phone and music
UQF	Audio system feature, standard speaker system
UVC	Rear Vision Camera
VK3	License plate bracket, front
VVS	Daytime Running Lamps and automatic headlamps, delete
W2P	Wheel cover, full
YF5	Emissions, California state requirements

No Distribution Updates Available for the Selected Time Frame.