

S = Standard Equipment A = Available -- (dashes) = Not Available D = ADI Available  
 ■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

\*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
	AK5	<b>Air bags</b> , frontal, driver and right-front passenger 1 - Included and only available with (ZX2) driver and front passenger high-back bucket seats or (ZP0) driver and passenger temporary seats. Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>
	ASF	<b>Air bags</b> , driver and right-front passenger, seat-mounted side-impact and head curtain side-impact 1 - Included and only available with (C4M) 9900 lb. (4490 kg) GVWR or (C7A) 10,000 lb. (4536 kg) GVWR. Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.	S <sup>1</sup>	S <sup>1</sup>	--	--	--
		<b>Air bag deactivation switch</b> , frontal, passenger-side 1 - Not available with (AJ3) frontal, driver-side only air bag. Always use safety belts and the correct child restraints. NOTE: Passenger seat is removed when ordered. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>
	C60	<b>Air conditioning</b> , single-zone manual 1 - Not available with (R6G) air conditioning delete.	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>
		<b>Assist handles</b> , driver and right-front passenger	S	S	S	S	S
	U0F	<b>Audio system</b> , AM/FM stereo with MP3 player, seek-and-scan, digital clock, TheftLock, random select, auxiliary jack and 2 front door speakers 1 - Not available with (U2K) SiriusXM Satellite Radio or (YF1) RV Package. 2 - Not available with (U2K) SiriusXM Satellite Radio.	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>	S <sup>2</sup>
		<b>Cup holders</b> , 3 on the engine console cover	S	S	S	S	S
		<b>Driver Information Center</b> , includes fuel range, average speed, oil life, fuel used, ice warning, engine hours, average fuel economy, tachometer and maintenance reminders	S	S	S	S	S
	B31	<b>Floor covering</b> , Black rubberized-vinyl front	S	S	S	S	S
		<b>Headliner</b> , cloth, over driver and passenger	S	S	S	S	S
		<b>Heater and defogger</b> with front and side window defoggers	S	S	S	S	S
		<b>Instrumentation</b> , analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature and oil pressure	S	S	S	S	S
		<b>Lighting</b> , interior with dome light and door handle-activated switches	S	S	S	S	S

Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
	D31	<b>Mirror</b> , inside rearview manual day/night 1 - Not available with (UVC) rear vision camera.	A <sup>1</sup>	A <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>
	DRJ	<b>Mirror</b> , inside rearview, includes Rear Vision Camera display 1 - Requires (UVC) Rear Vision Camera.	S <sup>1</sup>	S <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
		<b>OnStar Basic Plan</b> for 5 years, includes select vehicle mobile app features, Advanced Diagnostics and Dealer Maintenance Notification 1 - Included and only available with (UE1) OnStar. Basic Plan available for 5 years from the date of vehicle delivery and is transferable. Does not include Emergency, Security or Navigation services.	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>
	VV4	<b>OnStar 4G LTE</b> and available built-in Wi-Fi hotspot for up to 7 devices; includes data trial for 3 months or 3GB (whichever comes first) 1 - Included and only available with (UE1) OnStar. Visit <a href="http://www.onstar.com">www.onstar.com</a> for coverage map, details and system limitations. Services vary by model. OnStar acts as a link to existing emergency service providers. Not all vehicles may transmit all crash data. Available Wi-Fi requires compatible mobile device, active OnStar service and data plan. Data plans provided by AT&T.	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>
	KI4	<b>Power outlet</b> , 120-volt	S	S	S	S	S
		<b>Power outlets</b> , 2 auxiliary on engine console cover with covers, 12-volt	S	S	S	S	S
UVC		<b>Rear Vision Camera</b> , camera and cable shipped loose 1 - Display included with (DRJ) inside rearview mirror. Required with (C4M) 9900 lb. (4490 kg) GVWR and (C7A) 10,000 lb. (4536 kg) GVWR. Available to order as a free flow option with (JFF) 10,100 lb. (4581 kg) GVWR or (C7N) 12,300 lb. (5579 kg) GVWR. 2 - Display included with (DRJ) inside rearview mirror. Required with (C4M) 9900 lb. (4490 kg) GVWR and (C7A) 10,000 lb. (4536 kg) GVWR. Available to order as a free flow option with (C7N) 12,300 lb. (5579 kg) GVWR. 3 - Display included with (DRJ) inside rearview mirror.	S <sup>1</sup>	S <sup>2</sup>	A <sup>3</sup>	A <sup>3</sup>	A <sup>3</sup>
	AR7	<b>Seats</b> , front bucket with vinyl trim and head restraints, includes inboard armrests 1 - Requires (**W) trim. Not available with SEO (ZP0) delete driver and passenger seats. Includes only driver high-back bucket seat with vinyl trim when ordered with (ZX1) driver-only high-back bucket seating arrangement.	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>
	ZX2	<b>Seating arrangement</b> , driver and front passenger high-back bucket, includes head restraints and vinyl or cloth trim 1 - Not available with (AJ3) driver-side only frontal air bag.	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>
		<b>Theft-deterrent system</b> , vehicle, PASS-Key III	S	S	S	S	S
	UJM	<b>Tire Pressure Monitoring System</b> (does not monitor spare tires) 1 - Required with (C4M) 9900 lbs. (4490 kg) GVWR and (R04) single rear 4 - 16" x 6.5" (40.6 cm x 16.5 cm) wheels.	S <sup>1</sup>	S <sup>1</sup>	--	--	--
		<b>Tow/haul mode selector</b> , instrument panel-mounted	S	S	S	S	S
		<b>Visors</b> , driver and front passenger, cloth, padded	S	S	S	S	S
		<b>Warning tones</b> , headlamp on and key-in-ignition	S	S	S	S	S

Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
	ZW9	Body, standard	S	S	S	S	S
		Bumper, front painted Black with step-pad 1 - Deleted when (ZR7) Chrome Appearance Package is ordered.	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>
		Daytime Running Lamps	S	S	S	S	S
		Flasher, heavy duty, light emitting diode (LED)	S	S	S	S	S
		Glass, Solar-Ray light-tinted, all windows	S	S	S	S	S
		Grille, Black composite 1 - Not available with (ZR7) Chrome Appearance Package.	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>
		Headlamps, dual halogen composite	S	S	S	S	S
	D28	Mirrors, outside delete 1 - Not available with (5Q7) Upfitter option Blank Sail Panel Delete when ordered with (YF2) Ambulance Package.	S <sup>1</sup>	S <sup>1</sup>	S	S <sup>1</sup>	S
	ZY1	Paint, solid	S	S	S	S	S
	XLP	Tires, front LT245/75R16E all-season, blackwall 1 - Requires (R04) single rear wheel configuration. Jack and spare tire equipment bracket are not included.	S <sup>1</sup>	S <sup>1</sup>	--	--	--
	YLP	Tires, rear LT245/75R16E all-season, blackwall 1 - Requires (R04) single rear wheel configuration. Jack and spare tire equipment bracket are not included.	S <sup>1</sup>	S <sup>1</sup>	--	--	--
	XHF	Tires, front LT225/75R16E all-season, blackwall 1 - Requires (R05) dual rear wheel configuration. Jack and spare tire equipment bracket are not included.	A <sup>1</sup>	A <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>
	YHF	Tires, rear LT225/75R16E all-season, blackwall 1 - Requires (R05) dual rear wheel configuration. Jack and spare tire equipment bracket are not included.	A <sup>1</sup>	A <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>
	R04	Wheel configuration, rear, single 1 - Not available with (C7A) 10,000 lbs. (4536 kg) GVWR or (C7N) 12,300 lbs. (5579 kg.) GVWR.	S <sup>1</sup>	S <sup>1</sup>	--	--	--
	R05	Wheel configuration, rear, dual 1 - Not available with (C4M) 9900 lb. (4490 kg) GVWR or (JFF) 10,100 lb. (4581 kg) GVWR.	A <sup>1</sup>	A <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>
	QB5	Wheels, 4 - 16" x 6.5" (40.6 cm x 16.5 cm), 8-lug painted steel, heavy-duty 1 - Only available with (R04) single rear wheel configuration.	S <sup>1</sup>	S <sup>1</sup>	--	--	--
	QT4	Wheels, 6 - 16" x 6.5" (40.6 cm x 16.5 cm) 8-lug painted steel, heavy duty 1 - Only available with (R05) dual rear wheel configuration.	A <sup>1</sup>	A <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>
		Wipers, front intermittent wet-arm with pulse washers	S	S	S	S	S
	KG4	Alternator, 150 amps	S	S	S	S	S
		Battery, 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power	S	S	S	S	S
		Brakes, 4-wheel antilock, 4-wheel disc	S	S	S	S	S
		Brake/transmission shift interlock, for automatic transmissions	S	S	S	S	S

Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
	KC4	<b>Cooling</b> , external engine oil cooler	S	S	S	S	S
	LV1	<b>NEW! Engine</b> , 4.3L V6 with Direct Injection and Variable Valve Timing, includes aluminum block construction (265 hp [198 kW] @ 5200 rpm, 295 lb-ft of torque [400 Nm] @ 4000 rpm) 1 - Requires (C4M) 9900 lbs. (4490 kg) GVWR, (C7A) 10,000 lbs. (4536 kg) GVWR or (JFF) 10,100 lb. (4581 kg) GVWR. Not available with (YF2) Ambulance Package, (YF1) RV Package, (ANC) Shuttle Bus Package or (C7N) 12,300 lbs. (5579 kg) GVWR. Includes external engine oil cooler. Reference the Engine/Axle page for availability. 2 - Requires (C4M) 9900 lbs. (4490 kg) GVWR or (C7A) 10,000 lbs. (4536 kg) GVWR. Not available with (YF2) Ambulance Package, (YF1) RV Package, (ANC) Shuttle Bus Package, (B3D) School Bus Package or (C7N) 12,300 lbs. (5579 kg) GVWR. Not available with (ENC) HVAC system auxiliary rear heat provisions. Includes external engine oil cooler. Reference the Engine/Axle page for availability.	S <sup>1</sup>	S <sup>2</sup>	--	--	--
L96		<b>Engine</b> , Vortec 6.0L V8 (341 hp [254.3 kW] @ 5400 rpm, 373 lb-ft of torque [503.6 N-m] @ 4400 rpm) 1 - Includes external oil cooler. Requires (MYD) 6-speed heavy-duty automatic transmission. Reference the Engine/Axle page for availability.	A <sup>1</sup>	A <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>
		<b>Exhaust</b> , aluminized stainless-steel muffler and tailpipe	S	S	S	S	S
		<b>Frame</b> , ladder-type	S	S	S	S	S
		<b>Fuel tank capacity</b> , mid-frame and approximately 33 gallons (124.9L)	S	S	S	S	S
	C4M	<b>GVWR</b> , 9900 lbs. (4490 kg) 1 - Includes (R04) single rear wheel configuration. Not available with (R05) dual rear wheel combination. Reference the Engine/Axle page for availability.	S <sup>1</sup>	S <sup>1</sup>	--	--	--
	C7N	<b>GVWR</b> , 12,300 lbs. (5579 kg) 1 - Includes (R05) dual rear wheel configuration. Not available with (R04) single rear wheel combination. Reference the Engine/Axle page for availability.	A <sup>1</sup>	A <sup>1</sup>	S	--	--
	C7I	<b>GVWR</b> , 14,200 lbs. (6441 kg)	--	--	--	S	S
	VXT	<b>Incomplete vehicle certification</b>	S	S	S	S	S
		<b>Oil life monitor</b>	S	S	S	S	S
	GU6	<b>Rear axle</b> , 3.42 ratio 1 - Requires (R04) single rear wheel configuration.	S <sup>1</sup>	S <sup>1</sup>	--	--	--
	GT4	<b>Rear axle</b> , 3.73 ratio 1 - Requires (R05) dual rear wheel configuration.	A <sup>1</sup>	A <sup>1</sup>	S <sup>1</sup>	--	--
	GT5	<b>Rear axle</b> , 4.10 ratio 1 - Included and only available with (NHT) Enhanced Towing Performance Package.	--	A <sup>1</sup>	A <sup>1</sup>	S	S
	JL4	<b>StabiliTrak</b> , traction assistance and vehicle stability enhancement system	S	S	S	S	S
		<b>Steering</b> , power	S	S	S	S	S
		<b>Suspension</b> , front independent with coil springs and stabilizer bar	S	S	S	S	S

Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
		<b>Suspension</b> , rear hypoid drive axle with multi-leaf springs	S	S	S	S	S
		<b>NEW! Hill Start Assist</b>	S	S	S	S	S
	M5U	<b>NEW! Transmission</b> , 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking	S	S	--	--	--
MYD		<b>Transmission</b> , 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking 1 - Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI gaseous engine. Reference the Engine/Axle page availability. 2 - Reference the Engine/Axle page availability.	A <sup>1</sup>	A <sup>1</sup>	S <sup>2</sup>	S <sup>2</sup>	S <sup>2</sup>
	V14	<b>Transmission oil cooler</b> , external	S	S	S	S	S

S = Standard Equipment    A = Available    -- (dashes) = Not Available    D = ADI Available  
 ■ = Included in Equipment Group    □ = Included in Equipment Group but upgradeable

No deletions allowed to Equipment Groups. Additional options may be added; check ordering information section for compatibility.

\*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

**Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.**

Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
		Standard Equipment	■	■	■	■	■

S = Standard Equipment A = Available -- (dashes) = Not Available D = ADI Available  
 ■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

No deletions allowed to Equipment Groups. Additional options may be added; check ordering information section for compatibility.

\*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
		Standard Equipment	■	■	■	■	■
ADDITIONAL OPTIONS							
Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
R6G		<b>Air conditioning delete</b> 1 - Not available with (YF1) RV Package, (YF2) Ambulance Package, (DEB) outside heated, power-adjustable Black mirrors with single pane glass or (DE5) outside heated, power-adjustable Black mirrors. 2 - Not available with (YF1) RV Package. 3 - Not available with (YF1) RV Package or (YF2) Ambulance Packages.	A <sup>1</sup>	A <sup>1</sup>	A <sup>2</sup>	A <sup>3</sup>	A
U0H		<b>Audio system</b> , AM/FM stereo with MP3 player and USB port, includes seek-and-scan, digital clock, TheftLock, random select, auxiliary jack and 2 front door speakers 1 - Not available with (U2K) SiriusXM Satellite Radio.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
US8		<b>Audio system</b> , AM/FM stereo with CD/MP3 player, USB port, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), TheftLock, random select, auxiliary jack and 2 front door speakers 1 - Required with (U2K) SiriusXM Satellite radio.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
UI8		<b>Audio system</b> , Chevrolet MyLink radio with Navigation, 6.5" diagonal color touch-screen display, AM/FM stereo with CD player, USB port, includes Bluetooth streaming audio for music and select phones; Hands-Free smartphone integration with Pandora and Stitcher; voice-activated technology for radio and phone 1 - Requires (ZQ3) Driver Convenience Package, (NP5) leather-wrapped steering wheel and (W1Y) steering wheel controls. Includes (UBS) NavTraffic, (USR) USB port and (UPF) Bluetooth for phone. Not available with (U2K) SiriusXM Satellite Radio.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
UXZ		<b>Audio system</b> , radio provisions only. Includes alarm warning chimes, radio wiring harness, radio antenna and 2 front door speakers 1 - Requires Fleet or Government type order and (UE0) OnStar delete. Not available with (UE1) OnStar or (U2K) XM Satellite Radio.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>

ADDITIONAL OPTIONS							
Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
UPF		<b>Bluetooth for phone</b> , personal cell phone connectivity to vehicle audio system 1 - Requires (NP5) leather-wrapped steering wheel, (W1Y) steering wheel controls and (ZQ3) Driver Convenience Package. Included with (UI8) Chevrolet MyLink radio with Navigation. With (U0F) AM/FM stereo with MP3 player, (U0H) AM/FM stereo with MP3 player and USB port or (US8) AM/FM stereo with MP3 compatible CD player requires (UE1) OnStar hardware (subscription to OnStar services not required for operation). NOTE: With (UI8) Chevrolet MyLink radio with Navigation (UE1) OnStar hardware is not required.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
U2K		<b>SiriusXM Satellite Radio</b> is standard on nearly all 2018 GM models. Enjoy a 3-month All Access trial subscription with over 150 channels including commercial-free music, plus sports, news and entertainment. Plus listening on the app and online is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. 1 - Only available with the combination of (UE1) OnStar and (US8) AM/FM stereo with MP3 compatible CD player. If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-866-635-2349. See our Customer Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
UJ1		<b>Brake warning indicator</b> , monitors brake system pressure, with loss of pressure an audible alarm (chime) and cluster telltale is lit 1 - Included with (B3D) School Bus Package. Not available with (YF1) RV Package or (YF2) Ambulance Package. 2 - Not available with (YF1) RV Package.	A <sup>1</sup>	A <sup>1</sup>	A <sup>2</sup>	A <sup>1</sup>	A <sup>2</sup>
BA3		<b>Console</b> , engine cover with swing-out storage bin 1 - Included with (AS5) Custom Cloth front bucket seats and (YF1) RV Package.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
ZQ2		<b>Power Convenience Package</b> , includes (A31) power windows and (AU3) power door locks 1 - Includes (A31) power windows and (AU3) power door locks. Included with (YF1) RV Package. Not available with (9T7) passenger side door delete. NOTE: Does not include (ATG) Remote Keyless Entry. (ATG) Remote Keyless Entry must be ordered separately.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
ZQ3		<b>Driver Convenience Package</b> , includes Tilt-Wheel and (K34) cruise control 1 - Included with (YF1) RV Package or (ANC) Shuttle Bus Package. 2 - Included with (YF1) RV Package.	A <sup>1</sup>	A <sup>1</sup>	A <sup>2</sup>	A <sup>1</sup>	A <sup>1</sup>
AU3		<b>Door locks</b> , power with lock-out protection 1 - Included with (ZQ2) Power Convenience Package. NOTE: Does not include (ATG) Remote Keyless Entry. (ATG) Remote Keyless Entry must be ordered separately.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>



ADDITIONAL OPTIONS							
Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
9D9		<b>Mirror, inside rearview delete</b> , this option deletes the inside rearview mirror 1 - Not available with (C4M) 9900 lb. (4490 kg) GVWR or (C7A) 10,000 lb. (4536 kg) GVWR.	A <sup>1</sup>	A <sup>1</sup>	A	A	A
UE1		<b>OnStar</b> Guidance Plan Limited Trial Service, including Automatic Crash Response, Stolen Vehicle Assistance, Roadside Assistance, Turn-by-Turn Navigation, Advanced Diagnostics and more (trial excludes Hands-Free Calling minutes) 1 - Not available with (YF1) RV Package, (YF2) Ambulance Package or (UXZ) radio provisions only audio system. Included with (FDR) Fleet Daily Rental order types. Fleet orders receive a 6-month trial. Visit <a href="http://www.onstar.com">www.onstar.com</a> for coverage map, details and system limitations. Services vary by model. OnStar acts as a link to existing emergency service providers. Not all vehicles may transmit all crash data. 2 - Not available with (YF1) RV Package or (UXZ) radio provisions only audio system. Included with (FDR) Fleet Daily Rental order types. Fleet orders receive a 6-month trial. Visit <a href="http://www.onstar.com">www.onstar.com</a> for coverage map, details and system limitations. Services vary by model. OnStar acts as a link to existing emergency service providers. Not all vehicles may transmit all crash data. 3 - Not available with (UXZ) radio provisions only audio system. Included with (FDR) Fleet Daily Rental order types. Fleet orders receive a 6-month trial. Visit <a href="http://www.onstar.com">www.onstar.com</a> for coverage map, details and system limitations. Services vary by model. OnStar acts as a link to existing emergency service providers. Not all vehicles may transmit all crash data.	A <sup>1</sup>	A <sup>1</sup>	A <sup>2</sup>	A <sup>1</sup>	A <sup>3</sup>
UE0		<b>NEW! OnStar</b> , delete 1 - Required with (UXZ) radio provisions. Requires a Fleet or Government Order Type or (UI8) Chevrolet MyLink radio with navigation on all order types.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
UFA		<b>Outside temperature display</b> 1 - Requires (ZR7) Chrome Appearance Package.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
UVC		<b>Rear Vision Camera</b> , camera and cable shipped loose 1 - Display included with (DRJ) inside rearview mirror. Required with (C4M) 9900 lb. (4490 kg) GVWR and (C7A) 10,000 lb. (4536 kg) GVWR. Available to order as a free flow option with (JFF) 10,100 lb. (4581 kg) GVWR or (C7N) 12,300 lb. (5579 kg) GVWR. 2 - Display included with (DRJ) inside rearview mirror. Required with (C4M) 9900 lb. (4490 kg) GVWR and (C7A) 10,000 lb. (4536 kg) GVWR. Available to order as a free flow option with (C7N) 12,300 lb. (5579 kg) GVWR. 3 - Display included with (DRJ) inside rearview mirror.	S <sup>1</sup>	S <sup>2</sup>	A <sup>3</sup>	A <sup>3</sup>	A <sup>3</sup>
ATG		<b>Remote Keyless Entry</b> with 2 transmitters and remote panic button 1 - Requires (AU3) power door locks. Not available with (B3D) School Bus Package.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
BTV		<b>Remote vehicle starter system</b> 1 - Requires (ATG) remote keyless entry.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>

ADDITIONAL OPTIONS							
Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
AS5		<b>Seats</b> , front bucket with Custom Cloth trim, head restraints and inboard armrests 1 - Requires (**G) trim. Not available with SEO (ZP0) driver and passenger seat delete. Includes only driver high-back bucket seat with Custom Cloth trim when ordered with (ZX1) driver-only high-back bucket seating arrangement. Includes (BA3) engine cover console with swing-out bin.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
ZP0		<b>Seats</b> , delete driver and passenger, leaves seat risers on both sides, upfitter option. Deletes the standard driver and passenger front seats. Provides driver and passenger seat risers with adjusters and seat belts. Also provides a temporary seat for transportation to the upfitter. 1 - Not available with (C4M) 9900 lb. (4490 kg) GVWR or (C7A) 10,000 lb. (4536 kg) GVWR.	A <sup>1</sup>	A <sup>1</sup>	A	A	A
ZX1		<b>Seating arrangement</b> , driver-only high-back bucket, includes head restraint and vinyl or cloth trim 1 - Deletes passenger-side air bag, seat and safety belt. Components cannot be added back later. Includes (AJ3) driver-side only frontal air bag. Requires (AS5) front bucket seats with Custom Cloth or (AR7) front bucket seats with vinyl trim.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
DT4		<b>Smoker's Package</b> , includes ashtray and lighter	A	A	A	A	A
NP5		<b>Steering wheel</b> , leather-wrapped 1 - Requires (ZQ3) Driver Convenience Package and (U0F) AM/FM stereo with MP3 player, (U0H) AM/FM stereo with MP3 player and USB port, (US8) AM/FM stereo with CD/MP3 player or (UI8) Chevrolet MyLink radio with Navigation.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
DAA		<b>Visors</b> , driver and front passenger, vinyl in lieu of standard cloth	A	A	A	A	A
WRF		<b>NEW! Wiring provisions for electrical accessories</b>	A	A	A	A	A
9L7		<b>Wiring junction block equipment accessory</b> , includes 2-30 amp circuits 1 - Requires (KG4) alternator 150 amp or (KW5) alternator 220 amp and (TP2) dual 600 and 770 isolated batteries. Included with (YF2) Ambulance Package, (YF1) RV Package, (B3D) School Bus Package and (ANC) Shuttle Bus Package. Not available with (RGI) front instrument panel routing grommet. 2 - Requires (KG4) alternator 150 amp or (KW5) alternator 220 amp and (TP2) dual 600 and 770 isolated batteries. Included with (YF1) RV Package. Not available with (RGI) front instrument panel routing grommet. 3 - Requires (KG4) alternator 150 amp or (KW5) alternator 220 amp and (TP2) dual 600 and 770 isolated batteries. Included with (ANC) Shuttle Bus Package. Not available with (RGI) front instrument panel routing grommet.	A <sup>1</sup>	A <sup>1</sup>	A <sup>2</sup>	A <sup>1</sup>	A <sup>3</sup>
G7K		<b>Antenna equipment</b> , includes additional antenna, cable and ground plate. Provides additional ability to relocate standard OnStar antenna, cable length 25 ft. Ships loose. 1 - Requires (UE1) OnStar.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
V46		<b>Bumper</b> , front chrome with step-pad 1 - Included with (ZR7) Chrome Appearance Package.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>

ADDITIONAL OPTIONS							
Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
ZR7		<b>Chrome Appearance Package</b> 1 - Includes (V46) front chrome bumper and (V22) chrome grille. Included with (YF1) RV Package or (YF2) Ambulance Package or (ANC) Shuttle Bus Package. 2 - Includes (V46) front chrome bumper and (V22) chrome grille. Included with (YF1) RV Package. 3 - Includes (V46) front chrome bumper and (V22) chrome grille. Included with (ANC) Shuttle Bus Package.	A <sup>1</sup>	A <sup>1</sup>	A <sup>2</sup>	A <sup>1</sup>	A <sup>3</sup>
V4D		<b>Circuits</b> , stop/turn signal, body control module calibration that allows the stop and turn signals to be operated separately 1 - Included with (YF2) Ambulance Package, (B3D) School Bus Package or (ANC) Shuttle Bus Package. 2 - Included with (ANC) Shuttle Bus Package.	A <sup>1</sup>	A <sup>1</sup>	A	A <sup>1</sup>	A <sup>2</sup>
U05		<b>Horn</b> , dual-note high and low 1 - Included with (B3D) School Bus Package or (YF2) Ambulance Package.	A <sup>1</sup>	A <sup>1</sup>	A	A <sup>1</sup>	A
VK3		<b>License plate kit</b> , front (will be shipped to orders with ship-to states that require front license plate)	A	A	A	A	A
DE2		<b>Mirrors</b> , outside manual, Black, dual pane 1 - Only available with (C4M) 9900 lbs. (4490 kg.) GVWR. Requires (R04) single rear wheel configuration. Not available with (YF1) RV Package or (B3D) School Bus Package.	A <sup>1</sup>	A <sup>1</sup>	--	--	--
DE5		<b>Mirrors</b> , outside heated power-adjustable, Black, manual-folding, dual pane 1 - Only available with (C4M) 9900 lbs. (4490 kg.) GVWR. Requires (R04) single rear wheel configuration, (C60) air conditioning and (ZQ2) Power Convenience Package. Not available with (B3D) School Package, (R6G) air conditioning delete or (9T7) passenger side door delete Upfitter option.	A <sup>1</sup>	A <sup>1</sup>	--	--	--
DEB		<b>Mirrors</b> , outside heated power-adjustable, Black, manual-folding with single pane glass 1 - Requires (R04) single rear wheel configuration, (C60) air conditioning, (ZQ2) Power Convenience Package and (DRJ) inside rearview mirror. Not available with (B3D) School Bus Package, (R6G) air conditioning delete or (9T7) passenger side door delete Upfitter option.	A <sup>1</sup>	A <sup>1</sup>	--	--	--
DHC		<b>Mirrors</b> , outside wide-stance sail panel mounted (Velvac). Provides Velvac convex combination RH and LH outside rear view mirrors that are sail panel mounted with arms that provide a wide stance. Mirrors can be utilized with bodies that are up to 96 inch width. Mirrors provide a 63.3 sq. inch flat glass positioned over a 30.1 sq. inch convex glass within a common head. Mirrors are shipped loose in vehicle 1 - Not available with (B3D) School Bus Package.	A <sup>1</sup>	A <sup>1</sup>	A	A <sup>1</sup>	A
ZLP		<b>Tire</b> , spare LT245/75R16E all-season, blackwall 1 - Requires (R04) single rear wheels, (XLP) front LT245/75R16E all-season blackwall tires and (YLP) rear LT245/75R16E all-season blackwall tires. Jack and spare tire equipment bracket are not included.	A <sup>1</sup>	A <sup>1</sup>	--	--	--

ADDITIONAL OPTIONS							
Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
XHF		<b>Tires</b> , front LT225/75R16E all-season, blackwall 1 - Requires (R05) dual rear wheel configuration. Jack and spare tire equipment bracket are not included.	A <sup>1</sup>	A <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>
YHF		<b>Tires</b> , rear LT225/75R16E all-season, blackwall 1 - Requires (R05) dual rear wheel configuration. Jack and spare tire equipment bracket are not included.	A <sup>1</sup>	A <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>
ZHF		<b>Tire</b> , spare LT225/75R16E all-season, blackwall 1 - Requires (R05) dual rear wheels and (XHF) front LT225/75R16E all-season blackwall tires.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
R05		<b>Wheel configuration</b> , rear, dual 1 - Not available with (C4M) 9900 lb. (4490 kg) GVWR or (JFF) 10,100 lb. (4581 kg) GVWR.	A <sup>1</sup>	A <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>
QT4		<b>Wheels</b> , 6 - 16" x 6.5" (40.6 cm x 16.5 cm) 8-lug painted steel, heavy duty 1 - Only available with (R05) dual rear wheel configuration.	A <sup>1</sup>	A <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>
40P		<b>Wheel finish</b> , painted White. White-painted wheels in lieu of standard Gray-painted wheels 1 - Not available with SEO (5G0) Black painted wheels.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
YF2		<b>Ambulance Package</b> 1 - Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI gaseous engine, (C7N) 12,300 lbs. (5579 kg) GVWR and (GT4) 3.73 rear axle ratio. Includes (KW5) 220 amp alternator, (TP2) isolated 2nd battery, (G80) heavy-duty locking rear differential, (U05) dual-note horn, (ENC) HVAC system, auxiliary rear heat provisions, (K34) cruise control, (ZR7) Chrome Appearance Package, (UF3) high idle switch, (V4D) stop/turn signal circuits and (9L7) equipment accessory wiring junction block. Not available with (B3D) School Bus Package, (YF1) RV Package, (UA1) 770 cold-cranking amp battery or (ANC) Shuttle Bus Package. 2 - Requires (C7I) 14,200 lbs. (6441 kg) GVWR. Includes (KW5) 220 amp alternator, (TP2) isolated 2nd battery, (G80) heavy-duty rear locking differential, (U05) dual-note horn, (ENC) HVAC system auxiliary rear heat provisions, (K34) cruise control, (ZR7) Chrome Appearance Package, (UF3) high idle switch, (V4D) stop/turn signal circuits and (9L7) equipment accessory wiring junction block. Not available with (B3D) School Bus Package, (YF1) RV Package, (UA1) 770 cold-cranking amp battery or (ANC) Shuttle Bus Package.	A <sup>1</sup>	A <sup>1</sup>	--	A <sup>2</sup>	--

ADDITIONAL OPTIONS							
Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
YF1		<p><b>RV Package</b></p> <p>1 - Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI gaseous engine, (R05) Dual rear wheels and SEO (8R3) brass tire valve stems. Includes (ZR7) Chrome Appearance Package, (ZQ2) Power Convenience Package, (ZQ3) Driver Convenience Package, (D31) inside rearview manual day/night mirror or (DRJ) inside rearview mirror with rear vision camera display, (BA3) console with swing-out storage bin, (BNC) soft-mount donut and bolt, (KW5) 220 amp alternator, (TP2) isolated 2nd battery, SEO (8E1) 3 additional gallons of fuel and (9L7) equipment accessory wiring junction block. Not available with (YF2) Ambulance Package, (B3D) School Bus Package, (ANC) Shuttle Bus Package, (UE1) OnStar, (R6G) air conditioning delete, (U0F) AM/FM stereo with MP3 player, (ASF) head/side-curtain air bags or (C7A) 10,000 lbs. (4536 kg) GVWR.</p> <p>2 - Requires SEO (8R3) brass tire valve stems. Includes (ZR7) Chrome Appearance Package, (ZQ2) Power Convenience Package, (ZQ3) Driver Convenience Package, (BA3) console with swing-out storage bin, (BNC) soft-mount donut and bolt, (D31) inside rearview manual day/night mirror or (DRJ) inside rearview mirror with rear vision camera display, (KW5) 220 amp alternator, (TP2) isolated 2nd battery, SEO (8E1) 3 additional gallons of fuel and (9L7) equipment accessory wiring junction block. Not available with (UE1) OnStar, (R6G) air conditioning delete, (U0F) AM/FM stereo with MP3 player or (ASF) head/side-curtain air bags.</p> <p>3 - Requires SEO (8R3) brass tire valve stems. Includes (ZR7) Chrome Appearance Package, (ZQ2) Power Convenience Package, (ZQ3) Driver Convenience Package, (BA3) console with swing-out storage bin, (BNC) soft-mount donut and bolt, (D31) inside rearview manual day/night mirror or (DRJ) inside rearview mirror with rear vision camera display, (KW5) 220 amp alternator, (TP2) isolated 2nd battery, SEO (8E1) 3 additional gallons of fuel and (9L7) equipment accessory wiring junction block. Not available with (YF2) Ambulance Package, (B3D) School Bus Package, (ANC) Shuttle Bus Package, (UE1) OnStar, (R6G) air conditioning delete, (U0F) AM/FM stereo with MP3 player or (ASF) head/side-curtain air bags.</p>	A <sup>1</sup>	A <sup>1</sup>	A <sup>2</sup>	A <sup>3</sup>	--

ADDITIONAL OPTIONS							
Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
B3D		<p><b>School Bus Package</b>, chassis equipment with (UJ1) brake warning indicator</p> <p>1 - Requires (D28) outside mirror delete, (C4M) 9900 lb. (4490 kg) GVWR or (C7A) 10,000 (4536 kg) GVWR, and (ZX1) driver-only high-back bucket seating arrangement or (ZP1) temporary driver only Upfitter option seating. Includes (ENC) HVAC system auxiliary rear heat provisions, (KW5) 220 amp alternator (TP2) isolated 2nd battery and (9L7) equipment accessory wiring junction block, (D31) inside rearview manual day/night mirror or (DRJ) inside rearview mirror with rear vision camera display, (U05) dual note horn and (V4D) stop/turn signal circuits. Not available with (DE2) outside manual Black mirrors, (DHC) outside wide-stance sail panel mounted mirrors, (AU3) power door locks, (ASF) head/side-curtain air bags, (ZQ2) Power Convenience Package, (YF2) Ambulance Package, (YF1) RV Package or (ANC) Shuttle Bus Package.</p> <p>2 - Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI gaseous engine, (C7N) 12,300 lbs. (5579 kg.) GVWR, (D28) outside mirror delete and (ZX1) driver-only high-back bucket seating arrangement or (ZP1) temporary driver only Upfitter option seating. Includes (ENC) HVAC system auxiliary rear heat provisions, (KW5) 220 amp alternator (TP2) isolated 2nd battery and (9L7) equipment accessory wiring junction block, (D31) inside rearview manual day/night mirror or (DRJ) inside rearview mirror with rear vision camera display, (U05) dual note horn and (V4D) stop/turn signal circuits. Not available with (DE2) outside manual Black mirrors, (DHC) outside wide-stance sail panel mounted mirrors, (AU3) power door locks, (ASF) head/side-curtain air bags, (ZQ2) Power Convenience Package, (YF2) Ambulance Package, (YF1) RV Package or (ANC) Shuttle Bus Package.</p> <p>3 - Requires (D28) outside mirror delete and (ZX1) driver-only high-back bucket seating arrangement or (ZP1) temporary driver only Upfitter option seating. Includes (ENC) HVAC system auxiliary rear heat provisions, (KW5) 220 amp alternator (TP2) isolated 2nd battery and (9L7) equipment accessory wiring junction block, (D31) inside rearview manual day/night mirror or (DRJ) inside rearview mirror with rear vision camera display, (U05) dual note horn and (V4D) stop/turn signal circuits. Not available with (DE2) outside manual Black mirrors, (DHC) outside wide-stance sail panel mounted mirrors, (AU3) power door locks, (ASF) head/side-curtain air bags, (ZQ2) Power Convenience Package, (YF2) Ambulance Package, (YF1) RV Package or (ANC) Shuttle Bus Package.</p>	A <sup>1</sup>	A <sup>2</sup>	--	A <sup>3</sup>	--

ADDITIONAL OPTIONS							
Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
ANC		<b>Shuttle Bus Package</b> 1 - Requires (L96) Vortec 6.0L V8 engine or (LC8) 6.0L V8 SFI gaseous engine and (C7N) 12,300 lbs. (5579 kg.) GVWR. Includes (ZR7) Chrome Appearance Package, (BNC) soft-mount donut and bolt, (ZQ3) Driver Convenience Package, (V4D) stop/turn signal circuits, (ENC) HVAC system auxiliary rear heat provisions (KW5) 220 amp alternator, (TP2) isolated 2nd battery and (9L7) equipment accessory wiring junction block. Not available with (C4M) 9900 lb. (4490 kg) GVWR, (C7A) 10,000 (4536 kg) GVWR, (YF2) Ambulance Package, (YF1) RV Package or (B3D) School Bus Package. 2 - Requires (L96) Vortec 6.0L V8 engine or (LC8) 6.0L V8 SFI gaseous engine. Includes (ZR7) Chrome Appearance Package, (BNC) soft-mount donut and bolt, (ZQ3) Driver Convenience Package, (V4D) stop/turn signal circuits, (ENC) HVAC system auxiliary rear heat provisions (KW5) 220 amp alternator, (TP2) isolated 2nd battery and (9L7) equipment accessory wiring junction block. Not available with (YF2) Ambulance Package, (YF1) RV Package or (B3D) School Bus Package. 3 - Includes (ZR7) Chrome Appearance Package, (BNC) soft-mount donut and bolt, (ZQ3) Driver Convenience Package, (V4D) stop/turn signal circuits, (ENC) HVAC system auxiliary rear heat provisions (KW5) 220 amp alternator, (TP2) isolated 2nd battery and (9L7) equipment accessory wiring junction block.	A <sup>1</sup>	A <sup>1</sup>	--	A <sup>2</sup>	A <sup>3</sup>
KW5		<b>Alternator, 220 amps</b> 1 - Included with (YF2) Ambulance Package, (YF1) RV Package, (B3D) School Bus Package or (ANC) Shuttle Bus Package. 2 - Included with (YF1) RV Package. 3 - Included with (ANC) Shuttle Bus Package.	A <sup>1</sup>	A <sup>1</sup>	A <sup>2</sup>	A <sup>1</sup>	A <sup>3</sup>
UA1		<b>Battery, heavy-duty 770 cold-cranking amps, maintenance-free with rundown protection and retained accessory power</b> 1 - Not available with (YF2) Ambulance Package, (YF1) RV Package, (B3D) School Bus Package or (ANC) Shuttle Bus Package. 2 - Not available with (YF1) RV Package. 3 - Not available with (ANC) Shuttle Bus Package.	A <sup>1</sup>	A <sup>1</sup>	A <sup>2</sup>	A <sup>1</sup>	A <sup>3</sup>
TP2		<b>Battery, 600 cold-cranking amps primary, isolated 2nd heavy-duty 770 cold-cranking amps, allows 2nd battery to be used when the vehicle is not running without affecting ability to start the vehicle</b> 1 - Included with (YF2) Ambulance Package, (YF1) RV Package, (B3D) School Bus Package or (ANC) Shuttle Bus Package. 2 - Included with (YF1) RV Package. 3 - Included with (ANC) Shuttle Bus Package.	A <sup>1</sup>	A <sup>1</sup>	A <sup>2</sup>	A <sup>1</sup>	A <sup>3</sup>
BNC		<b>Body, soft-mount donut and bolt (for mounting Upfit body to chassis)</b> 1 - Included with (YF1) RV Package or (ANC) Shuttle Bus Package. 2 - Included with (YF1) RV Package. 3 - Included with (ANC) Shuttle Bus Package.	A <sup>1</sup>	A <sup>1</sup>	A <sup>2</sup>	A <sup>1</sup>	A <sup>3</sup>
V10		<b>Cold Climate Package</b> , includes (K05) engine block heater	A	A	A	A	A
G80		<b>Differential, heavy-duty locking rear</b> 1 - Included with (YF2) Ambulance Package.	A <sup>1</sup>	A <sup>1</sup>	A	A <sup>1</sup>	A
FE9		<b>Emissions, Federal requirements</b>	A	A	A	A	A
YF5		<b>Emissions, California state requirements</b>	A	A	A	A	A

ADDITIONAL OPTIONS							
Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
NE1		<b>Emissions</b> , Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington state requirements	A	A	A	A	A
NB8		<b>Emissions override</b> , California (allows a dealer in states that require California emissions - California, Connecticut, Delaware, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island or Washington - to order Federal emissions for a vehicle that will be registered in a state that has Federal emission requirements). Do not use for vehicles that will be registered in California, Connecticut, Delaware, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island or Washington. <b>1 - Requires (FE9) Federal emissions requirements. Not available in Maine and Vermont.</b>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
NB9		<b>Emissions override</b> , state-specific (for dealers ordering vehicles in (YF5) or (NE1) emission states - California, Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington) <b>1 - Allows a California dealer (YF5 emissions) to order (NE1) emissions with (NB9) emissions override code for registration in (NE1) states; or, a Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington dealer (NE1 emissions) to order (YF5) emissions with (NB9) emissions override code for registration in California.</b>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
NC7		<b>Emissions override</b> , Federal (for vehicles ordered by dealers in Federal emission states with (YF5) or (NE1) emissions - Not required for vehicles being shipped to California, Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont or Washington) <b>1 - Requires (YF5) California state emissions requirements or (NE1) Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont or Washington state emissions requirements.</b>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
NHT		<b>Enhanced Towing Performance Package</b> , GCWR increased to 19,000 lbs. (8618 kg). <b>1 - Requires (C7N) 12,300 lbs. (5579 kg) GVWR. Includes (GT5) Rear axle, 4.10 ratio.</b>	--	A <sup>1</sup>	A <sup>1</sup>	--	--
L96		<b>Engine</b> , Vortec 6.0L V8 (341 hp [254.3 kW] @ 5400 rpm, 373 lb-ft of torque [503.6 N-m] @ 4400 rpm) <b>1 - Includes external oil cooler. Requires (MYD) 6-speed heavy-duty automatic transmission. Reference the Engine/Axle page for availability.</b>	A <sup>1</sup>	A <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>



ADDITIONAL OPTIONS							
Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
LC8		<p><b>Engine</b>, 6.0L V8 SFI Gaseous CNG/LPG capable with hardened valves and valve seats. Capable of operating on both gasoline and CNG/LPG. Running on gasoline (341 hp [255 kW] @ 5400 rpm, 373 lb-ft of torque [503.6 N-m] @ 4400 rpm). Equipped with standard factory gasoline fuel system. Does not include gaseous fuel tank(s), lines, regulators, etc. Gaseous fuel system can be installed in by aftermarket upfitter. GM recommends use of our approved alternative fuel upfitter, PSI (Power Solutions International). Ship thru codes are available for the PSI CNG and LPG fuel systems. Emissions certified for gasoline usage only. Emissions certification (exhaust and evaporative), as well as safety and labeling standards for the CNG/LPG system is the responsibility of the gaseous fuel system manufacturer.</p> <p>1 - Includes external oil cooler. Requires (MYD) 6-speed heavy-duty automatic transmission. Reference the Engine/Axle page for availability.</p>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
R9Y		<p><b>Fleet Free Maintenance Credit.</b> This option code provides a credit in lieu of the free oil changes, tire rotations and inspections (2 maximum), during the first 24 months and 24,000 miles period for this ordered vehicle. The invoice will detail the applicable credit. The customer will be responsible for all oil change, tire rotations and inspections costs for this vehicle.</p> <p>1 - Requires one of the following Fleet or Government order types: FBC, FBN, FCA, FCN, FLS, FNR, FRC or FGO. Not available with FDR order types.</p>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
K50		<p><b>Fuel fitting</b>, auxiliary feed in the fuel tank</p> <p>1 - Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI gaseous engine.</p> <p>2 - Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI gaseous engine. Not available with (NE7) 57 gallon (215.7L) (approximate) fuel tank.</p>	A <sup>1</sup>	A <sup>2</sup>	A <sup>2</sup>	A <sup>2</sup>	A <sup>2</sup>
NE7		<p><b>Fuel tank capacity</b>, approximately 57 gallons (215.7L). As part of the base design, includes the auxiliary feed fuel fitting and in tank return line.</p> <p>1 - Requires (C7N) 12,300 lb. (5579 kg) GVWR. Not available with (B3D) School Bus Package.</p> <p>2 - Not available with (K50) auxiliary feed in fuel tank return line fuel fitting.</p> <p>3 - Not available with (K50) auxiliary feed in fuel tank return line fuel fitting or (B3D) School Bus Package.</p>	--	A <sup>1</sup>	A <sup>2</sup>	A <sup>3</sup>	A <sup>2</sup>
C7A		<p><b>NEW! GVWR</b>, 10,000 lbs. (4536 kg)</p> <p>1 - Requires (R05) dual rear wheel configuration. Not available with (YF1) RV Package or (R04) single rear wheel combination. Reference the Engine/Axle page for availability.</p>	A <sup>1</sup>	A <sup>1</sup>	--	--	--
JFF		<p><b>GVWR</b>, 10,100 lbs. (4581 kg)</p> <p>1 - Includes (R04) single rear wheel configuration. Not available with (R05) dual rear wheel combination. Reference the Engine/Axle page for availability.</p>	A <sup>1</sup>	--	--	--	--

ADDITIONAL OPTIONS							
Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
C7N		<b>GVWR, 12,300 lbs. (5579 kg)</b> 1 - Includes (R05) dual rear wheel configuration. Not available with (R04) single rear wheel combination. Reference the Engine/Axle page for availability.	A <sup>1</sup>	A <sup>1</sup>	S	--	--
UF3		<b>High idle switch</b> 1 - Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI gaseous engine and (ZQ3) Driver Convenience Package or (K34) cruise control. Included with (YF2) Ambulance Package. 2 - Requires (ZQ3) Driver Convenience Package or (K34) cruise control. 3 - Requires (ZQ3) Driver Convenience Package or (K34) cruise control. Included with (YF2) Ambulance Package.	A <sup>1</sup>	A <sup>1</sup>	A <sup>2</sup>	A <sup>3</sup>	A <sup>2</sup>
ENC		<b>HVAC system, auxiliary rear heater provisions</b> 1 - Included with (YF2) Ambulance Package, (B3D) School Bus Package or (ANC) Shuttle Bus Package. 2 - Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI gaseous engine. Included with (YF2) Ambulance Package, (B3D) School Bus Package or (ANC) Shuttle Bus Package. 3 - Included with (ANC) Shuttle Bus Package.	A <sup>1</sup>	A <sup>2</sup>	A	A <sup>1</sup>	A <sup>3</sup>
GT4		<b>Rear axle, 3.73 ratio</b> 1 - Requires (R05) dual rear wheel configuration.	A <sup>1</sup>	A <sup>1</sup>	S <sup>1</sup>	--	--
UY7		<b>Trailer provisions, trailering wire harness only</b> 1 - Not available with (YF2) Ambulance Package or (B3D) School Bus Package.	A <sup>1</sup>	A <sup>1</sup>	--	A <sup>1</sup>	--
MYD		<b>Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking</b> 1 - Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI gaseous engine. Reference the Engine/Axle page availability. 2 - Reference the Engine/Axle page availability.	A <sup>1</sup>	A <sup>1</sup>	S <sup>2</sup>	S <sup>2</sup>	S <sup>2</sup>

S = Standard Equipment    A = Available    -- (dashes) = Not Available    D = ADI Available  
 ■ = Included in Equipment Group    □ = Included in Equipment Group but upgradeable

No deletions allowed to Equipment Groups. Additional options may be added; check ordering information section for compatibility.

\*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

**Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.**

Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
		Standard Equipment	■	■	■	■	■

S = Standard Equipment A = Available -- (dashes) = Not Available D = ADI Available  
 ■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

\*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
	AK5	<b>Air bags</b> , frontal, driver and right-front passenger 1 - Included and only available with (ZX2) driver and front passenger high-back bucket seats or (ZP0) driver and passenger temporary seats. Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>
	ASF	<b>Air bags</b> , driver and right-front passenger, seat-mounted side-impact and head curtain side-impact 1 - Included and only available with (C4M) 9900 lb. (4490 kg) GVWR or (C7A) 10,000 lb. (4536 kg) GVWR. Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.	S <sup>1</sup>	S <sup>1</sup>	--	--	--
	AJ3	<b>Air bag</b> , frontal, driver-side only (deletes passenger-side) 1 - Included and only available with (ZP1) temporary driver only seat or (ZX1) driver only high-back bucket seat. Always use safety belts and the correct child restraints. NOTE: Passenger seat is removed when ordered. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
		<b>Air bag deactivation switch</b> , frontal, passenger-side 1 - Not available with (AJ3) frontal, driver-side only air bag. Always use safety belts and the correct child restraints. NOTE: Passenger seat is removed when ordered. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>
	C60	<b>Air conditioning</b> , single-zone manual 1 - Not available with (R6G) air conditioning delete.	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>
R6G		<b>Air conditioning delete</b> 1 - Not available with (YF1) RV Package, (YF2) Ambulance Package, (DEB) outside heated, power-adjustable Black mirrors with single pane glass or (DE5) outside heated, power-adjustable Black mirrors. 2 - Not available with (YF1) RV Package. 3 - Not available with (YF1) RV Package or (YF2) Ambulance Packages.	A <sup>1</sup>	A <sup>1</sup>	A <sup>2</sup>	A <sup>3</sup>	A
		<b>Assist handles</b> , driver and right-front passenger	S	S	S	S	S
	U0F	<b>Audio system</b> , AM/FM stereo with MP3 player, seek-and-scan, digital clock, TheftLock, random select, auxiliary jack and 2 front door speakers 1 - Not available with (U2K) SiriusXM Satellite Radio or (YF1) RV Package. 2 - Not available with (U2K) SiriusXM Satellite Radio.	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>	S <sup>2</sup>

Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
U0H		<b>Audio system</b> , AM/FM stereo with MP3 player and USB port, includes seek-and-scan, digital clock, TheftLock, random select, auxiliary jack and 2 front door speakers <b>1 - Not available with (U2K) SiriusXM Satellite Radio.</b>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
US8		<b>Audio system</b> , AM/FM stereo with CD/MP3 player, USB port, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), TheftLock, random select, auxiliary jack and 2 front door speakers <b>1 - Required with (U2K) SiriusXM Satellite radio.</b>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
UI8		<b>Audio system</b> , Chevrolet MyLink radio with Navigation, 6.5" diagonal color touch-screen display, AM/FM stereo with CD player, USB port, includes Bluetooth streaming audio for music and select phones; Hands-Free smartphone integration with Pandora and Stitcher; voice-activated technology for radio and phone <b>1 - Requires (ZQ3) Driver Convenience Package, (NP5) leather-wrapped steering wheel and (W1Y) steering wheel controls. Includes (UBS) NavTraffic, (USR) USB port and (UPF) Bluetooth for phone. Not available with (U2K) SiriusXM Satellite Radio.</b>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
UXZ		<b>Audio system</b> , radio provisions only. Includes alarm warning chimes, radio wiring harness, radio antenna and 2 front door speakers <b>1 - Requires Fleet or Government type order and (UE0) OnStar delete. Not available with (UE1) OnStar or (U2K) XM Satellite Radio.</b>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
UPF		<b>Bluetooth for phone</b> , personal cell phone connectivity to vehicle audio system <b>1 - Requires (NP5) leather-wrapped steering wheel, (W1Y) steering wheel controls and (ZQ3) Driver Convenience Package. Included with (UI8) Chevrolet MyLink radio with Navigation. With (U0F) AM/FM stereo with MP3 player, (U0H) AM/FM stereo with MP3 player and USB port or (US8) AM/FM stereo with MP3 compatible CD player requires (UE1) OnStar hardware (subscription to OnStar services not required for operation). NOTE: With (UI8) Chevrolet MyLink radio with Navigation (UE1) OnStar hardware is not required.</b>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
	USR	<b>Audio system feature</b> , USB port <b>1 - Included and only available with (U0H) AM/FM stereo with MP3 player, (US8) AM/FM stereo with MP3 compatible CD player or (UI8) Chevrolet MyLink with Navigation.</b>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
U2K		<b>SiriusXM Satellite Radio</b> is standard on nearly all 2018 GM models. Enjoy a 3-month All Access trial subscription with over 150 channels including commercial-free music, plus sports, news and entertainment. Plus listening on the app and online is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. <b>1 - Only available with the combination of (UE1) OnStar and (US8) AM/FM stereo with MP3 compatible CD player. If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-866-635-2349. See our Customer Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change.</b>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>

Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
	UBS	<p><b>NavTraffic.</b> Avoid congestion before you reach it by enhancing your vehicle's navigation or entertainment system with NavTraffic. With detailed information on traffic speed, accidents, construction, road closures and more, you will get to your destination faster and more easily than ever before.</p> <p>1 - Included and only available with (UI8) Chevrolet MyLink radio with Navigation. SiriusXM Satellite Radio and NavTraffic subscriptions are sold separately or as a package after trial period. If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-866-635-2349. See our Customer Agreement for complete terms at <a href="http://www.siriusxm.com">www.siriusxm.com</a>. All fees and programming subject to change. NavTraffic available only in select markets. For more information, see <a href="http://www.siriusxm.com/navtraffic">www.siriusxm.com/navtraffic</a>.</p>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
	UJ1	<p><b>Brake warning indicator,</b> monitors brake system pressure, with loss of pressure an audible alarm (chime) and cluster telltale is lit</p> <p>1 - Included with (B3D) School Bus Package. Not available with (YF1) RV Package or (YF2) Ambulance Package. 2 - Not available with (YF1) RV Package.</p>	A <sup>1</sup>	A <sup>1</sup>	A <sup>2</sup>	A <sup>1</sup>	A <sup>2</sup>
	BA3	<p><b>Console,</b> engine cover with swing-out storage bin</p> <p>1 - Included with (AS5) Custom Cloth front bucket seats and (YF1) RV Package.</p>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
	ZQ2	<p><b>Power Convenience Package,</b> includes (A31) power windows and (AU3) power door locks</p> <p>1 - Includes (A31) power windows and (AU3) power door locks. Included with (YF1) RV Package. Not available with (9T7) passenger side door delete. NOTE: Does not include (ATG) Remote Keyless Entry. (ATG) Remote Keyless Entry must be ordered separately.</p>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
	ZQ3	<p><b>Driver Convenience Package,</b> includes Tilt-Wheel and (K34) cruise control</p> <p>1 - Included with (YF1) RV Package or (ANC) Shuttle Bus Package. 2 - Included with (YF1) RV Package.</p>	A <sup>1</sup>	A <sup>1</sup>	A <sup>2</sup>	A <sup>1</sup>	A <sup>1</sup>
	K34	<p><b>Cruise control</b></p> <p>1 - Included and only available with (ZQ3) Driver Convenience Package, (YF2) Ambulance Package or (UF3) High idle switch. 2 - Included and only available with (ZQ3) Driver Convenience Package or (UF3) High idle switch.</p>	A <sup>1</sup>	A <sup>1</sup>	A <sup>2</sup>	A <sup>1</sup>	A <sup>2</sup>
		<b>Cup holders,</b> 3 on the engine console cover	S	S	S	S	S
	AU3	<p><b>Door locks,</b> power with lock-out protection</p> <p>1 - Included with (ZQ2) Power Convenience Package. NOTE: Does not include (ATG) Remote Keyless Entry. (ATG) Remote Keyless Entry must be ordered separately.</p>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
		<b>Driver Information Center,</b> includes fuel range, average speed, oil life, fuel used, ice warning, engine hours, average fuel economy, tachometer and maintenance reminders	S	S	S	S	S
	B31	<b>Floor covering,</b> Black rubberized-vinyl front	S	S	S	S	S
		<b>Headliner,</b> cloth, over driver and passenger	S	S	S	S	S
		<b>Heater and defogger</b> with front and side window defoggers	S	S	S	S	S

Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
		<b>Instrumentation</b> , analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature and oil pressure	S	S	S	S	S
		<b>Lighting</b> , interior with dome light and door handle-activated switches	S	S	S	S	S
	D31	<b>Mirror</b> , inside rearview manual day/night 1 - Not available with (UVC) rear vision camera.	A <sup>1</sup>	A <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>
	DRJ	<b>Mirror</b> , inside rearview, includes Rear Vision Camera display 1 - Requires (UVC) Rear Vision Camera.	S <sup>1</sup>	S <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
9D9		<b>Mirror, inside rearview delete</b> , this option deletes the inside rearview mirror 1 - Not available with (C4M) 9900 lb. (4490 kg) GVWR or (C7A) 10,000 lb. (4536 kg) GVWR.	A <sup>1</sup>	A <sup>1</sup>	A	A	A
UE1		<b>OnStar</b> Guidance Plan Limited Trial Service, including Automatic Crash Response, Stolen Vehicle Assistance, Roadside Assistance, Turn-by-Turn Navigation, Advanced Diagnostics and more (trial excludes Hands-Free Calling minutes) 1 - Not available with (YF1) RV Package, (YF2) Ambulance Package or (UXZ) radio provisions only audio system. Included with (FDR) Fleet Daily Rental order types. Fleet orders receive a 6-month trial. Visit <a href="http://www.onstar.com">www.onstar.com</a> for coverage map, details and system limitations. Services vary by model. OnStar acts as a link to existing emergency service providers. Not all vehicles may transmit all crash data. 2 - Not available with (YF1) RV Package or (UXZ) radio provisions only audio system. Included with (FDR) Fleet Daily Rental order types. Fleet orders receive a 6-month trial. Visit <a href="http://www.onstar.com">www.onstar.com</a> for coverage map, details and system limitations. Services vary by model. OnStar acts as a link to existing emergency service providers. Not all vehicles may transmit all crash data. 3 - Not available with (UXZ) radio provisions only audio system. Included with (FDR) Fleet Daily Rental order types. Fleet orders receive a 6-month trial. Visit <a href="http://www.onstar.com">www.onstar.com</a> for coverage map, details and system limitations. Services vary by model. OnStar acts as a link to existing emergency service providers. Not all vehicles may transmit all crash data.	A <sup>1</sup>	A <sup>1</sup>	A <sup>2</sup>	A <sup>1</sup>	A <sup>3</sup>
UE0		<b>NEW! OnStar</b> , delete 1 - Required with (UXZ) radio provisions. Requires a Fleet or Government Order Type or (U18) Chevrolet MyLink radio with navigation on all order types.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
		<b>OnStar Basic Plan</b> for 5 years, includes select vehicle mobile app features, Advanced Diagnostics and Dealer Maintenance Notification 1 - Included and only available with (UE1) OnStar. Basic Plan available for 5 years from the date of vehicle delivery and is transferable. Does not include Emergency, Security or Navigation services.	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>

Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
	VV4	<b>OnStar 4G LTE</b> and available built-in Wi-Fi hotspot for up to 7 devices; includes data trial for 3 months or 3GB (whichever comes first) <b>1 - Included and only available with (UE1) OnStar. Visit <a href="http://www.onstar.com">www.onstar.com</a> for coverage map, details and system limitations. Services vary by model. OnStar acts as a link to existing emergency service providers. Not all vehicles may transmit all crash data. Available Wi-Fi requires compatible mobile device, active OnStar service and data plan. Data plans provided by AT&amp;T.</b>	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>
UFA		<b>Outside temperature display</b> <b>1 - Requires (ZR7) Chrome Appearance Package.</b>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
	KI4	<b>Power outlet, 120-volt</b>	S	S	S	S	S
		<b>Power outlets, 2 auxiliary on engine console cover with covers, 12-volt</b>	S	S	S	S	S
UVC		<b>Rear Vision Camera, camera and cable shipped loose</b> <b>1 - Display included with (DRJ) inside rearview mirror. Required with (C4M) 9900 lb. (4490 kg) GVWR and (C7A) 10,000 lb. (4536 kg) GVWR. Available to order as a free flow option with (JFF) 10,100 lb. (4581 kg) GVWR or (C7N) 12,300 lb. (5579 kg) GVWR.</b> <b>2 - Display included with (DRJ) inside rearview mirror. Required with (C4M) 9900 lb. (4490 kg) GVWR and (C7A) 10,000 lb. (4536 kg) GVWR. Available to order as a free flow option with (C7N) 12,300 lb. (5579 kg) GVWR.</b> <b>3 - Display included with (DRJ) inside rearview mirror.</b>	S <sup>1</sup>	S <sup>2</sup>	A <sup>3</sup>	A <sup>3</sup>	A <sup>3</sup>
ATG		<b>Remote Keyless Entry with 2 transmitters and remote panic button</b> <b>1 - Requires (AU3) power door locks. Not available with (B3D) School Bus Package.</b>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
BTV		<b>Remote vehicle starter system</b> <b>1 - Requires (ATG) remote keyless entry.</b>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
	AR7	<b>Seats, front bucket with vinyl trim and head restraints, includes inboard armrests</b> <b>1 - Requires (**W) trim. Not available with SEO (ZP0) delete driver and passenger seats. Includes only driver high-back bucket seat with vinyl trim when ordered with (ZX1) driver-only high-back bucket seating arrangement.</b>	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>
AS5		<b>Seats, front bucket with Custom Cloth trim, head restraints and inboard armrests</b> <b>1 - Requires (**G) trim. Not available with SEO (ZP0) driver and passenger seat delete. Includes only driver high-back bucket seat with Custom Cloth trim when ordered with (ZX1) driver-only high-back bucket seating arrangement. Includes (BA3) engine cover console with swing-out bin.</b>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
ZP0		<b>Seats, delete driver and passenger, leaves seat risers on both sides, upfitter option, Deletes the standard driver and passenger front seats. Provides driver and passenger seat risers with adjusters and seat belts. Also provides a temporary seat for transportation to the upfitter.</b> <b>1 - Not available with (C4M) 9900 lb. (4490 kg) GVWR or (C7A) 10,000 lb. (4536 kg) GVWR.</b>	A <sup>1</sup>	A <sup>1</sup>	A	A	A



Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
ZX1		<b>Seating arrangement</b> , driver-only high-back bucket, includes head restraint and vinyl or cloth trim 1 - Deletes passenger-side air bag, seat and safety belt. Components cannot be added back later. Includes (AJ3) driver-side only frontal air bag. Requires (AS5) front bucket seats with Custom Cloth or (AR7) front bucket seats with vinyl trim.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
	ZX2	<b>Seating arrangement</b> , driver and front passenger high-back bucket, includes head restraints and vinyl or cloth trim 1 - Not available with (AJ3) driver-side only frontal air bag.	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>
DT4		<b>Smoker's Package</b> , includes ashtray and lighter	A	A	A	A	A
NP5		<b>Steering wheel</b> , leather-wrapped 1 - Requires (ZQ3) Driver Convenience Package and (U0F) AM/FM stereo with MP3 player, (U0H) AM/FM stereo with MP3 player and USB port, (US8) AM/FM stereo with CD/MP3 player or (UI8) Chevrolet MyLink radio with Navigation.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
	W1Y	<b>Steering wheel controls</b> , mounted audio controls 1 - Included and only available with (NP5) leather-wrapped steering wheel.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
		<b>Theft-deterrent system</b> , vehicle, PASS-Key III	S	S	S	S	S
	UJM	<b>Tire Pressure Monitoring System</b> (does not monitor spare tires) 1 - Required with (C4M) 9900 lbs. (4490 kg) GVWR and (R04) single rear 4 - 16" x 6.5" (40.6 cm x 16.5 cm) wheels.	S <sup>1</sup>	S <sup>1</sup>	--	--	--
		<b>Tow/haul mode selector</b> , instrument panel-mounted	S	S	S	S	S
		<b>Visors</b> , driver and front passenger, cloth, padded	S	S	S	S	S
DAA		<b>Visors</b> , driver and front passenger, vinyl in lieu of standard cloth	A	A	A	A	A
		<b>Warning tones</b> , headlamp on and key-in-ignition	S	S	S	S	S
	A31	<b>Windows</b> , power 1 - Included and only available with (ZQ2) Power Convenience Package.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
WRF		<b>NEW! Wiring provisions for electrical accessories</b>	A	A	A	A	A
9L7		<b>Wiring junction block equipment accessory</b> , includes 2-30 amp circuits 1 - Requires (KG4) alternator 150 amp or (KW5) alternator 220 amp and (TP2) dual 600 and 770 isolated batteries. Included with (YF2) Ambulance Package, (YF1) RV Package, (B3D) School Bus Package and (ANC) Shuttle Bus Package. Not available with (RGI) front instrument panel routing grommet. 2 - Requires (KG4) alternator 150 amp or (KW5) alternator 220 amp and (TP2) dual 600 and 770 isolated batteries. Included with (YF1) RV Package. Not available with (RGI) front instrument panel routing grommet. 3 - Requires (KG4) alternator 150 amp or (KW5) alternator 220 amp and (TP2) dual 600 and 770 isolated batteries. Included with (ANC) Shuttle Bus Package. Not available with (RGI) front instrument panel routing grommet.	A <sup>1</sup>	A <sup>1</sup>	A <sup>2</sup>	A <sup>1</sup>	A <sup>3</sup>

S = Standard Equipment A = Available -- (dashes) = Not Available D = ADI Available  
 ■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

\*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
	ZW9	<b>Body</b> , standard	S	S	S	S	S
G7K		<b>Antenna equipment</b> , includes additional antenna, cable and ground plate. Provides additional ability to relocate standard OnStar antenna, cable length 25 ft. Ships loose. 1 - Requires (UE1) OnStar.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
V46		<b>Bumper</b> , front chrome with step-pad 1 - Included with (ZR7) Chrome Appearance Package.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
		<b>Bumper</b> , front painted Black with step-pad 1 - Deleted when (ZR7) Chrome Appearance Package is ordered.	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>
ZR7		<b>Chrome Appearance Package</b> 1 - Includes (V46) front chrome bumper and (V22) chrome grille. Included with (YF1) RV Package or (YF2) Ambulance Package or (ANC) Shuttle Bus Package. 2 - Includes (V46) front chrome bumper and (V22) chrome grille. Included with (YF1) RV Package. 3 - Includes (V46) front chrome bumper and (V22) chrome grille. Included with (ANC) Shuttle Bus Package.	A <sup>1</sup>	A <sup>1</sup>	A <sup>2</sup>	A <sup>1</sup>	A <sup>3</sup>
V4D		<b>Circuits</b> , stop/turn signal, body control module calibration that allows the stop and turn signals to be operated separately 1 - Included with (YF2) Ambulance Package, (B3D) School Bus Package or (ANC) Shuttle Bus Package. 2 - Included with (ANC) Shuttle Bus Package.	A <sup>1</sup>	A <sup>1</sup>	A	A <sup>1</sup>	A <sup>2</sup>
		<b>Daytime Running Lamps</b>	S	S	S	S	S
		<b>Flasher</b> , heavy duty, light emitting diode (LED)	S	S	S	S	S
		<b>Glass</b> , Solar-Ray light-tinted, all windows	S	S	S	S	S
		<b>Grille</b> , Black composite 1 - Not available with (ZR7) Chrome Appearance Package.	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>
	V22	<b>Grille</b> , chrome 1 - Included and only available with (ZR7) Chrome Appearance Package.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
		<b>Headlamps</b> , dual halogen composite	S	S	S	S	S
U05		<b>Horn</b> , dual-note high and low 1 - Included with (B3D) School Bus Package or (YF2) Ambulance Package.	A <sup>1</sup>	A <sup>1</sup>	A	A <sup>1</sup>	A
VK3		<b>License plate kit</b> , front (will be shipped to orders with ship-to states that require front license plate)	A	A	A	A	A
	D28	<b>Mirrors</b> , outside delete 1 - Not available with (5Q7) Upfitter option Blank Sail Panel Delete when ordered with (YF2) Ambulance Package.	S <sup>1</sup>	S <sup>1</sup>	S	S <sup>1</sup>	S

Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
DE2		<b>Mirrors</b> , outside manual, Black, dual pane 1 - Only available with (C4M) 9900 lbs. (4490 kg.) GVWR. Requires (R04) single rear wheel configuration. Not available with (YF1) RV Package or (B3D) School Bus Package.	A <sup>1</sup>	A <sup>1</sup>	--	--	--
DE5		<b>Mirrors</b> , outside heated power-adjustable, Black, manual-folding, dual pane 1 - Only available with (C4M) 9900 lbs. (4490 kg.) GVWR. Requires (R04) single rear wheel configuration, (C60) air conditioning and (ZQ2) Power Convenience Package. Not available with (B3D) School Package, (R6G) air conditioning delete or (9T7) passenger side door delete Upfitter option.	A <sup>1</sup>	A <sup>1</sup>	--	--	--
DEB		<b>Mirrors</b> , outside heated power-adjustable, Black, manual-folding with single pane glass 1 - Requires (R04) single rear wheel configuration, (C60) air conditioning, (ZQ2) Power Convenience Package and (DRJ) inside rearview mirror. Not available with (B3D) School Bus Package, (R6G) air conditioning delete or (9T7) passenger side door delete Upfitter option.	A <sup>1</sup>	A <sup>1</sup>	--	--	--
DHC		<b>Mirrors</b> , outside wide-stance sail panel mounted (Velvac). Provides Velvac convex combination RH and LH outside rear view mirrors that are sail panel mounted with arms that provide a wide stance. Mirrors can be utilized with bodies that are up to 96 inch width. Mirrors provide a 63.3 sq. inch flat glass positioned over a 30.1 sq. inch convex glass within a common head. Mirrors are shipped loose in vehicle 1 - Not available with (B3D) School Bus Package.	A <sup>1</sup>	A <sup>1</sup>	A	A <sup>1</sup>	A
	ZY1	<b>Paint</b> , solid	S	S	S	S	S
	XLP	<b>Tires</b> , front LT245/75R16E all-season, blackwall 1 - Requires (R04) single rear wheel configuration. Jack and spare tire equipment bracket are not included.	S <sup>1</sup>	S <sup>1</sup>	--	--	--
	YLP	<b>Tires</b> , rear LT245/75R16E all-season, blackwall 1 - Requires (R04) single rear wheel configuration. Jack and spare tire equipment bracket are not included.	S <sup>1</sup>	S <sup>1</sup>	--	--	--
	ZLP	<b>Tire</b> , spare LT245/75R16E all-season, blackwall 1 - Requires (R04) single rear wheels, (XLP) front LT245/75R16E all-season blackwall tires and (YLP) rear LT245/75R16E all-season blackwall tires. Jack and spare tire equipment bracket are not included.	A <sup>1</sup>	A <sup>1</sup>	--	--	--
	XHF	<b>Tires</b> , front LT225/75R16E all-season, blackwall 1 - Requires (R05) dual rear wheel configuration. Jack and spare tire equipment bracket are not included.	A <sup>1</sup>	A <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>
	YHF	<b>Tires</b> , rear LT225/75R16E all-season, blackwall 1 - Requires (R05) dual rear wheel configuration. Jack and spare tire equipment bracket are not included.	A <sup>1</sup>	A <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>
	ZHF	<b>Tire</b> , spare LT225/75R16E all-season, blackwall 1 - Requires (R05) dual rear wheels and (XHF) front LT225/75R16E all-season blackwall tires.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
	R04	<b>Wheel configuration</b> , rear, single 1 - Not available with (C7A) 10,000 lbs. (4536 kg) GVWR or (C7N) 12,300 lbs. (5579 kg.) GVWR.	S <sup>1</sup>	S <sup>1</sup>	--	--	--

Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
R05		<b>Wheel configuration</b> , rear, dual 1 - Not available with (C4M) 9900 lb. (4490 kg) GVWR or (JFF) 10,100 lb. (4581 kg) GVWR.	A <sup>1</sup>	A <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>
	QB5	<b>Wheels</b> , 4 - 16" x 6.5" (40.6 cm x 16.5 cm), 8-lug painted steel, heavy-duty 1 - Only available with (R04) single rear wheel configuration.	S <sup>1</sup>	S <sup>1</sup>	--	--	--
QT4		<b>Wheels</b> , 6 - 16" x 6.5" (40.6 cm x 16.5 cm) 8-lug painted steel, heavy duty 1 - Only available with (R05) dual rear wheel configuration.	A <sup>1</sup>	A <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>
40P		<b>Wheel finish</b> , painted White. White-painted wheels in lieu of standard Gray-painted wheels 1 - Not available with SEO (5G0) Black painted wheels.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
		<b>Wipers</b> , front intermittent wet-arm with pulse washers	S	S	S	S	S
YF2		<b>Ambulance Package</b> 1 - Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI gaseous engine, (C7N) 12,300 lbs. (5579 kg) GVWR and (GT4) 3.73 rear axle ratio. Includes (KW5) 220 amp alternator, (TP2) isolated 2nd battery, (G80) heavy-duty locking rear differential, (U05) dual-note horn, (ENC) HVAC system, auxiliary rear heat provisions, (K34) cruise control, (ZR7) Chrome Appearance Package, (UF3) high idle switch, (V4D) stop/turn signal circuits and (9L7) equipment accessory wiring junction block. Not available with (B3D) School Bus Package, (YF1) RV Package, (UA1) 770 cold-cranking amp battery or (ANC) Shuttle Bus Package. 2 - Requires (C7I) 14,200 lbs. (6441 kg) GVWR. Includes (KW5) 220 amp alternator, (TP2) isolated 2nd battery, (G80) heavy-duty rear locking differential, (U05) dual-note horn, (ENC) HVAC system auxiliary rear heat provisions, (K34) cruise control, (ZR7) Chrome Appearance Package, (UF3) high idle switch, (V4D) stop/turn signal circuits and (9L7) equipment accessory wiring junction block. Not available with (B3D) School Bus Package, (YF1) RV Package, (UA1) 770 cold-cranking amp battery or (ANC) Shuttle Bus Package.	A <sup>1</sup>	A <sup>1</sup>	--	A <sup>2</sup>	--

Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
YF1		<p><b>RV Package</b></p> <p>1 - Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI gaseous engine, (R05) Dual rear wheels and SEO (8R3) brass tire valve stems. Includes (ZR7) Chrome Appearance Package, (ZQ2) Power Convenience Package, (ZQ3) Driver Convenience Package, (D31) inside rearview manual day/night mirror or (DRJ) inside rearview mirror with rear vision camera display, (BA3) console with swing-out storage bin, (BNC) soft-mount donut and bolt, (KW5) 220 amp alternator, (TP2) isolated 2nd battery, SEO (8E1) 3 additional gallons of fuel and (9L7) equipment accessory wiring junction block. Not available with (YF2) Ambulance Package, (B3D) School Bus Package, (ANC) Shuttle Bus Package, (UE1) OnStar, (R6G) air conditioning delete, (U0F) AM/FM stereo with MP3 player, (ASF) head/side-curtain air bags or (C7A) 10,000 lbs. (4536 kg) GVWR.</p> <p>2 - Requires SEO (8R3) brass tire valve stems. Includes (ZR7) Chrome Appearance Package, (ZQ2) Power Convenience Package, (ZQ3) Driver Convenience Package, (BA3) console with swing-out storage bin, (BNC) soft-mount donut and bolt, (D31) inside rearview manual day/night mirror or (DRJ) inside rearview mirror with rear vision camera display, (KW5) 220 amp alternator, (TP2) isolated 2nd battery, SEO (8E1) 3 additional gallons of fuel and (9L7) equipment accessory wiring junction block. Not available with (UE1) OnStar, (R6G) air conditioning delete, (U0F) AM/FM stereo with MP3 player or (ASF) head/side-curtain air bags.</p> <p>3 - Requires SEO (8R3) brass tire valve stems. Includes (ZR7) Chrome Appearance Package, (ZQ2) Power Convenience Package, (ZQ3) Driver Convenience Package, (BA3) console with swing-out storage bin, (BNC) soft-mount donut and bolt, (D31) inside rearview manual day/night mirror or (DRJ) inside rearview mirror with rear vision camera display, (KW5) 220 amp alternator, (TP2) isolated 2nd battery, SEO (8E1) 3 additional gallons of fuel and (9L7) equipment accessory wiring junction block. Not available with (YF2) Ambulance Package, (B3D) School Bus Package, (ANC) Shuttle Bus Package, (UE1) OnStar, (R6G) air conditioning delete, (U0F) AM/FM stereo with MP3 player or (ASF) head/side-curtain air bags.</p>	A <sup>1</sup>	A <sup>1</sup>	A <sup>2</sup>	A <sup>3</sup>	--

Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
B3D		<p><b>School Bus Package</b>, chassis equipment with (UJ1) brake warning indicator</p> <p>1 - Requires (D28) outside mirror delete, (C4M) 9900 lb. (4490 kg) GVWR or (C7A) 10,000 (4536 kg) GVWR, and (ZX1) driver-only high-back bucket seating arrangement or (ZP1) temporary driver only Upfitter option seating. Includes (ENC) HVAC system auxiliary rear heat provisions, (KW5) 220 amp alternator (TP2) isolated 2nd battery and (9L7) equipment accessory wiring junction block, (D31) inside rearview manual day/night mirror or (DRJ) inside rearview mirror with rear vision camera display, (U05) dual note horn and (V4D) stop/turn signal circuits. Not available with (DE2) outside manual Black mirrors, (DHC) outside wide-stance sail panel mounted mirrors, (AU3) power door locks, (ASF) head/side-curtain air bags, (ZQ2) Power Convenience Package, (YF2) Ambulance Package, (YF1) RV Package or (ANC) Shuttle Bus Package.</p> <p>2 - Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI gaseous engine, (C7N) 12,300 lbs. (5579 kg.) GVWR, (D28) outside mirror delete and (ZX1) driver-only high-back bucket seating arrangement or (ZP1) temporary driver only Upfitter option seating. Includes (ENC) HVAC system auxiliary rear heat provisions, (KW5) 220 amp alternator (TP2) isolated 2nd battery and (9L7) equipment accessory wiring junction block, (D31) inside rearview manual day/night mirror or (DRJ) inside rearview mirror with rear vision camera display, (U05) dual note horn and (V4D) stop/turn signal circuits. Not available with (DE2) outside manual Black mirrors, (DHC) outside wide-stance sail panel mounted mirrors, (AU3) power door locks, (ASF) head/side-curtain air bags, (ZQ2) Power Convenience Package, (YF2) Ambulance Package, (YF1) RV Package or (ANC) Shuttle Bus Package.</p> <p>3 - Requires (D28) outside mirror delete and (ZX1) driver-only high-back bucket seating arrangement or (ZP1) temporary driver only Upfitter option seating. Includes (ENC) HVAC system auxiliary rear heat provisions, (KW5) 220 amp alternator (TP2) isolated 2nd battery and (9L7) equipment accessory wiring junction block, (D31) inside rearview manual day/night mirror or (DRJ) inside rearview mirror with rear vision camera display, (U05) dual note horn and (V4D) stop/turn signal circuits. Not available with (DE2) outside manual Black mirrors, (DHC) outside wide-stance sail panel mounted mirrors, (AU3) power door locks, (ASF) head/side-curtain air bags, (ZQ2) Power Convenience Package, (YF2) Ambulance Package, (YF1) RV Package or (ANC) Shuttle Bus Package.</p>	A <sup>1</sup>	A <sup>2</sup>	--	A <sup>3</sup>	--
ANC		<p><b>Shuttle Bus Package</b></p> <p>1 - Requires (L96) Vortec 6.0L V8 engine or (LC8) 6.0L V8 SFI gaseous engine and (C7N) 12,300 lbs. (5579 kg.) GVWR. Includes (ZR7) Chrome Appearance Package, (BNC) soft-mount donut and bolt, (ZQ3) Driver Convenience Package, (V4D) stop/turn signal circuits, (ENC) HVAC system auxiliary rear heat provisions (KW5) 220 amp alternator, (TP2) isolated 2nd battery and (9L7) equipment accessory wiring junction block. Not available with (C4M) 9900 lb. (4490 kg) GVWR, (C7A) 10,000 (4536 kg) GVWR, (YF2) Ambulance Package, (YF1) RV Package or (B3D) School Bus Package.</p> <p>2 - Requires (L96) Vortec 6.0L V8 engine or (LC8) 6.0L V8 SFI gaseous engine. Includes (ZR7) Chrome Appearance Package, (BNC) soft-mount donut and bolt, (ZQ3) Driver Convenience Package, (V4D) stop/turn signal circuits, (ENC) HVAC system auxiliary rear heat provisions (KW5) 220 amp alternator, (TP2) isolated 2nd battery and (9L7) equipment accessory wiring junction block. Not available with (YF2) Ambulance Package, (YF1) RV Package or (B3D) School Bus Package.</p> <p>3 - Includes (ZR7) Chrome Appearance Package, (BNC) soft-mount donut and bolt, (ZQ3) Driver Convenience Package, (V4D) stop/turn signal circuits, (ENC) HVAC system auxiliary rear heat provisions (KW5) 220 amp alternator, (TP2) isolated 2nd battery and (9L7) equipment accessory wiring junction block.</p>	A <sup>1</sup>	A <sup>1</sup>	--	A <sup>2</sup>	A <sup>3</sup>

S = Standard Equipment A = Available -- (dashes) = Not Available D = ADI Available  
 ■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

\*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
	KG4	<b>Alternator</b> , 150 amps	S	S	S	S	S
KW5		<b>Alternator</b> , 220 amps 1 - Included with (YF2) Ambulance Package, (YF1) RV Package, (B3D) School Bus Package or (ANC) Shuttle Bus Package. 2 - Included with (YF1) RV Package. 3 - Included with (ANC) Shuttle Bus Package.	A <sup>1</sup>	A <sup>1</sup>	A <sup>2</sup>	A <sup>1</sup>	A <sup>3</sup>
		<b>Battery</b> , 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power	S	S	S	S	S
UA1		<b>Battery</b> , heavy-duty 770 cold-cranking amps, maintenance-free with rundown protection and retained accessory power 1 - Not available with (YF2) Ambulance Package, (YF1) RV Package, (B3D) School Bus Package or (ANC) Shuttle Bus Package. 2 - Not available with (YF1) RV Package. 3 - Not available with (ANC) Shuttle Bus Package.	A <sup>1</sup>	A <sup>1</sup>	A <sup>2</sup>	A <sup>1</sup>	A <sup>3</sup>
TP2		<b>Battery</b> , 600 cold-cranking amps primary, isolated 2nd heavy-duty 770 cold-cranking amps, allows 2nd battery to be used when the vehicle is not running without affecting ability to start the vehicle 1 - Included with (YF2) Ambulance Package, (YF1) RV Package, (B3D) School Bus Package or (ANC) Shuttle Bus Package. 2 - Included with (YF1) RV Package. 3 - Included with (ANC) Shuttle Bus Package.	A <sup>1</sup>	A <sup>1</sup>	A <sup>2</sup>	A <sup>1</sup>	A <sup>3</sup>
BNC		<b>Body</b> , soft-mount donut and bolt (for mounting Upfit body to chassis) 1 - Included with (YF1) RV Package or (ANC) Shuttle Bus Package. 2 - Included with (YF1) RV Package. 3 - Included with (ANC) Shuttle Bus Package.	A <sup>1</sup>	A <sup>1</sup>	A <sup>2</sup>	A <sup>1</sup>	A <sup>3</sup>
		<b>Brakes</b> , 4-wheel antilock, 4-wheel disc	S	S	S	S	S
		<b>Brake/transmission shift interlock</b> , for automatic transmissions	S	S	S	S	S
V10		<b>Cold Climate Package</b> , includes (K05) engine block heater	A	A	A	A	A
	KC4	<b>Cooling</b> , external engine oil cooler	S	S	S	S	S
G80		<b>Differential</b> , heavy-duty locking rear 1 - Included with (YF2) Ambulance Package.	A <sup>1</sup>	A <sup>1</sup>	A	A <sup>1</sup>	A
FE9		<b>Emissions</b> , Federal requirements	A	A	A	A	A
YF5		<b>Emissions</b> , California state requirements	A	A	A	A	A
NE1		<b>Emissions</b> , Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington state requirements	A	A	A	A	A

Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
NB8		<p><b>Emissions override</b>, California (allows a dealer in states that require California emissions - California, Connecticut, Delaware, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island or Washington - to order Federal emissions for a vehicle that will be registered in a state that has Federal emission requirements). Do not use for vehicles that will be registered in California, Connecticut, Delaware, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island or Washington.</p> <p>1 - Requires (FE9) Federal emissions requirements. Not available in Maine and Vermont.</p>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
NB9		<p><b>Emissions override</b>, state-specific (for dealers ordering vehicles in (YF5) or (NE1) emission states - California, Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington)</p> <p>1 - Allows a California dealer (YF5 emissions) to order (NE1) emissions with (NB9) emissions override code for registration in (NE1) states; or, a Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington dealer (NE1 emissions) to order (YF5) emissions with (NB9) emissions override code for registration in California.</p>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
NC7		<p><b>Emissions override</b>, Federal (for vehicles ordered by dealers in Federal emission states with (YF5) or (NE1) emissions - Not required for vehicles being shipped to California, Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont or Washington)</p> <p>1 - Requires (YF5) California state emissions requirements or (NE1) Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont or Washington state emissions requirements.</p>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
NHT		<p><b>Enhanced Towing Performance Package</b>, GCWR increased to 19,000 lbs. (8618 kg).</p> <p>1 - Requires (C7N) 12,300 lbs. (5579 kg) GVWR. Includes (GT5) Rear axle, 4.10 ratio.</p>	--	A <sup>1</sup>	A <sup>1</sup>	--	--
	LV1	<p><b>NEW! Engine</b>, 4.3L V6 with Direct Injection and Variable Valve Timing, includes aluminum block construction (265 hp [198 kw] @ 5200 rpm, 295 lb-ft of torque [400 Nm] @ 4000 rpm)</p> <p>1 - Requires (C4M) 9900 lbs. (4490 kg) GVWR, (C7A) 10,000 lbs. (4536 kg) GVWR or (JFF) 10,100 lb. (4581 kg) GVWR. Not available with (YF2) Ambulance Package, (YF1) RV Package, (ANC) Shuttle Bus Package or (C7N) 12,300 lbs. (5579 kg) GVWR. Includes external engine oil cooler. Reference the Engine/Axle page for availability.</p> <p>2 - Requires (C4M) 9900 lbs. (4490 kg) GVWR or (C7A) 10,000 lbs. (4536 kg) GVWR. Not available with (YF2) Ambulance Package, (YF1) RV Package, (ANC) Shuttle Bus Package, (B3D) School Bus Package or (C7N) 12,300 lbs. (5579 kg) GVWR. Not available with (ENC) HVAC system auxiliary rear heat provisions. Includes external engine oil cooler. Reference the Engine/Axle page for availability.</p>	S <sup>1</sup>	S <sup>2</sup>	--	--	--



Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
L96		<b>Engine</b> , Vortec 6.0L V8 (341 hp [254.3 kW] @ 5400 rpm, 373 lb-ft of torque [503.6 N-m] @ 4400 rpm) 1 - Includes external oil cooler. Requires (MYD) 6-speed heavy-duty automatic transmission. Reference the Engine/Axle page for availability.	A <sup>1</sup>	A <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>
LC8		<b>Engine</b> , 6.0L V8 SFI Gaseous CNG/LPG capable with hardened valves and valve seats. Capable of operating on both gasoline and CNG/LPG. Running on gasoline (341 hp [255 kW] @ 5400 rpm, 373 lb-ft of torque [503.6 N-m] @ 4400 rpm). Equipped with standard factory gasoline fuel system. Does not include gaseous fuel tank(s), lines, regulators, etc. Gaseous fuel system can be installed in by aftermarket upfitter. GM recommends use of our approved alternative fuel upfitter, PSI (Power Solutions International). Ship thru codes are available for the PSI CNG and LPG fuel systems. Emissions certified for gasoline usage only. Emissions certification (exhaust and evaporative), as well as safety and labeling standards for the CNG/LPG system is the responsibility of the gaseous fuel system manufacturer. 1 - Includes external oil cooler. Requires (MYD) 6-speed heavy-duty automatic transmission. Reference the Engine/Axle page for availability.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
	K05	<b>Engine block heater</b> 1 - Included and only available with (V10) Cold Climate Package.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
		<b>Exhaust</b> , aluminized stainless-steel muffler and tailpipe	S	S	S	S	S
R9Y		<b>Fleet Free Maintenance Credit</b> . This option code provides a credit in lieu of the free oil changes, tire rotations and inspections (2 maximum), during the first 24 months and 24,000 miles period for this ordered vehicle. The invoice will detail the applicable credit. The customer will be responsible for all oil change, tire rotations and inspections costs for this vehicle. 1 - Requires one of the following Fleet or Government order types: FBC, FBN, FCA, FCN, FLS, FNR, FRC or FGO. Not available with FDR order types.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
		<b>Frame</b> , ladder-type	S	S	S	S	S
K50		<b>Fuel fitting</b> , auxiliary feed in the fuel tank 1 - Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI gaseous engine. 2 - Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI gaseous engine. Not available with (NE7) 57 gallon (215.7L) (approximate) fuel tank.	A <sup>1</sup>	A <sup>2</sup>	A <sup>2</sup>	A <sup>2</sup>	A <sup>2</sup>
		<b>Fuel tank capacity</b> , mid-frame and approximately 33 gallons (124.9L)	S	S	S	S	S

Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
NE7		<b>Fuel tank capacity</b> , approximately 57 gallons (215.7L). As part of the base design, includes the auxiliary feed fuel fitting and in tank return line. 1 - Requires (C7N) 12,300 lb. (5579 kg) GVWR. Not available with (B3D) School Bus Package. 2 - Not available with (K50) auxiliary feed in fuel tank return line fuel fitting. 3 - Not available with (K50) auxiliary feed in fuel tank return line fuel fitting or (B3D) School Bus Package.	--	A <sup>1</sup>	A <sup>2</sup>	A <sup>3</sup>	A <sup>2</sup>
	C4M	<b>GVWR</b> , 9900 lbs. (4490 kg) 1 - Includes (R04) single rear wheel configuration. Not available with (R05) dual rear wheel combination. Reference the Engine/Axle page for availability.	S <sup>1</sup>	S <sup>1</sup>	--	--	--
C7A		<b>NEW! GVWR</b> , 10,000 lbs. (4536 kg) 1 - Requires (R05) dual rear wheel configuration. Not available with (YF1) RV Package or (R04) single rear wheel combination. Reference the Engine/Axle page for availability.	A <sup>1</sup>	A <sup>1</sup>	--	--	--
JFF		<b>GVWR</b> , 10,100 lbs. (4581 kg) 1 - Includes (R04) single rear wheel configuration. Not available with (R05) dual rear wheel combination. Reference the Engine/Axle page for availability.	A <sup>1</sup>	--	--	--	--
C7N		<b>GVWR</b> , 12,300 lbs. (5579 kg) 1 - Includes (R05) dual rear wheel configuration. Not available with (R04) single rear wheel combination. Reference the Engine/Axle page for availability.	A <sup>1</sup>	A <sup>1</sup>	S	--	--
	C7I	<b>GVWR</b> , 14,200 lbs. (6441 kg)	--	--	--	S	S
UF3		<b>High idle switch</b> 1 - Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI gaseous engine and (ZQ3) Driver Convenience Package or (K34) cruise control. Included with (YF2) Ambulance Package. 2 - Requires (ZQ3) Driver Convenience Package or (K34) cruise control. 3 - Requires (ZQ3) Driver Convenience Package or (K34) cruise control. Included with (YF2) Ambulance Package.	A <sup>1</sup>	A <sup>1</sup>	A <sup>2</sup>	A <sup>3</sup>	A <sup>2</sup>
ENC		<b>HVAC system</b> , auxiliary rear heater provisions 1 - Included with (YF2) Ambulance Package, (B3D) School Bus Package or (ANC) Shuttle Bus Package. 2 - Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI gaseous engine. Included with (YF2) Ambulance Package, (B3D) School Bus Package or (ANC) Shuttle Bus Package. 3 - Included with (ANC) Shuttle Bus Package.	A <sup>1</sup>	A <sup>2</sup>	A	A <sup>1</sup>	A <sup>3</sup>
	VXT	<b>Incomplete vehicle certification</b>	S	S	S	S	S
		<b>Oil life monitor</b>	S	S	S	S	S
	GU6	<b>Rear axle</b> , 3.42 ratio 1 - Requires (R04) single rear wheel configuration.	S <sup>1</sup>	S <sup>1</sup>	--	--	--
	GT4	<b>Rear axle</b> , 3.73 ratio 1 - Requires (R05) dual rear wheel configuration.	A <sup>1</sup>	A <sup>1</sup>	S <sup>1</sup>	--	--
	GT5	<b>Rear axle</b> , 4.10 ratio 1 - Included and only available with (NHT) Enhanced Towing Performance Package.	--	A <sup>1</sup>	A <sup>1</sup>	S	S

Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
	JL4	<b>StabiliTrak</b> , traction assistance and vehicle stability enhancement system	S	S	S	S	S
		<b>Steering</b> , power	S	S	S	S	S
		<b>Suspension</b> , front independent with coil springs and stabilizer bar	S	S	S	S	S
		<b>Suspension</b> , rear hypoid drive axle with multi-leaf springs	S	S	S	S	S
UY7		<b>Trailer provisions</b> , trairling wire harness only 1 - Not available with (YF2) Ambulance Package or (B3D) School Bus Package.	A <sup>1</sup>	A <sup>1</sup>	--	A <sup>1</sup>	--
		<b>NEW! Hill Start Assist</b>	S	S	S	S	S
	M5U	<b>NEW! Transmission</b> , 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking	S	S	--	--	--
MYD		<b>Transmission</b> , 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking 1 - Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI gaseous engine. Reference the Engine/Axle page availability. 2 - Reference the Engine/Axle page availability.	A <sup>1</sup>	A <sup>1</sup>	S <sup>2</sup>	S <sup>2</sup>	S <sup>2</sup>
	V14	<b>Transmission oil cooler</b> , external	S	S	S	S	S

**2018 Chevrolet Truck Express Cutaway ENGINE/AXLE**

S = Standard Equipment    A = Available    -- (dashes) = Not Available ■ = Included in Equipment Group    □ = Included in Equipment Group but upgradeable  *Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.											
		Transmissions		Axles			GVWR lbs. (kg)				
Model	Engine	MYD 6-Speed Automatic Heavy-Duty	M5U 8-speed Automatic	GU6 3.42	GT4 3.73	GT5 4.10	C4M 9900 (4490)	C7A 10,000 (4536)	JFF 10,100 (4581)	C7N 12,300 (5579)	C7I 14,200 (6441)
<b>CG33503</b>	LV1 4.3L V6 SIDI	--	S	S	--	--	S <sup>3</sup>	A <sup>1</sup>	A <sup>3</sup>	--	--
	L96 Vortec 6.0L V8 SFI	S	--	A	A	--	A <sup>3</sup>	--	A <sup>3</sup>	A <sup>1</sup>	--
	LC8 6.0L V8 SFI Gaseous	S	--	A	A	--	A <sup>3</sup>	--	A <sup>3</sup>	A <sup>1</sup>	--
<b>CG33803</b>	LV1 4.3L V6 SIDI	--	S	S	--	--	S <sup>3</sup>	A <sup>1</sup>	--	--	--
	L96 Vortec 6.0L V8 SFI	S	--	A	A	S <sup>2</sup>	A <sup>3</sup>	--	--	A <sup>1</sup>	S <sup>2</sup>
	LC8 6.0L V8 SFI Gaseous	S	--	A	A	S <sup>2</sup>	A <sup>3</sup>	--	--	A <sup>1</sup>	S <sup>2</sup>
<b>CG33903</b>	L96 Vortec 6.0L V8 SFI	S	--	--	S	S <sup>2</sup>	--	--	--	S <sup>1</sup>	S <sup>2</sup>
	LC8 6.0L V8 SFI Gaseous	S	--	--	S	S <sup>2</sup>	--	--	--	S <sup>1</sup>	S <sup>2</sup>

1 - Requires (R05) Dual rear wheels.  
 2 - Requires 4500 Vans.  
 3 - Requires (R04) Single rear wheels.

**2018 Chevrolet Truck Express Cutaway COLOR AND TRIM - SOLID PAINT ZY1**

S = Standard Equipment    A = Available    -- (dashes) = Not Available  
 ■ = Included in Equipment Group    □ = Included in Equipment Group but upgradeable

\*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Decor Level	Seat Type	Seat Code	Seat Trim	Interior	
				Neutral	Medium Pewter
Work Van	Reclining high-back buckets with inboard armrests	AR7	Vinyl	52W	93W
Work Van	Reclining high-back buckets with inboard armrests	AS5	Custom Cloth	52G	93G

Exterior Solid Paint	Color Code	Touch Up Paint Number	Interior	
			Neutral	Medium Pewter
Summit White	GAZ	WA-8624	A	A
Red Hot	G7C	WA-130X	A	A
<b>NEW!</b> Satin Steel Metallic	G9K	WA-464C	A	A
Silver Ice Metallic	GAN	WA-636R	--	A
Black	GBA	WA-8555	A	A
<b>NEW!</b> Kinetic Blue Metallic <sup>1</sup>	GD1	WA-388A	A	A
Graphite Metallic	GPA	WA-457B	A	A

Above interior combinations are the only combinations allowed.

1 - Extra-cost color.

**2018 Chevrolet Truck Express Cutaway COLOR AND TRIM - SEO SOLID PAINT**

S = Standard Equipment    A = Available    -- (dashes) = Not Available  
 ■ = Included in Equipment Group    □ = Included in Equipment Group but upgradeable

\*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Decor Level	Seat Type	Seat Code	Seat Trim	Interior	
				Neutral	Medium Pewter
Work Van	Reclining high-back buckets	AR7	Vinyl	52W	93W
Work Van	Seats, delete driver and passenger, leaves seat risers on both sides, Upfitter option	ZP0	Vinyl	52W	93W
Work Van	Temporary driver seat only, Upfitter option	ZP1	Vinyl	52W	93W
Work Van	Reclining high-back buckets with inboard armrests	AS5	Custom Cloth	52G	93G
Work Van	Seats, delete driver and passenger, leaves seat risers on both sides, Upfitter option	ZP0	Custom Cloth	52G	93G
Work Van	Temporary driver seat only, Upfitter option	ZP1	Custom Cloth	52G	93G

Exterior Solid Paint	Color Code	Touch Up Paint Number	Interior	
			Neutral	Medium Pewter
Yellow	none	WA-5456	A	A
Blue	none	WA-5665	A	A
Green	none	WA-7927	A	A
Inca Gold	none	WA-7952	A	A
Silver Metallic	none	WA-8867	A	A
Green, Woodland	9V5	WA-9015	A	A
Victory Red	none	WA-9260	A	A
Doeskin Tan	9V9	WA-9403	A	A
Yellow	none	WA-9414	A	A
Tangier Orange	9W4	WA-9417	A	A
Yellow	none	WA-215D	A	A
Dark Toreador Red	none	WA-257C	A	A
Yellow	none	WA-259L	A	A
Blue	none	WA-451N	A	A
Yellow	none	WA-478G	A	A
Petro Blue	none	WA-527Y	A	A
Dark Blue Metallic	none	WA-722J	A	A
Silver Birch Metallic	none	WA-926L	A	A
Wheatland Yellow	9W3	WA-253A	A	A

**2018 Chevrolet Truck Express Cutaway COLOR AND TRIM - SEO SOLID PAINT**

Exterior Solid Paint	Color Code	Touch Up Paint Number	Interior	
			Neutral	Medium Pewter
All extraneous body components formerly color-keyed to body color, will be flat Black. GM will require 5 orders before sending to the plant				

S = Standard Equipment A = Available -- (dashes) = Not Available D = ADI Available  
 ■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

\*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
		<b>Interior</b>					
8T2		<b>Headliner delete with (9T7) right-hand door delete</b> The headliner will be deleted only when (9T7) right-hand door delete is ordered also. It will come with sun visors and headliner wiring harness that is contented for dome light/Backup camera on rearview mirror/OnStar. These parts will be shipped loose. <b>1 - Requires (UE0) OnStar delete and SEO (9T7) right-hand door delete. Not available with RPO (UI8) audio system with navigation.</b>	A <sup>1</sup>	A <sup>1</sup>	--	A <sup>1</sup>	A <sup>1</sup>
RG1		<b>Routing grommet, front instrument panel</b> Provides an area for putting wires thru the front of dash. <b>1 - Not available with (9L7) Wiring junction block equipment accessory.</b>	A <sup>1</sup>	A <sup>1</sup>	A	A <sup>1</sup>	A
8N2		<b>Safety belts, Orange,</b> provides high visibility front Orange safety belts in lieu of Dark Pewter <b>1 - Requires (93G) Medium Pewter Custom Cloth or (93W) Custom Vinyl. Not available with SEO (5B2) Red safety belts.</b>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
5B2		<b>Safety belts, Red</b> Provides high visibility front Red seat belts in lieu of Dark Pewter <b>1 - Requires Medium Pewter RPO (93G) Medium Pewter Custom Cloth or (93W) Custom Vinyl trim code. Not available with SEO (8N2) Orange safety belts.</b>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
AG1		<b>Seat adjuster, driver, 6-way power, riser only, Upfitter option</b> Multi-directional 6-way power driver seat riser. Does not include driver seat <b>1 - For Retail order types, requires (AS5) front bucket seats with Custom Cloth. For Non-Retail order types, requires SEO (ZP1) temporary driver only seating, (AS5) front bucket seats with Custom Cloth or (ZP0) delete driver and passenger seats, to be ordered and priced in addition to SEO (AG1) and an order for shipment to an upfitter or body builder.</b>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
AG2		<b>Seat adjuster, front passenger, 6-way power, riser only, Upfitter option</b> Multi-directional 6-way power passenger seat riser. Does not include passenger seat <b>1 - For Retail order types, requires SEO (AG1) driver 6-way power seat adjuster and (AS5) front bucket seats with Custom Cloth. For Non-Retail order types, requires SEO (AG1) driver 6-way power seat adjuster and (AS5) front bucket seats with Custom Cloth or (ZP0) delete driver and passenger seats, to be ordered and priced in addition to SEO (AG2) and an order for shipment to an upfitter or body builder.</b>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>



Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
ZP1		<b>Seating, temporary driver only, Upfitter option</b> Provides a driver only seat riser with adjuster and seat belt. Deletes driver and passenger front seats, passenger seat riser with adjuster and seat belt. Also provides a temporary seat for transportation to the upfitter 1 - Includes RPO (AJ3) frontal air bag and SEO (9T7) passenger-side delete door. Not available with RPO (ZQ2) Power Convenience Package or RPO (ZX1) driver-only high-back bucket seating.	A <sup>1</sup>	A <sup>1</sup>	--	A <sup>1</sup>	A <sup>1</sup>
9J6		<b>Steering column, tilt</b> Tilt-steering column without cruise control 1 - Not Available with RPO (ZQ3) Driver Convenience Package, RPO (UF3) high idle switch, (K34) cruise control, RPO (YF1) RV Package, (ANC) Shuttle Bus Package or (YF2) Ambulance Package. 2 - Not Available with RPO (ZQ3) Driver Convenience Package, RPO (UF3) high idle switch, (K34) cruise control, RPO (YF1) RV Package. 3 - Not Available with RPO (ZQ3) Driver Convenience Package, RPO (UF3) high idle switch, (K34) cruise control, RPO (YF1) RV Package or (ANC) Shuttle Bus Package.	A <sup>1</sup>	A <sup>1</sup>	A <sup>2</sup>	A <sup>1</sup>	A <sup>3</sup>
		<b>Exterior</b>					
8S3		<b>Backup alarm, 97 decibels</b> Alarm shipped loose to be installed by upfitter.	A	A	A	A	A
8E9		<b>Bumper, front, painted White in lieu of the standard Black</b> 1 - Not available with RPO (YF1) RV Package or RPO (ZR7) Chrome Appearance Package.	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
5Q7		<b>Blank Sail Panel Delete, Upfitter option</b> Deletes the driver and passenger side blank (non-mirror) sail panels. (Panels are replaced with easily removable tape) 1 - Requires RPO (D28) outside delete mirrors or (8D8) provisions for upfitter to install their own outside rearview mirrors. Not available with RPO (YF2) Ambulance Package when ordered with RPO (D28) outside delete mirrors. 2 - Requires RPO (D28) outside delete mirrors or (8D8) provisions for upfitter to install their own outside rearview mirrors.	A <sup>1</sup>	A <sup>1</sup>	A <sup>2</sup>	A <sup>1</sup>	A <sup>2</sup>
	9T7	<b>Door, passenger side delete, Upfitter option</b> Deletes the passenger door and replaces it with a temporary plastic shipping cover. Passenger side radio speaker is shipped loose 1 - Required and only available with (B3D) School Bus Package and (ANC) Shuttle Bus Package. Requires (ZX1) driver only high-back bucket seating or SEO (ZP1) temporary driver only seating. Not available with outside mirror options or RPO (ZQ2) Power Convenience Package. 2 - Required and only available with (ANC) Shuttle Bus Package. Requires (ZX1) driver only high-back bucket seating or SEO (ZP1) temporary driver only seating. Not available with outside mirror options or RPO (ZQ2) Power Convenience Package.	A <sup>1</sup>	A <sup>1</sup>	--	A <sup>1</sup>	A <sup>2</sup>
5Z5		<b>Hubcap delete</b> Deletes hub caps from standard wheels	A	A	A	A	A

Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
5H1		<p><b>Key equipment, two additional keys for single key system</b> Provides two additional spare keys for a total of (4). (Keys will be cut but not programmed) NOTE: programming of keys is at customer's expense. Programming keys is not a warranty expense.</p> <p>1 - Not available with SEO (9T7) passenger side door delete or SEO (6E2) key, single.</p>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
6E2		<p><b>Key, single</b> All keys are coded alike</p> <p>1 - Not available with (BTV) remote vehicle start or (5H1) two additional keys for single key system.</p>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
8X1		<p><b>Label, fasten safety belts</b> "Fasten Safety Belts" reminder label on side door window glass</p> <p>1 - Not available with SEO (9T7) passenger-side delete door.</p>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
6M2		<p><b>Mirrors, outside mid-stance sail panel mounted</b> Provides Velvac convex combination RH and LH outside rear view mirrors that are sail panel mounted with arms that provide a medium stance. Mirrors can be utilized with bodies that are up to 78 inches in width. Mirrors provide a 63.3 sq. inch flat glass positioned over a 30.1 sq. inch convex glass within a common head. Mirrors are shipped loose in vehicle.</p> <p>1 - Requires (R04) single rear wheels. Not available with SEO (5H5) 2.5 lb. dry chemical BC rated fire extinguisher, SEO (5H6) safety reflector triangle kit, SEO (9T7) Door, passenger side delete or with RPO (B3D) School Bus Package.</p>	A <sup>1</sup>	--	--	--	--
8D8		<p><b>Provision for upfitter to install their own outside rearview mirrors</b> Provides an electrical connector so the upfitter can install power outside mirrors.</p> <p>1 - Requires RPO (ZQ2) Power Convenience Package for power windows and door locks, (C60) air conditioning and SEO (5Q7) blank sail panel delete, upfitter option. Not available with (5H5) 2.5 lb. Dry chemical BC rated fire extinguisher or (5H6) Safety reflector triangle kit.</p>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
TGK		<p><b>Special Paint, Solid, one color</b> All normally body colored non-sheet metal parts will be flat Black.</p> <p>1 - Required with any SEO paint selection. May require extra lead time and GM will require 5 orders before sending to the plant.</p>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
9V9		<p><b>Paints, solid, Doeskin Tan</b> All extraneous body components formerly color-keyed to body color, will be flat Black with SEO paint</p> <p>1 - Requires SEO (TGK) Solid paint, one color. May require extended lead time.</p>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
9W4		<p><b>Paints, solid, Tangier Orange</b> All extraneous body components formerly color-keyed to body color, will be flat Black with SEO paint</p> <p>1 - Requires SEO (TGK) Solid paint, one color. May require extended lead time.</p>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>

Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
9W3		<b>Paints, solid, Wheatland Yellow</b> All extraneous body components formerly color-keyed to body color, will be flat Black with SEO paint <b>1 - Requires SEO (TGK) Solid paint, one color. May require extended lead time.</b>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
9V5		<b>Paints, solid, Woodland Green</b> All extraneous body components formerly color-keyed to body color, will be flat Black with SEO paint <b>1 - Requires SEO (TGK) Solid paint, one color. May require extended lead time.</b>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
8R2		<b>Tire valve stems, long, brass, for inside dual rear wheels</b> Brass metal 3-3/8" long valve stems on the inner wheels of dual rear wheel axles for easy air inflation. <b>1 - Requires SEO (Q8C) air-thru valve caps. Requires RPO (R05) dual rear wheels. Not available with RPO (YF1) RV Package.</b>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
8R3		<b>Tire valve stems, brass in lieu of standard</b> Also included on spare when furnished <b>1 - Requires RPO (R05) dual rear wheels.</b>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
Q8C		<b>Tire valve stem caps, air thru</b> Air through valve caps on the tire air valves <b>1 - Included with SEO (8R2) long, brass tire valve stems. Not available with RPO (YF1) RV Package.</b>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
5G0		<b>Wheels, painted Black in lieu of standard Gray painted wheels</b> <b>1 - Not available with (40P) white wheels.</b>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
		<b>Mechanical</b>					
9C7		<b>Coolant recovery bottle with no-loss tethered cap</b> <b>1 - Not available with RPO (YF1) RV Package.</b>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A
5H5		<b>Fire extinguisher, 2.5 lb. Dry chemical BC rated</b> Item shipped loose for later placement and securing by a body builder or upfitter <b>1 - Not available with exterior mirrors (DHC) or (6M2).</b>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
5H6		<b>Safety reflector triangle kit</b> Provides a break-down warning kit consisting of 3 reflective triangles. Item shipped loose for later placement and securing in after-market installation <b>1 - Not available with exterior mirrors (DHC) or (6M2).</b>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>

Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
5C4		<p><b>Front Spring, High Rate Upgrade, Upfitter option</b> Provides computer selected high rate front springs based on the front weight of the vehicle. Intended for a upfit that requires higher center of gravity loads that are located at or near the front axle. Provides increased front spring capacity but will not change the front GVWR rating. Computer selects increased capacity and stiffness based on front weight of the vehicle. Replaces standard computer selected suspension based on the front weight of the chassis</p> <p>1 - Requires one of the following upfitter order types; FRC, SRV, TSC, TSD, TSR, TSM, FRV and RPO (C7N) 12,300 lbs. (5579 kg) GVWR. Not available with RPO (B3D) School Bus Package.</p>	--	A <sup>1</sup>	--	--	--
8E1		<p><b>Fuel, additional 3-gallons</b> 3 gallons of fuel in addition to normal assembly plant fill</p> <p>1 - Included with (YF1) RV Package.</p>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
9B4		<p><b>Fuel fill cap with stainless steel tether in lieu of the standard plastic tether</b></p>	A	A	A	A	A
9C2		<p><b>Governor, electronic speed sensor set to 65 MPH</b> Electronic software to facilitate 65-MPH maximum road speed.</p> <p>1 - Requires a Fleet order. Not available with (K34) cruise control or with (YF1) RV Package.</p> <p>2 - Requires a Fleet order and (R05) dual rear wheels. Not available with (K34) cruise control or with (YF1) RV Package.</p>	A <sup>1</sup>	A <sup>2</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
9B9		<p><b>Governor, electronic speed sensor set to 70 MPH</b> Provides electronic software to limit maximum road speed to 70-MPH. Cruise control limited to 65 MPH.</p> <p>1 - Requires a Fleet order type. Not available with (YF1) RV Package.</p>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
9D7		<p><b>Governor, electronic speed sensor set to 75 MPH</b> Provides electronic software to limit maximum road speed to 75-MPH with gasoline engine. Cruise control limited to 70 MPH.</p> <p>1 - Requires a Fleet order type. Not available with (YF1) RV Package.</p>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
PSR		<p><b>Power steering reservoir with glass sight, for checking fluid level</b></p>	A	A	A	A	A
9R5		<p><b>Suspension, rear multi-leaf in lieu of the standard tapered leaf</b></p> <p>1 - Requires (C4M) 9900 lbs. (4490 kg) GVWR, (C7A) 10,000 lb. (4536 kg) GVWR or (JFF) 10,100 lb. (4581 kg) GVWR.</p> <p>2 - Requires (C7A) 10,000 lb. (4536 kg) GVWR.</p>	A <sup>1</sup>	A <sup>2</sup>	--	--	--
		<b>Ship Thru Codes</b>					
TVY		<p><b>Ship Thru, Produced and shipped to Anchorage VDC then to TK Services and returned to Anchorage VDC for shipping to final destination</b> (Dealer Invoice = \$165.00) Available only to orders with a final Ship-To Code for State of Alaska Dealers only</p>	A	A	A	A	A

S = Standard Equipment A = Available -- (dashes) = Not Available D = ADI Available  
 ■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

\*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
PQF		<p><b>OnStar 6 months of OnStar Protection Service.</b> Provides 6 months of Protection service in addition to the 6 months of standard Guidance Plan trial service (12 months for Cadillac) that is included in the price of the vehicle (trial excludes Hands-Free Calling minutes). Total service duration is 12 months (18 months for Cadillac).</p> <p>1 - Requires UE1 OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQI, PQL, PQM, PQP, PQQ, PQT, PRE and PRF. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQG, PQH or PRD.</p>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
PQG		<p><b>OnStar 18 months of OnStar Protection Service.</b> Provides 18 months of Protection service in addition to the 6 months of standard Guidance Plan trial service (12 months for Cadillac) that is included in the price of the vehicle (trial excludes Hands-Free Calling minutes). Total service duration is 24 months (30 months for Cadillac).</p> <p>1 - Requires UE1 OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQI, PQL, PQM, PQP, PQQ, PQT, PRE and PRF. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQF, PQH or PRD.</p>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
PQH		<p><b>OnStar 30 months of OnStar Protection Service.</b> Provides 30 months of Protection service in addition to the 6 months of standard Guidance Plan trial service (12 months for Cadillac) that is included in the price of the vehicle (trial excludes Hands-Free Calling minutes). Total service duration is 36 months (42 months for Cadillac).</p> <p>1 - Requires UE1 OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQI, PQL, PQM, PQP, PQQ, PQT, PRE and PRF. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQF, PQG or PRD.</p>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
PQI		<p><b>OnStar 6 months of OnStar Security Service.</b> Provides 6 months of Security service in addition to the 6 months of standard Guidance Plan trial service (12 months for Cadillac) that is included in the price of the vehicle (trial excludes Hands-Free Calling minutes). Total service duration is 12 months (18 months for Cadillac).</p> <p>1 - Requires UE1 OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQF, PQG, PQH, PQP, PQQ, PQT, PRD and PRF. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQL, PQM or PRE.</p>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>

Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
PQL		<p><b>OnStar 18 months of OnStar Security Service.</b> Provides 18 months of Security service in addition to the 6 months of standard Guidance Plan trial service (12 months for Cadillac) that is included in the price of the vehicle (trial excludes Hands-Free Calling minutes). Total service duration is 24 months (30 months for Cadillac).</p> <p>1 - Requires UE1 OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQF, PQG, PQH, PQP, PQQ, PQT, PRD and PRF. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQL, PQM or PRE.</p>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
PQM		<p><b>OnStar 30 months of OnStar Security Service.</b> Provides 30 months of Security service in addition to the 6 months of standard Guidance Plan trial service (12 months for Cadillac) that is included in the price of the vehicle (trial excludes Hands-Free Calling minutes). Total service duration is 36 months (42 months for Cadillac).</p> <p>1 - Requires UE1 OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQF, PQG, PQH, PQP, PQQ, PQT, PRD and PRF. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQL, PQL or PRE.</p>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
PQP		<p><b>OnStar Additional 6 months of OnStar Fleet Guidance Service.</b> Provides 6 months of Fleet Guidance service in addition to the 6 months of standard Guidance Plan trial service (12 months for Cadillac) that is included in the price of the vehicle (plan excludes Hands-Free Calling minutes). Total service duration is 12 months (18 months for Cadillac).</p> <p>1 - Requires UE1 OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQF, PQG, PQH, PQL, PQL, PQM, PRD and PRE. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQQ, PQT or PRF.</p>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
PQQ		<p><b>OnStar Additional 18 months of OnStar Fleet Guidance Service.</b> Provides 18 months of Fleet Guidance service in addition to the 6 months of standard Guidance Plan trial service (12 months for Cadillac) that is included in the price of the vehicle (plan excludes Hands-Free Calling minutes). Total service duration is 24 months (30 months for Cadillac).</p> <p>1 - Requires UE1 OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQF, PQG, PQH, PQL, PQL, PQM, PRD and PRE. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQP, PQT or PRF.</p>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>

Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
PQT		<p><b>OnStar Additional 30 months of OnStar Fleet Guidance Service.</b> Provides 30 months of Guidance service in addition to the 6 months of standard Guidance Plan trial service (12 months for Cadillac) that is included in the price of the vehicle (plan excludes Hands-Free Calling minutes). Total service duration is 36 months (42 months for Cadillac).</p> <p>1 - Requires UE1 OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQF, PQG, PQH, PQI, PQL, PQM, PRD and PRE. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQP, PQQ or PRF.</p>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
PRD		<p><b>NEW! OnStar 42 months of OnStar Protection Service.</b> Provides 42 months of Protection service in addition to the 6 months of standard Guidance plan trial service (12 months for Cadillac) that is included in the price of the vehicle (trial excludes Hands-Free Calling minutes). Total service duration is 48 months (54 months for Cadillac).</p> <p>1 - Requires UE1 OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQI, PQL, PQM, PQP, PQQ, PQT, PRE and PRF. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQF, PQG or PQH.</p>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
PRE		<p><b>NEW! OnStar 42 months of OnStar Security Service.</b> Provides 42 months of Security service in addition to the 6 months of standard Guidance plan trial service (12 months for Cadillac) that is included in the price of the vehicle (trial excludes Hands-Free Calling minutes). Total service duration is 48 months (54 months for Cadillac).</p> <p>1 - Requires UE1 OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQF, PQG, PQH, PQI, PQL, PQM, PRD and PRE. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQI, PQL or PQM.</p>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
PRF		<p><b>NEW! OnStar Additional 42 months of OnStar Fleet Guidance Service.</b> Provides 42 months of Guidance service in addition to the 6 months of standard Guidance plan trial service (12 months for Cadillac) that is included in the price of the vehicle (trial and plan excludes Hands-Free Calling minutes). Total service duration is 48 months (54 months for Cadillac).</p> <p>1 - Requires UE1 OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQF, PQG, PQH, PQI, PQL, PQM, PRD and PRE. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQP, PQQ or PQT.</p>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
ROV		<p><b>OnStar with 4G LTE for Fleet (20GB/12 months)</b> provides a built-in Wi-Fi hotspot to connect to the internet at 4G LTE speeds, includes AT&amp;T 20GB data plan good for 12 months.</p> <p>1 - Requires (UE1) OnStar and (VV4) OnStar with 4G LTE and one of the following order types FLS, FNR, FRC, FBC, FGO or FEF. Not available with ROW. Visit <a href="http://www.onstar.com">www.onstar.com</a> for vehicle availability, details and system limitations. Services and connectivity may vary by model and conditions. 4G LTE service available in select markets. 4G LTE performance based on industry averages and vehicle systems design. Some services require data plan.</p>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>

Free Flow RPO Code	Ref. Only RPO Code	Description	Work Van			4500 Van	
			CG33503 1WT	CG33803 1WT	CG33903 1WT	CG33803 2WT	CG33903 2WT
ROW		<p><b>OnStar with 4G LTE for Fleet (36GB/24 months)</b> provides a built-in Wi-Fi hotspot to connect to the internet at 4G LTE speeds, includes AT&amp;T 36GB data plan good for 24 months.</p> <p>1 - Requires (UE1) OnStar and (VV4) OnStar with 4G LTE and one of the following order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with ROV. Visit <a href="http://www.onstar.com">www.onstar.com</a> for vehicle availability, details and system limitations. Services and connectivity may vary by model and conditions. 4G LTE service available in select markets. 4G LTE performance based on industry averages and vehicle systems design. Some services require data plan.</p>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
PR6		<p><b>SiriusXM Satellite Radio Additional 9 months of the SiriusXM All Access Package.</b> Includes 150 channels of commercial-free music plus every major sport and the biggest names in entertainment, news and comedy in vehicle plus 9 months of listening on the SiriusXM app or online in addition to the 3 months of All Access trial service that is included in the price of the vehicle. Total service duration is 12 months.</p> <p>Non-Transferrable. Non-Refundable.</p> <p>1 - Requires (U2K) SiriusXM Satellite Radio and a Fleet order type. Not available with FDR order types, PR7 or PR8. Not available in AK, HI, PR and VI.</p>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
PR7		<p><b>SiriusXM Satellite Radio Additional 21 months of the SiriusXM All Access Package.</b> Includes 150 channels of commercial-free music plus every major sport and the biggest names in entertainment, news and comedy in vehicle plus 21 months of listening on the SiriusXM app or online in addition to the 3 months of All Access trial service that is included in the price of the vehicle. Total service duration is 24 months.</p> <p>Non-Transferrable. Non-Refundable.</p> <p>1 - Requires (U2K) SiriusXM Satellite Radio and a Fleet order type. Not available with FDR order types, PR6 or PR8. Not available in AK, HI, PR and VI.</p>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>
PR8		<p><b>SiriusXM Satellite Radio Additional 33 months of the SiriusXM All Access Package.</b> Includes 150 channels of commercial-free music plus every major sport and the biggest names in entertainment, news and comedy in vehicle plus 33 months of listening on the SiriusXM app or online in addition to the 3 months of All Access trial service that is included in the price of the vehicle. Total service duration is 36 months.</p> <p>Non-Transferrable. Non-Refundable.</p> <p>1 - Requires (U2K) SiriusXM Satellite Radio and a Fleet order type. Not available with FDR order types, PR6 or PR7. Not available in AK, HI, PR and VI.</p>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>	A <sup>1</sup>



**2018 Chevrolet Truck Express Cutaway DIMENSIONS**



All dimensions in inches (mm) unless otherwise stated.

	Specifications	CG33503	CG33803	CG33803	CG33903	CG33903	
		139" Wheelbase	159" Wheelbase	4500 Series 159" Wheelbase	177" Wheelbase	4500 Series 177" Wheelbase	
	A	Wheelbase	139.00 (3531)	159.00 (4039)	159.00 (4039)	177.00 (4496)	177.00 (4496)
	B	Overall length	246.70 (6266)	266.70 (6774)	266.70 (6774)	284.80 (7234)	284.80 (7234)
	C	Body width	79.10 (2009)	79.10 (2009)	79.10 (2009)	79.10 (2009)	79.10 (2009)
	D	Overall height	82.90 (2106)	82.90 (2106)	82.90 (2106)	82.90 (2106)	82.90 (2106)
		Head room, front	40.20 (1021)	40.20 (1021)	40.20 (1021)	40.20 (1021)	40.20 (1021)
		Shoulder room, front	68.80 (1748)	68.80 (1748)	68.80 (1748)	68.80 (1748)	68.80 (1748)
		Hip room, front	65.50 (1664)	65.50 (1664)	65.50 (1664)	65.50 (1664)	65.50 (1664)
		Leg room, front	41.30 (1049)	41.30 (1049)	41.30 (1049)	41.30 (1049)	41.30 (1049)
		Cab to axle	80.00 (2032)	100.00 (2540)	100.00 (2540)	118.00 (2997)	118.00 (2997)
	CE	Cab to end of frame	148.50 (3772)	168.50 (4280)	168.50 (4280)	186.50 (4737)	186.50 (4737)
		Front bumper to back of cab	98.70 (2507)	98.70 (2507)	98.70 (2507)	98.70 (2507)	98.70 (2507)
		Ground clearance, front	7.60 (193)	7.60 (193)	7.60 (193)	7.60 (193)	7.60 (193)
		Ground clearance, rear	6.80 (173)	7.00 (178)	7.00 (178)	7.00 (178)	7.00 (178)
		Overhang, front	39.70 (1008)	39.70 (1008)	39.70 (1008)	39.70 (1008)	39.70 (1008)
		Ground to top of frame	23.31 (592)	23.31 (592)	23.31 (592)	23.31 (592)	23.31 (592)
		Frame width, rear	34.80 (884)	34.80 (884)	34.80 (884)	34.80 (884)	34.80 (884)

Published dimensions indicated are without optional equipment or accessories. Additional accessories or equipment ordered at the customer's request can result in a minor change in these dimensions.

**2018 Chevrolet Truck Express Cutaway SPECS**

	<b>CG33503 139" Wheelbase</b>	<b>CG33803 159" Wheelbase</b>	<b>CG33803 4500 Series 159" Wheelbase 4500 Series</b>	<b>CG33903 177" Wheelbase</b>	<b>CG33903 4500 Series 177" Wheelbase</b>
<b>Specifications</b>					
Front shock absorber diameter, in. (mm)	1.38 (35)	1.38 (35)	1.38 (35)	1.38 (35)	1.38 (35)
Front stabilizer bar diameter, in. (mm)	1.38 (35)	1.38 (35)	1.38 (35)	1.38 (35)	1.38 (35)
Rear shock absorber diameter, in. (mm)	1.38 (35)	1.38 (35)	1.38 (35)	1.38 (35)	1.38 (35)
<b>Capacities</b>					
Front axle, lbs. (kg)	4100 (1860)	4100 (1860)	4600 (2087)	4300 (1950)	4600 (2087)
Front spring capacity, lbs. (kg)	4100 (1860)	4100 (1860)	4600 (2087)	4300 (1950)	4600 (2087)
Rear axle, lbs. (kg)	6084 (2760)	6084 (2760)	9600 (4355)	8600 (3901)	9600 (4355)
Rear spring capacity, lbs. (kg)	6084 (2760)	6084 (2760)	9600 (4355)	8600 (3901)	9600 (4355)
Curb weight, (LV1), lbs. (kg)	4543 (2061)	4908 (2226)	--	--	--
Curb weight, (L96 & LC8), lbs. (kg)	4548 (2063)	4910 (2227)	5022 (2278)	5030 (2282)	5310 (2409)
Payload, (LV1), lbs. (kg)	5335 (2420)	4970 (2254)	--	--	--
Payload, (L96 & LC8), lbs. (kg)	5330 (2418)	4968 (2253)	9156 (4153)	7248 (3288)	8868 (4023)
Gross Combination Weight Rating (GCWR), LV1, lbs. (kg)	13000 (5897)	13000 (5897)	--	--	--
Gross Combination Weight Rating (GCWR), L96 & LC8, lbs. (kg)	16000 (7258)	16000 (7258)	20000 (9072)	16000 (7258)	20000 (9072)
Gross Vehicle Weight Rating (GVWR), lbs. (kg)	9900 (4491)	9900 (4491)	14200 (6441)	12300 (5579)	14200 (6441)
Front Gross Axle Weight Rating (GAWR), lbs. (kg)	4100 (1860)	4100 (1860)	4600 (2087)	4300 (1950)	4600 (2087)
Rear Gross Axle Weight Rating (GAWR), lbs. (kg)	6084 (2760)	6084 (2760)	9600 (4355)	8600 (3901)	9600 (4355)
Fuel capacity, approximate, U.S., gallon (liters)	33 (125)	33 (125)	33 (125)	33 (125)	33 (125)
Seating capacity (front/rear)	2	2	2	2	2

 A front view of a heavy-duty steel wheel with a Chevrolet logo in the center. It features eight lug holes arranged in two rows of four. The wheel has a simple, functional design with a wide rim and a central hub.	<p>QT4 <b>Wheels</b>, 6 - 16" x 6.5" (40.6 cm x 16.5 cm) 8-lug painted steel, heavy duty</p>
 A front view of a heavy-duty steel wheel, similar to the QT4 but with a different lug pattern. It features four lug holes arranged in a square pattern. The wheel has a wide rim and a central hub with the Chevrolet logo.	<p>QB5 <b>Wheels</b>, 4 - 16" x 6.5" (40.6 cm x 16.5 cm), 8-lug painted steel, heavy-duty</p>

2018 Chevrolet Truck Express Cutaway RPO CODES

Option Code	Description
40P	Wheel finish, painted White
5B2	Safety belts, Red
5C4	Front Spring, High Rate Upgrade, Upfitter option
5G0	Wheels, painted Black in lieu of standard Gray painted wheels
5H1	Key equipment, two additional keys for single key system
5H5	Fire extinguisher, 2.5 lb. Dry chemical BC rated
5H6	Safety reflector triangle kit
5Q7	Blank Sail Panel Delete, Upfitter option
5Z5	Hubcap delete
6E2	Key, single
6M2	Mirrors, outside mid-stance sail panel mounted
8D8	Provision for upfitter to install their own outside rearview mirrorsProvides an electrical connector so the upfitter can install power outside mirrors.
8E1	Fuel, additional 3-gallons
8E9	Bumper, front, painted White in lieu of the standard Black
8N2	Safety belts, Orange, provides high visibility front Orange safety belts in lieu of Dark Pewter
8R2	Tire valve stems, long, brass, for inside dual rear wheels
8R3	Tire valve stems, brass in lieu of standard
8S3	Backup alarm, 97 decibels
8T2	Headliner delete with (9T7) right-hand door delete
8X1	Label, fasten safety belts
9B4	Fuel fill cap with stainless steel tether in lieu of the standard plastic tether
9B9	Governor, electronic speed sensor set to 70 MPH
9C2	Governor, electronic speed sensor set to 65 MPH
9C7	Coolant recovery bottle with no-loss tethered cap
9D7	Governor, electronic speed sensor set to 75 MPH
9D9	Mirror, inside rearview delete
9J6	Steering column, tilt
9L7	Wiring junction block equipment accessory, includes 2-30 amp circuits
9R5	Suspension, rear multi-leaf in lieu of the standard tapered leaf
9T7	Door, passenger side delete, Upfitter option
9V5	Paints, solid, Woodland Green
9V9	Paints, solid, Doeskin Tan
9W3	Paints, solid, Wheatland Yellow
9W4	Paints, solid, Tangier Orange
A31	Windows, power
AG1	Seat adjuster, driver, 6-way power, riser only, Upfitter option
AG2	Seat adjuster, front passenger, 6-way power, riser only, Upfitter option
AJ3	Air bag, frontal, driver-side only
AK5	Air bags, frontal, driver and right-front passenger
ANC	Shuttle Bus Package
AR7	Seats, front bucket with vinyl trim
AS5	Seats, front bucket with Custom Cloth trim
ASF	Air bags, driver and right-front passenger, seat-mounted side-impact and head curtain side-impact
ATG	Remote Keyless Entry
AU3	Door locks, power
B31	Floor covering, Black rubberized-vinyl front

**2018 Chevrolet Truck Express Cutaway RPO CODES**

Option Code	Description
B3D	School Bus Package
BA3	Console, engine cover
BNC	Body, soft-mount donut and bolt
BTV	Remote vehicle starter system
C4M	GVWR, 9900 lbs. (4490 kg)
C60	Air conditioning, single-zone manual
C7A	GVWR, 10,000 lbs. (4536 kg)
C7I	GVWR, 14,200 lbs. (6441 kg)
C7N	GVWR, 12,300 lbs. (5579 kg)
D28	Mirrors, outside delete
D31	Mirror, inside rearview manual day/night
DAA	Visors, driver and front passenger
DE2	Mirrors, outside manual, Black
DE5	Mirrors, outside heated power-adjustable, Black
DEB	Mirrors, outside heated power-adjustable, Black, manual-folding
DHC	Mirrors, outside wide-stance sail panel mounted (Velvac)
DRJ	Mirror, inside rearview
DT4	Smoker's Package, includes ashtray and lighter
ENC	HVAC system, auxiliary rear heater provisions
FE9	Emissions, Federal requirements
G7K	Antenna equipment
G80	Differential, heavy-duty locking rear
GT4	Rear axle, 3.73 ratio
GT5	Rear axle, 4.10 ratio
GU6	Rear axle, 3.42 ratio
JFF	GVWR, 10,100 lbs. (4581 kg)
JL4	StabiliTrak
K05	Engine block heater
K34	Cruise control
K50	Fuel fitting, auxiliary feed in the fuel tank
KC4	Cooling, external engine oil cooler
KG4	Alternator, 150 amps
KI4	Power outlet, 120-volt
KW5	Alternator, 220 amps
L96	Engine, Vortec 6.0L V8
LC8	Engine, 6.0L V8 SFI Gaseous
LV1	Engine, 4.3L V6
M5U	Transmission, 8-speed automatic
MYD	Transmission, 6-speed automatic, heavy-duty
NB8	Emissions override, California
NB9	Emissions override, state-specific
NC7	Emissions override, Federal
NE1	Emissions, Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington state requirements
NE7	Fuel tank capacity
NHT	Enhanced Towing Performance Package
NP5	Steering wheel, leather-wrapped
PQF	OnStar 6 months of OnStar Protection Service
PQG	OnStar 18 months of OnStar Protection Service

**2018 Chevrolet Truck Express Cutaway RPO CODES**

Option Code	Description
PQH	OnStar 30 months of OnStar Protection Service
PQI	OnStar 6 months of OnStar Security Service
PQL	OnStar 18 months of OnStar Security Service
PQM	OnStar 30 months of OnStar Security Service
PQP	OnStar Additional 6 months of OnStar Fleet Guidance Service
PQQ	OnStar Additional 18 months of OnStar Fleet Guidance Service
PQT	OnStar Additional 30 months of OnStar Fleet Guidance Service
PR6	SiriusXM Satellite Radio Additional 9 months of the SiriusXM All Access Package.
PR7	SiriusXM Satellite Radio Additional 21 months of the SiriusXM All Access Package.
PR8	SiriusXM Satellite Radio Additional 33 months of the SiriusXM All Access Package.
PRD	OnStar 42 months of OnStar Protection Service
PRE	OnStar 42 months of OnStar Security Service
PRF	OnStar Additional 42 months of OnStar Fleet Guidance Service
PSR	Power steering reservoir with glass sight, for checking fluid level
Q8C	Tire valve stem caps, air thru
QB5	Wheels, 4 - 16" x 6.5" (40.6 cm x 16.5 cm), 8-lug painted steel
QT4	Wheels, 6 - 16" x 6.5" (40.6 cm x 16.5 cm) 8-lug painted steel
R04	Wheel configuration, rear, single
R05	Wheel configuration, rear, dual
R6G	Air conditioning delete
R9Y	Fleet Free Maintenance Credit
RGI	Routing grommet, front instrument panel
ROV	OnStar with 4G LTE for Fleet (20GB/12 months)
ROW	OnStar with 4G LTE for Fleet (36GB/24 months)
TGK	Special Paint, Solid, one color
TP2	Battery, 600 cold-cranking amps
TVY	Ship Thru, Produced and shipped to Anchorage VDC then to TK Services and returned to Anchorage VDC for shipping to final destination
U05	Horn, dual-note high and low
U0F	Audio system, AM/FM stereo with MP3 player
U0H	Audio system, AM/FM stereo with MP3 player and USB port
U2K	SiriusXM Satellite Radio
UA1	Battery, heavy-duty 770 cold-cranking amps
UBS	NavTraffic
UE0	OnStar, delete
UE1	OnStar Guidance Plan Limited Trial Service
UF3	High idle switch
UFA	Outside temperature display
UI8	Audio system, Chevrolet MyLink radio with Navigation
UJ1	Brake warning indicator
UJM	Tire Pressure Monitoring System
UPF	Bluetooth for phone, personal cell phone connectivity to vehicle audio system
US8	Audio system, AM/FM stereo with CD/MP3 player
USR	Audio system feature, USB port
UVC	Rear Vision Camera
UXZ	Audio system, radio provisions only
UY7	Trailer provisions, trailer wire harness only
V10	Cold Climate Package
V14	Transmission oil cooler, external

**2018 Chevrolet Truck Express Cutaway RPO CODES**

<b>Option Code</b>	<b>Description</b>
V22	Grille, chrome
V46	Bumper, front chrome
V4D	Circuits, stop/turn signal
VK3	License plate kit, front
VV4	OnStar 4G LTE
VXT	Incomplete vehicle certification
W1Y	Steering wheel controls, mounted audio controls
WRF	Wiring provisions for electrical accessories
XHF	Tires, front LT225/75R16E all-season, blackwall
XLP	Tires, front LT245/75R16E all-season, blackwall
YF1	RV Package
YF2	Ambulance Package
YF5	Emissions, California state requirements
YHF	Tires, rear LT225/75R16E all-season, blackwall
YLP	Tires, rear LT245/75R16E all-season, blackwall
ZHF	Tire, spare LT225/75R16E all-season, blackwall
ZLP	Tire, spare LT245/75R16E all-season, blackwall
ZP0	Seats, delete driver and passenger
ZP1	Seating, temporary driver only, Upfitter option
ZQ2	Power Convenience Package
ZQ3	Driver Convenience Package
ZR7	Chrome Appearance Package
ZW9	Body, standard
ZX1	Seating arrangement, driver-only high-back bucket
ZX2	Seating arrangement, driver and front passenger high-back bucket
ZY1	Paint, solid

## Updates for Express Cutaway

### Week of 9/25/2017

Effective 9/25/2017, the following changes will be made to the Vehicle Order Guide:

- SEO Ship Thru section-(8T2) Headliner delete with (9T7) right-hand door delete, changed availability on CG33903 1WT to "--".
- SEO Ship Thru section-(ZP1) Seating, temporary driver only, Upfitter option, changed availability on CG33903 1WT to "--".

### Week of 9/18/2017

Effective 9/18/2017, the following changes will be made to the Vehicle Order Guide:

- SEO Ship Thru section-(ZP1) Seating, temporary driver only, Upfitter option, updated footnote 1 to read "Includes RPO (AJ3) frontal air bag and SEO (9T7) passenger-side delete door. Not available with RPO (ZQ2) Power Convenience Package or RPO (ZX1) driver-only high-back bucket seating."

### Week of 9/11/2017

Effective 9/11/2017, the following changes will be made to the Vehicle Order Guide:

- OnStar/SiriusXM Fleet Options section-Added (PRE) OnStar 42 months of OnStar Security Service. Provides 42 months of Security service in addition to the 6 months of standard Guidance plan trial service (12 months for Cadillac) that is included in the price of the vehicle (trial excludes Hands-Free Calling minutes). Total service duration is 48 months (54 months for Cadillac). It is "A" on all equipment groups, with footnote 1, which reads "Requires UE1 OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQF, PQG, PQH, PQP, PQQ, PQT, PRD and PRF. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQI, PQL or PQM."
- OnStar/SiriusXM Fleet Options section-Added (PRF) OnStar Additional 42 months of OnStar Fleet Guidance Service. Provides 42 months of Guidance service in addition to the 6 months of standard Guidance plan trial service (12 months for Cadillac) that is included in the price of the vehicle (trial and plan excludes Hands-Free Calling minutes). Total service duration is 48 months (54 months for Cadillac). It is "A" on all equipment groups, with footnote 1, which reads "Requires UE1 OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQF, PQG, PQH, PQI, PQL, PQM, PRD and PRE. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQP, PQQ or PQT."
- OnStar/SiriusXM Fleet Options section-(PQF) OnStar 6 months of OnStar Protection Service, changed footnote 1 to read "Requires UE1 OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQI, PQL, PQM, PQP, PQQ, PQT, PRE and PRF. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQG, PQH or PRD."
- OnStar/SiriusXM Fleet Options section-(PQG) OnStar 18 months of OnStar Protection Service, changed footnote 1 to read "Requires UE1 OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQI, PQL, PQM, PQP, PQQ, PQT, PRE and PRF. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQF, PQH or PRD."
- OnStar/SiriusXM Fleet Options section-(PQH) OnStar 30 months of OnStar Protection Service, changed footnote 1 to read "Requires UE1 OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQI, PQL, PQM, PQP, PQQ, PQT, PRE and PRF. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQF, PQG or PRD."
- OnStar/SiriusXM Fleet Options section-(PQI) OnStar 6 months of OnStar Security Service, changed footnote 1 to read "Requires UE1 OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQF, PQG, PQH, PQP, PQQ, PQT, PRD and PRF. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQL, PQM or PRE."
- OnStar/SiriusXM Fleet Options section-(PQL) OnStar 18 months of OnStar Security Service, changed footnote 1 to read "Requires UE1 OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQF, PQG, PQH, PQP, PQQ, PQT, PRD and PRF. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQI, PQM or PRE."



**Week of 9/11/2017**

Effective 9/11/2017, the following changes will be made to the Vehicle Order Guide:

- Interior section-(UE1) OnStar, update availability on all models to "A".
- Exterior section-(B3D) School Bus Package, created new footnote 1 that reads "Requires (D28) outside mirror delete, (C4M) 9900 lb. (4490 kg) GVWR or (C7A) 10,000 (4536 kg) GVWR, and (ZX1) driver-only high-back bucket seating arrangement or (ZP1) temporary driver only Upfitter option seating. Includes (ENC) HVAC system auxiliary rear heat provisions, (KW5) 220 amp alternator (TP2) isolated 2nd battery and (9L7) equipment accessory wiring junction block, (D31) inside rearview manual day/night mirror or (DRJ) inside rearview mirror with rear vision camera display, (U05) dual note horn and (V4D) stop/turn signal circuits. Not available with (DE2) outside manual Black mirrors, (DHC) outside wide-stance sail panel mounted mirrors, (AU3) power door locks, (ASF) head/side-curtain air bags, (ZQ2) Power Convenience Package, (YF2) Ambulance Package, (YF1) RV Package or (ANC) Shuttle Bus Package.". Old footnotes 1-2 become 2-3. Updated footnote 2 to read "Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI gaseous engine, (C7N) 12,300 lbs. (5579 kg.) GVWR, (D28) outside mirror delete and (ZX1) driver-only high-back bucket seating arrangement or (ZP1) temporary driver only Upfitter option seating. Includes (ENC) HVAC system auxiliary rear heat provisions, (KW5) 220 amp alternator (TP2) isolated 2nd battery and (9L7) equipment accessory wiring junction block, (D31) inside rearview manual day/night mirror or (DRJ) inside rearview mirror with rear vision camera display, (U05) dual note horn and (V4D) stop/turn signal circuits. Not available with (DE2) outside manual Black mirrors, (DHC) outside wide-stance sail panel mounted mirrors, (AU3) power door locks, (ASF) head/side-curtain air bags, (ZQ2) Power Convenience Package, (YF2) Ambulance Package, (YF1) RV Package or (ANC) Shuttle Bus Package.".
- Exterior section-(ANC) Shuttle Bus Package, updated availability on CG33903 1WT to "--". Updated footnote 1 to read "Requires (L96) Vortec 6.0L V8 engine or (LC8) 6.0L V8 SFI gaseous engine and (C7N) 12,300 lbs. (5579 kg.) GVWR. Includes (ZR7) Chrome Appearance Package, (BNC) soft-mount donut and bolt, (ZQ3) Driver Convenience Package, (V4D) stop/turn signal circuits, (ENC) HVAC system auxiliary rear heat provisions (KW5) 220 amp alternator, (TP2) isolated 2nd battery and (9L7) equipment accessory wiring junction block. Not available with (C4M) 9900 lb. (4490 kg) GVWR, (C7A) 10,000 (4536 kg) GVWR, (YF2) Ambulance Package, (YF1) RV Package or (B3D) School Bus Package.".
- OnStar/SiriusXM Fleet Options section-Added (PRD) OnStar 42 months of OnStar Protection Service. Provides 42 months of Protection service in addition to the 6 months of standard Guidance plan trial service (12 months for Cadillac) that is included in the price of the vehicle (trial excludes Hands-Free Calling minutes). Total service duration is 48 months (54 months for Cadillac). It is "A" on all equipment groups, with footnote 1, which reads "Requires UE1 OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQI, PQL, PQM, PQP, PQQ, PQT, PRE and PRF. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQF, PQG or PQH.".

**Week of 9/11/2017**

Effective 9/11/2017, the following changes will be made to the Vehicle Order Guide:

- OnStar/SiriusXM Fleet Options section-(PQM) OnStar 30 months of OnStar Security Service, changed footnote 1 to read "Requires UE1 OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQF, PQG, PQH, PQP, PQQ, PQT, PRD and PRE. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQI, PQL or PRE.".
- OnStar/SiriusXM Fleet Options section-(PQP) OnStar Additional 6 months of OnStar Fleet Guidance Service, changed footnote 1 to read "Requires UE1 OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQF, PQG, PQH, PQI, PQL, PQM, PRD and PRE. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQQ, PQT or PRF.".
- OnStar/SiriusXM Fleet Options section-(PQQ) OnStar Additional 18 months of OnStar Fleet Guidance Service, changed footnote 1 to read "Requires UE1 OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQF, PQG, PQH, PQI, PQL, PQM, PRD and PRE. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQP, PQT or PRF.".
- OnStar/SiriusXM Fleet Options section-(PQT) OnStar Additional 30 months of OnStar Fleet Guidance Service, changed footnote 1 to read "Requires UE1 OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQF, PQG, PQH, PQI, PQL, PQM, PRD and PRE. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQP, PQQ or PRF.".

**Week of 9/4/2017**

Effective 9/4/2017, the following changes will be made to the Vehicle Order Guide:

- SEO/Ship Thru section-(9C7) Coolant recovery bottle with no-loss tethered cap, updated availability on CG33903 1WT and CG33903 2WT to "A". Applied footnote 1 to CG33903 1WT.

**Week of 6/19/2017**

Effective 6/19/2017, the following changes will be made to the Vehicle Order Guide:

- SEO/Ship Thru section-added (TCR) Ship Thru, Produced at Springfield Assembly and shipped to Quigley Motor Company, Manchester, PA and returned to Fort Wayne Assembly for final shipment, with an extended description that reads "(Dealer Invoice = \$1840.00)". It is "A" available on all models.
- SEO/Ship Thru section-added (TBK) Ship Thru, Produced at Springfield Assembly and shipped to Eco Vehicle Systems, Union City, IN and returned to Springfield Assembly for final shipment, with an extended description that reads "(Dealer Invoice = \$545.00)". It is "A" available on all models.